

SB MARKING TAGS

Our most popular tags. The cost effective SB system provides quick and accurate identification. SB Push-On Marking Tags are available in two widths and fit all DIN rail mount and panel mount terminal blocks. The SB5/10 is 5mm (.197 in.) wide and used with our high density 5mm wide terminal blocks. The SB6/10 is 6mm (.236 in.) wide and can be used on all 6mm wide and other width terminal blocks. Up to two SB tags can be easily snapped into marking tag provisions on either side of the terminal block. They can be inserted individually or as strips of 10 tags on 5mm and 6mm wide terminal block assemblies for quick and easy marking.


SB Marking Tags are supplied blank for hand marking (use our smudgeproof Marking Pen) or they can be ordered with a horizontal or vertical imprint. The standard tag color is white with black imprint. Tags can be ordered with up to 3 characters each. Imprints can be either consecutive or identical characters. SB tags are supplied in packs of 50 and 25 identical strips, 10 tags per strip.

- Blank or Imprinted
- 10 Tags Per Strip
- 5mm and 6mm Widths
- Material: Polyamide 6.6
- Standard Color: White, Black Imprint
- Selection of Colors

To simplify selection, Marking tags are indicated within a bar (illustrated below) in the ordering area on each terminal block page of this catalog. The Marking Tags suitable for use are shaded. Select the tag best suited for your application.

AS3	SB5	SB6	BR5	BR6	TM1	TM2
	66	66				


A handy Cross Reference is provided on page 71 to indicate the marking system which can be used for each terminal block type.



Ordering Information	Type	Cat. No.	Std.Pk.	Color
SB5/10 - 5mm (.197 in.) Wide Tags				
Strips/Tags				
SB5/10 Tags, Blank, White or Colors 50 Strips (500 Tags) per pack	SB5/10/WT	2430.0	50/500	White
	SB5/10/RD	2259/RD	50/500	Red
	SB5/10/BM	2259/BM	50/500	Blue
	SB5/10/GR	2259/GR	50/500	Green
	SB5/10/YE	2259/YE	50/500	Yellow
	SB5/10/OR	2259/OR	50/500	Orange
SB5/10 Tags, Horizontal Imprint Consecutive Digits (Specify decade ^a)				
Nos. 1-10, 11-20, etc. up to 100	SB5/10FW	2431.0	50/500	White ^b
Nos. 101-110, etc. up to 999	SB5/10FW	2431.0	25/250	White ^b
SB5/10 Tags, Vertical Imprint Consecutive Digits (Specify decade ^a)				
Nos. 1-10, 11-20, etc. up to 100	SB5/10FS	2433.0	50/500	White ^b
Nos. 101-110, etc. up to 999	SB5/10FS	2433.0	25/250	White ^b
SB5/10 Tags, Horizontal Imprint Identical Characters (specify digits, characters ^a)				
Nos. 1, 2, 3... up to 100	SB5/10GW	2432.0	50/500	White ^b
Nos. 101 up to 999	SB5/10GW	2432.0	25/250	White ^b
Characters A, B... up to Z, Symbols +, -, ⊕	SB5/10GW	2432.0	50/500	White ^b
SB5/10 Tags, Vertical Imprint Identical Characters (specify digits, characters ^a)				
Nos. 1, 2, 3... up to 100	SB5/10GS	2434.0	50/500	White ^b
Nos. 101 up to 999	SB5/10GS	2434.0	25/250	White ^b
Characters A, B... up to Z, Symbols +, -, ⊕	SB5/10GS	2434.0	50/500	White ^b
Marking Pen for Hand Marking Black Ink, waterproof and smudgeproof	BS1	2034.0	1	

^a See HOW-TO-ORDER on page 67.

^b Imprints on color tags are available, please consult Altech



Ordering Information	Type	Cat. No.	Std.Pk.	Color										
SB6/10 - 6mm (.236 in.) Wide Tags	Strips/Tags													
SB6/10 Tags, Blank, White or Colors 50 Strips (500 Tags) per pack	SB6/10	2035.0	50/500	White										
	SB6/10/RD	2291/RD	50/500	Red										
	SB6/10/BM	2291/BM	50/500	Blue										
	SB6/10/GR	2291/GR	50/500	Green										
	SB6/10/YE	2291/YE	50/500	Yellow										
	SB6/10/OR	2291/OR	50/500	Orange										
	SB6/10 Tags, Horizontal Imprint Consecutive Digits (Specify decade ^a)	SB6/10FW	2036.0	50/500	White ^e									
Nos. 1-10, 11-20, etc. up to 100 Nos. 101-110, etc. up to 999	SB6/10FW	2036.0	25/250	White ^e										
<table border="1" style="width: 100%; text-align: center;"><tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td></tr></table>	1	2	3	4	5	6	7	8	9	10				
1	2	3	4	5	6	7	8	9	10					
SB6/10 Tags, Vertical Imprint Consecutive Digits (Specify decade ^a)	SB6/10FS	2037.0	50/500	White ^e										
Nos. 1-10, 11-20, etc. up to 100 Nos. 101 up to 999	SB6/10FS	2037.0	25/250	White ^e										
<table border="1" style="width: 100%; text-align: center;"><tr><td>11</td><td>12</td><td>13</td><td>14</td><td>15</td><td>16</td><td>17</td><td>18</td><td>19</td><td>20</td></tr></table>	11	12	13	14	15	16	17	18	19	20				
11	12	13	14	15	16	17	18	19	20					
SB6/10 Tags, Horizontal Imprint Identical Characters (specify digits, characters ^a)	SB6/10GW	2102.0	50/500	White ^e										
Nos. 1, 2, 3... up to 100 Nos. 101 up to 999 Characters A, B... up to Z, Symbols +, -, ☺	SB6/10GW	2102.0	25/250	White ^e										
SB6/10GW	2102.0	50/500	White ^e											
<table border="1" style="width: 100%; text-align: center;"><tr><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td></tr></table>	1	1	1	1	1	1	1	1	1	1				
1	1	1	1	1	1	1	1	1	1					
SB6/10 Tags, Vertical Imprint Identical Characters (specify digits, characters ^a)	SB6/10GS	2103.0	50/500	White ^e										
Nos. 1, 2, 3... up to 100 Nos. 101 up to 999 Characters A, B... up to Z, Symbols +, -, ☺	SB6/10GS	2103.0	25/250	White ^e										
SB6/10GS	2103.0	50/500	White ^e											
<table border="1" style="width: 100%; text-align: center;"><tr><td>~</td><td>~</td><td>~</td><td>~</td><td>~</td><td>~</td><td>~</td><td>~</td><td>~</td><td>~</td></tr></table>	~	~	~	~	~	~	~	~	~	~				
~	~	~	~	~	~	~	~	~	~					
Marking Pen for Hand Marking Black Ink, waterproof and smudgeproof ^a See HOW-TO-ORDER on this page	BS1	2034.0	1											

**HOW-TO-ORDER
Imprinted SB Marking Tags**

1. Select the tag size for the terminal block to be marked
2. Select color or imprint
3. Designate color or imprint as a suffix “/___” after the Type and Cat.No.
EX: Cat.No. 2037.0/1-10, Type SB6/10FS (for 6mm white tags numbered vertically with consecutive digits 1-10.)
EX: Cat. No. 2291/R, Type SB6/10 for blank 6mm red tags.)

AS 3 MARKING TAGS

The versatile AS3 marking tags easily adapt to changing requirements. Create up to 4-character markings from just a few single-character standard tags. Reduce the need for large inventory of custom imprinted tags. AS3 tags are especially suitable for smaller jobs with special marking requirements.

Up to four tags can be inserted into marking tag provisions on each side of the terminal block. Refer to the Cross Reference on page 71 for exact number of tags for each terminal block.

AS3 tags are supplied in strips of 10 tags (50 identical strips per package, 500 tags) which can be separated at any point. Available in standard white or in a selection of colors, they can be ordered blank for hand marking (use our smudgeproof Marking Pen) or imprinted with a single character black imprint. Imprints are available with consecutive or identical numbers, letters or symbols. Please specify desired imprint when ordering.

For applications requiring markings with more than 4 characters, Tag Carriers (SCHT) are available which accept up to 6 AS3 tags. They insert into the standard marking tag provisions on the terminal blocks. (Note: Tag Carriers may overhang due to the extra length.)

- Blank or Imprinted
- 10 Tags Per Strip
- Tag, Carrier Material: Polyamide 6.6
- Standard Color: White, Black Imprint
- Selection of Colors


To simplify selection, Marking Tags are indicated within a bar (illustrated below) in the ordering area on each terminal block page of this catalog. The marking tags appropriate for use are shaded. Select the tag best suited for your application.

AS3	SB5	SB6	BR5	BR6	TM1	TM2
68						

A handy Cross Reference Chart is provided on page 71 to indicate the marking system which can be used on each terminal block type.

HOW-TO-ORDER AS3 MarkingTags

1. Designate required imprint as a suffix “/___” after the Type and Cat. No.
EX: Type AS3/10G, Cat. No. 2573.0/A for identical character A.



Ordering Information	Type	Cat. No.	Std. Pk.	Color
AS3 Tag, Blank, White or Colors				
50 Strips (500 Tags) per pack				
Strips/Tags				
AS3/10	2571.0		50/500	White
AS3/10/RD	2571/RD		50/500	Red
AS3/10/BM	2571/BM		50/500	Blue
AS3/10/GR	2571/GR		50/500	Green
AS3/10/YE	2571/YE		50/500	Yellow
AS3/10/OR	2571/OR		50/500	Orange
AS3 Tag, Imprinted on White Identical Characters*				
0 - 9, A - Z, a - z, +, --, ⊕				
50 Strips (500 Tags) per pack				
Marking Tag Carriers				
3 Tag Carrier				
4 Tag Carrier				
5 Tag Carrier				
6 Tag Carrier				
Marking Pen for Hand Marking				
Black Ink, waterproof and smudgeproof				
BS1	2034.0		1	

*See HOW-TO-ORDER on this page

BR MARKING TAGS

Some circuits require complex marking. Extra large BR tags are ideal whenever multiple digits or extra large markings are required. Their large surface makes them ideal for hand marking or multi-character custom imprinting using the Altech Computer Plotter Marking System. BR tags are offered in 5mm (.197 in.) or 6mm (.235 in.) widths.

They can be supplied blank for hand marking, or ordered with vertical or horizontal imprints. Vertical imprints are typically used when mounting the terminal block assembly vertically. However, when multidigit imprints are used, the vertical imprint may be more desirable, even when the rail is mounted horizontally.

Character imprints can be numeric, alphabetic, symbols, or any combination thereof.

The standard tag color is white, with a black imprint. Tags are supplied in strips of 10 for quick installation. There are 20 strips to a standard pack (200 tags).

The 5mm BR tag can be imprinted with up to 6 characters either horizontally or vertically. The 6mm BR tag can be imprinted with up to 8 characters horizontally, or 7 characters vertically.

BR tags easily insert into marking tag provisions on one or both sides of all terminal blocks. They can be inserted individually, or as strips of 10 tags on 5mm and 6mm wide terminal block assemblies for quick and easy marking.

- Blank or Imprinted
- 10 Tags Per Strip
- Material: Polyamide 6.6
- Standard Color: White, Black Imprint,
- Selection of Colors (Blank Only)^a


To simplify selection, Marking Tags are indicated within a bar (illustrated below) in the ordering area on each terminal block page of this catalog. The Marking Tags appropriate for use are shaded. Select the tag best suited for your application. Refer to the Cross Reference at the end of this section to determine which marking system can be used for each terminal block type.

AS3	SB5	SB6	BR5	BR6	TM1	TM2
			69	69		

HOW-TO-ORDER BR Custom Imprinted Tags

1. Select the tag size for the terminal block to be marked.
2. Identify imprint, either horizontal or vertical.
3. Prepare typed Character Imprint Schedule, including digits, letters and/or symbols. (See page 259)
4. Attach Imprint Schedule to your order.

If you need further assistance, please contact Altech.



Ordering Information	Type	Cat. No.	Std.Pk.	Color										
BR5 - 5mm (.197) Wide Tags														
Strips/Tags														
BR5 Tags, Blank, White or Colors 20 Strips (200 Tags) per pack	BR10/5	2610.0	20/200	White										
	BR10/5/RD	2701/RD	20/200	Red										
	BR10/5/BM	2701/BM	20/200	Blue										
	BR10/5/GR	2701/GR	20/200	Green										
	BR10/5/YE	2701/YE	20/200	Yellow										
	BR10/5/OR	2701/OR	20/200	Orange										
BR5 Tags Horizontal Custom Imprint (Specify Imprint [®])	BR10/5FW	2611.0	1/10 ^c	White										
<table border="1"> <tr> <td>32x 678</td> <td>32x 679</td> <td>32x 680</td> <td>32x 681</td> <td>32x 682</td> <td>32x 683</td> <td>32x 684</td> <td>32x 685</td> <td>32x 686</td> <td>32x 687</td> </tr> </table>	32x 678	32x 679	32x 680	32x 681	32x 682	32x 683	32x 684	32x 685	32x 686	32x 687				
32x 678	32x 679	32x 680	32x 681	32x 682	32x 683	32x 684	32x 685	32x 686	32x 687					
BR5 Tags, Vertical Custom Imprint (Specify Imprint [®])	BR10/5FS	2612.0	1/10 ^c	White										
<table border="1"> <tr> <td>Y1842B</td> <td>Y1843C</td> <td>Y1844D</td> <td>Y1845E</td> <td>Y1846F</td> <td>Y1847G</td> <td>Y1848H</td> <td>Y1849I</td> <td>Y1850J</td> <td>Y1851K</td> </tr> </table>	Y1842B	Y1843C	Y1844D	Y1845E	Y1846F	Y1847G	Y1848H	Y1849I	Y1850J	Y1851K				
Y1842B	Y1843C	Y1844D	Y1845E	Y1846F	Y1847G	Y1848H	Y1849I	Y1850J	Y1851K					
BR6 - 6mm (.236) Wide Tags														
BR6 Tags, Blank, White or Colors	BR12/6	2613.0	20/200	White										
	BR12/6/RD	2702/RD	20/200	Red										
	BR12/6/BM	2702/BM	20/200	Blue										
	BR12/6/GR	2702/GR	20/200	Green										
	BR12/6/YE	2702/YE	20/200	Yellow										
	BR12/6/OR	2702/OR	20/200	Orange										
BR6 Tags, Horizontal Custom Imprint (Specify Imprint [®]) 20 Strips (200 Tags) per pack	BR12/6FW	2614.0	1/10 ^c	White										
<table border="1"> <tr> <td>I219 3T80</td> <td>I220 4T81</td> <td>I221 5T82</td> <td>I222 6T83</td> <td>I223 7T84</td> <td>I224 8T85</td> <td>I225 9T86</td> <td>I226 0T87</td> <td>I227 1T88</td> <td>I228 2T89</td> </tr> </table>	I219 3T80	I220 4T81	I221 5T82	I222 6T83	I223 7T84	I224 8T85	I225 9T86	I226 0T87	I227 1T88	I228 2T89				
I219 3T80	I220 4T81	I221 5T82	I222 6T83	I223 7T84	I224 8T85	I225 9T86	I226 0T87	I227 1T88	I228 2T89					
BR6 Tags, Vertical Custom Imprint (Specify Imprint [®])	BR12/6FS	2615.0	1/10 ^c	White										
<table border="1"> <tr> <td>0-367-G1</td> <td>0-368-G2</td> <td>0-369-G3</td> <td>0-370-G4</td> <td>0-371-G5</td> <td>0-372-G6</td> <td>0-373-G7</td> <td>0-374-G8</td> <td>0-375-G9</td> <td>0-376-G0</td> </tr> </table>	0-367-G1	0-368-G2	0-369-G3	0-370-G4	0-371-G5	0-372-G6	0-373-G7	0-374-G8	0-375-G9	0-376-G0				
0-367-G1	0-368-G2	0-369-G3	0-370-G4	0-371-G5	0-372-G6	0-373-G7	0-374-G8	0-375-G9	0-376-G0					
Marking Pen, for Hand Marking Black Ink, waterproof and smudgeproof	BS1	2034.0	1											

^a Imprints on color tags are available, please consult Altech.

^b See "HOW-TO-ORDER" on this page.

^c No standard pack, order strips of 10 tags as required.


TM TOP MARKING EXTRUSIONS

TM Top Marking Extrusions snap onto the tops of terminal block assemblies to provide a wide surface for multi-character markings. They also can be used as protective covers for internal jumpers.

Extrusions are supplied blank for hand marking or for applying computer-imprinted labels. Custom computer-imprinted labels, as well as blank labels supplied in rolls are available. Please consult Altech for ordering information.

TM Top Marking Extrusions are offered in two widths to fit most standard terminal blocks. TM1 is 12mm (.472 in.) wide. TM2 is 7mm (.276 in.) wide. Both are supplied in .5m (19.7 in.) lengths which can be easily cut to size.

- Large, Marking Surface
- Easily Cut Extrusions
- Extrusion Material: PVC
- Standard Color: White
- Imprinted Labels Available





TM1
Installed on Terminal Block Assembly



TM2
Installed on Terminal Block Assembly

Ordering Information	Type	Cat. No.	Std. Pk.	Type	Cat. No.	Std. Pk.
TM1 Top Marking System Blank Extrusion, .5m (19.7 in.)	TM1	8884.0	10			
TM2 Top Marking System Blank Extrusion, .5m (19.7 in.)				TM2	8885.0	10

Marking Pen for hand marking Black Ink, waterproof and smearproof	BS1	2034.0	10	BS1	2034.0	10
---	-----	---------------	----	-----	---------------	----



To simplify selection, Marking Tags are indicated within a bar (illustrated below) in the ordering area on each terminal block page in this catalog. The Marking Tags appropriate for use are shaded. Select the tag best suited for your application.

AS3	SB5	SB6	BR5	BR6	TM1	TM2
					70	70

A Handy Cross Reference Chart is provided on page 71 to indicate the marking system which can be used on each terminal block type.

Marking Tag Cross Reference

Maximum Number Of Tags Per Terminal Block Side Are Indicated

Terminal Block Type	Catalog Page No.	Terminal Block Width mm (in.)	AS3	SB5	SB6	BR5	BR6	TM1 ¹	TM2 ¹
SRK2.5	10	5 (.197)		1		1			
RK1.5-4	10	6 (.236)	2		1		1		X
KBL1.5-4	10	6 (.236)	20		10		10		X
RK2.5	10	5 (.197)	4	2		1		X	
KBL2.5	10	5 (.197)	40	20		10		X	
RK2.5-4	11	6 (.236)	4		2		1	X	
KBL2.5-4	11	6 (.236)	40		20		10	X	
RK6-10	11	8 (.315)	4		2		1	X	
KBL6-10	11	8 (.315)	40		20		10	X	
RK16	11	12 (.472)	4		2		1		
RK35	11	16 (.630)	4		2		1		
RK50	12	20 (.787)	4		2		1		
RK95	12	25 (.984)	4		2		1		
RK150	12	31 (1.22)	6		3		1		
RK240	13	36 (1.42)	6		3		1		
RKD2.5 (all)	16	5 (.197)	4 ²	2 ³		2 ³			
KBLD2.5	16	5 (.197)	40	20 ³		20 ³			
RKD4 (all)	16	6 (.236)	4 ²		2 ³		2 ³		X
KBLD4	16	6 (.236)	40		20		10		X
RK2.5-4ZR	18	6 (.236)	4		2		1	X	
RK2.5-4ZRL	18	6 (.236)	4		2		1	X	
DLI2.5 (all)	19	6 (.236)	4/6 ⁶		2/3 ⁶		2/3 ⁶		
RKT2.5 (all)	17,25	5 (.197)	6 ²	3 ³		3 ³			
TRK1.5	20	6.5 (.256)	4		2		1		
TK2/K	20	8 (.315)			2 ⁴ /1 ⁵		2 ⁴		
TRK1.5/DS	21	6.5 (.256)	6		3		2		
STK1	23	8 (.315)			2 ⁴ /1 ⁵		2 ⁴		
STK1 (LED)	23	6 (.236)			2 ⁴ /1 ⁵		2 ⁴		
SIK10 (all)	22	8 (.315)	4		2		1		
SIK10/Z (all)	22	10 (.394)	4		2		1		
SK3X	23	13 (.512)			1		1		
RKD4D (all)	24,25,26,27,28	6 (.236)	4 ²		2 ³		2 ³		X
IK2.5 (all)	30	5 (.197)	6 ² /1 ²	3 ³ /1 ³		3 ³ /1 ³			
IKT2.5 (all)	31	5 (.197)	6 ²	3 ³		3 ³			
SLN2.5 (all)	32	6 (.236)			1		1		
SL2.5 (all)	32	6 (.236)	4		2		1	X	
SL4 (all)	33	8 (.315)	4		2		1	X	
SL10 (all)	33	10 (.394)	4		2		1	X	
SL16 (all)	33	12 (.472)	4		2		1		
SL35 (all)	33	16 (.630)	4		2		1		
TSK2.5	29	[2] 5 (.197)	8	4		2			
SRK2.5/15	35	5 (.197)		1		1			
RK1.5-4/15	35	6 (.236)	2		1		1		X
SL4/15	37	7 (.276)			1		1		
TRK1.5/15	36	6.5 (.256)	4		2		1		
TRK1.5/15DS	36	6.5 (.256)	6		3		2		
STK1/15	37	8 (.315)			1		1		
STK1/15 (LED)	37	6 (.236)			2 ⁴ /1 ⁵		2 ⁴		1 ⁴
BKA2.5	38	5 (.197)	2	1		1			
BKA4	38	6 (.236)	2		1		1		
RKB4	39	6 (.236)	2		1		1		X

¹ Top Marking Extrusion, (1) per terminal block assembly

² Includes (2) per level

³ Includes (1) per level

⁴ Lever Top

⁵ Opposite Hinge Side

⁶ Ground Side

WIRE MARKERS

Easy to read imprinted Wire Marker sleeves facilitate wiring and can accommodate a wide range of wire sizes. Any desired combination of numbers can be made from only ten standard numbers per wire range -- without ordering custom-imprinted tags. Blank marker sleeves for hand marking, and marker sleeves with alphabetical imprints, as well as -, +, ⊕ symbols are also available.

The flat character imprint surface ensures non-distorted imprints, while the chevron cut prevents misalignment of characters.

Wire Markers are available in standard pack reels. Ordering is simple, just indicate the required imprint as a suffix to the Type and Cat. No. (see example below).

The tapered Applicator Tool insures fast, easy mounting of markers onto the wire.

- 22 - 0 AWG Wire Range
- Selection of Imprints
- Material: PVC
- Standard Color: Yellow, Black Imprint



DISCONTINUED

Ordering Information

Approx.
AWG

Insulation
Hand App.

Type

Cat. No.

Std.Pk.

**Wire Marker Sleeves
with Identical Number Imprint, 0-9
Packed on Reels**
(Specify Imprint^a)

22-20

3.0- 3.0 (.06-.12)



WMS6

906.0

1000/Reel

3.0- 4.2 (.12-.17)



WMS8

908.0

1000/Reel

4.8- 5.8 (.19-.23)



WMS12

912.0

1000/Reel

7-30

7.5-10.0 (.30-.39)



WMS24

924.0

500/Reel

10.5 (.31-.41)

10.5-41.5 (.41-.57)



WMS36

936.0

250/Reel

Applicator Tool
Types

WMS6
WMS8
WMS12
WMS24
WMS36

WMT6
WMT8
WMT12
WMT24
WMT36

806.0
808.0
812.0
824.0
836.0

1
1
1
1
1



^aWhen ordering, specify Imprint by designating desired imprint as a suffix "/ ___" after the Type and Cat. No.
EX: Type WMS8/9, Cat. No. 908.0/9 (when ordering the imprint 9)