



+ TERMINALS & SPLICES

PCB TERMINALS



✓ Active

TE CONNECTIVITY (TE)

FASTON 250 PCB TAB TPBR LP

FASTON | 250

1742686-1

TE Internal Number: 1742686-1

EU RoHS Compliant

EU ELV Compliant

Terminal Type Tab

PCB Thickness (Recommended) 1.57 mm [.062 in]

Mating Tab Width 6.35 mm [.25 in]

Mating Tab Thickness .81 mm [.032 in]

PCB Hole Diameter 1.4 mm [.055 in]

[!\[\]\(19d44b37fb4fa155bf9d60c77a3d3cb2_img.jpg\) **PRODUCT DRAWING**](#)
English

[!\[\]\(5a351309c3b87e4420622c1f0e57efc0_img.jpg\) **3D PDF**](#)

DOCUMENTATION

Product Drawings

TAB, FASTON, P.C.BOARD 6.35 [.250] LOOSE PIECE

PDF

English

CAD Files

3D PDF

PDF

3D

Customer View Model

2D_DXF.ZIP

English

Customer View Model

3D_IGS.ZIP

English

Customer View Model

3D_STP.ZIP

English

Agency Approvals

Agency Approval Document

QUICK CONNECTS, STELL AND COPPER TABS, 110, 187, 205, 250

PDF

English

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

FASTON Yes

Terminates To Printed Circuit Board

Insulated Wire Support Yes

Configuration Features

Stud Hole No

Terminal Angle Straight

Body Features

Plating Material Tin

Contact Features

Terminal Type Tab

Contact Plating Material Tin

Dimensions

PCB Thickness (Recommended) 1.57 mm [.062 in]

Mating Tab Width 6.35 mm [.25 in]

Mating Tab Thickness .81 mm [.032 in]

PCB Hole Diameter 1.4 mm [.055 in]

Receptacle Stock Thickness .81 mm [.032 in]

Packaging Features

Packaging Method Bag

Packaging Quantity 2000

Other

Comment Insertion equipment available.

PRODUCT COMPLIANCE



Statement of Compliance

Statement of Compliance

PDF
