

MAGNETIC TIP NUT DRIVERS

Hollow Shaft



**KLEIN
TOOLS.**

F UfY`9UfH`A U[bYh]W]d`UbX`<c`ck`G\UZh8Yg][bÅ DYfZcfa UbW` : cf`DfcZYgg]cbU`g
=bfCxi V]b[`bYk`W g\]cb! [f]d`bi`h`Xf]j`Yfg`Zca`?`Y]b`Hcc`g`h`UhVta`V]bY`h`Y`dck`Yf`cZ`fUfY`YUfh`a`U[`bYh]W
h]dg`UbX`h`Y`Vtbj`Yb]YbW`cZ`U`c`ck`g\UZhXYg][b`5j`U]UV`Y`]b`%#(`U`bX`)`#%*`YI`g]nYg`UbX`U`j`Uf]YmicZ`
g\UZh`Yb[`h`g`fZca`U`%`#&`gh`Vvmhc`Ub`%`gi`dYf`cb[`Łž?`Y]b]fUfY`YUfh`a`U[`bYh]W]d`bi`h`Xf]j`Yfg`
gYW`fY`m`c`X`ZJghYbYfg`]b`d`UW`Zc`f`cbY!\`UbXYX`cdYfUH]cb`UbX`YUg]m`Xf]j`Y`bi`hg`cb`cb[`Vc`h`Udd`]W]h]cbgž`
Ug`k`Y`Ug`a`UbmiY`YVf]W]`UbX`<J`57`#`d`UbY`g`"

: 95HI F 9G

Patent pending hollow shaft design with Rare Earth magnetic tip.

Hollow shaft facilitates work on bolt applications.

Color-coded handle end quickly identifies nut driver size.

Hex sizes available in both 1/4" and 5/16".

Chrome-plated shaft helps prevent corrosion.

Meets or exceeds applicable ASME/ANSI specifications.

Internal flanges provide solid, twist-resistant shaft anchor.

Cushion-grip handle for greater torque and comfort.

KLEIN TOOLS INC.
630-5/16M U.S.A.
MAGNETIC

▲ WARNINGS:

- Always wear approved eye protection.
- NOT insulated. Will NOT protect against electrical shock.

CF 89F =B; `=B: CFA 5H=CB

	7UH'Bc"	I D7'Bc" \$! - &* ((Ž · 8YgW]d]h]cb	<UbX`Y`9bX 7c`cf	G\Uzh @Yb[H`	Cj YfU` @Yb[H`	
B9K	* % \$! % # (A`	*) %) ! -	% # (" " A U [bYh]WH]d`Bi h` 8f]j Yf`È`<c`ck`G\UZh	FYX	% d % # & " " fl , `a a Ł	' ! % # & " " fl - `a a Ł
B9K	* % \$!) # % * A`	*) % * ! *) # % * " " A U [bYh]WH]d`Bi h` 8f]j Yf`È`<c`ck`G\UZh	M`ck	% d % # & " " fl , `a a Ł	' ! % # & " " fl - `a a Ł
B9K	* % \$ A`	*) % (' ! (& ! D]YW`A U [bYh]WH]d`Bi h` 8f]j Yf`GYh	FYX`UbX` M`ck	% d % # & " " fl , `a a Ł	' ! % # & " " fl - `a a Ł
B9K	* ' \$! % # (A`	*) % + ! '	% # (" " A U [bYh]WH]d`Bi h` 8f]j Yf`È`<c`ck`G\UZh	FYX	' " " fl + * `a a Ł	* ! ' # (" " fl % + % `a a Ł
B9K	* ' \$!) # % * A`	*) % , ! \$) # % * " " A U [bYh]WH]d`Bi h` 8f]j Yf`È`<c`ck`G\UZh	M`ck	' " " fl + * `a a Ł	* ! ' # (" " fl % + % `a a Ł
B9K	* ' \$ A`	*) % (! %	& ! D]YW`A U [bYh]WH]d`Bi h` 8f]j Yf`GYh	FYX`UbX` M`ck	' " " fl + * `a a Ł	* ! ' # (" " fl % + % `a a Ł
B9K	* (* ! % # (A`	*) % - ! +	% # (" " A U [bYh]WH]d`Bi h` 8f]j Yf`È`<c`ck`G\UZh	FYX	* " " fl %) & `a a Ł	- ! ' # (" " fl & (, `a a Ł
B9K	* (* !) # % * A`	*) % (\$! ') # % * " " A U [bYh]WH]d`Bi h` 8f]j Yf`È`<c`ck`G\UZh	M`ck	* " " fl %) & `a a Ł	- ! ' # (" " fl & (, `a a Ł
B9K	* (* A`	*) % () ! ,	& ! D]YW`A U [bYh]WH]d`Bi h` 8f]j Yf`GYh	FYX`UbX` M`ck	* " " fl %) & `a a Ł	- ! ' # (" " fl & (, `a a Ł
B9K	* % ! % # (A`	*) % (% \$	% # (" " A U [bYh]WH]d`Bi h` 8f]j Yf`È`<c`ck`G\UZh	FYX	% " " f () + `a a Ł	& % d ' # (" " fl) & `a a Ł
B9K	* % !) # % * A`	*) % (& ! +) # % * " " A U [bYh]WH]d`Bi h` 8f]j Yf`È`<c`ck`G\UZh	M`ck	% " " f () + `a a Ł	' & % d ' # (" " fl) & `a a Ł

⚠ WARNINGS:
 ---5`k Umg`k Yuf`Uddfcj YX`YmY`dfchYV]cb"
 ---BCH`]bgi`UHYX`"K]`BCH`dfchYV]U[U]bgh`Y`YV]W]W`g`lcW`"

Ú`]]|{ ^} dÚÁ Á Óææ] * ÁFHUÈ
 î Áæ Á|á Á[| Á Q&È
 Ú]á ç á Á Á VÈ È È



KLEIN TOOLS
 For Professionals... Since 1857®
 Á Ô @æ [ÈŠÁ é í JÈ€H
 k k k " `Y]b]cc`g`V]æa

JÌ H`G

Q|Á`^`ç} • Á* æää * Á|á Á[| Á È] |æ Á`^`Á @ Á | } æóŠ|á Á[| Á æ ^ È Q|Á`^`ç} • Á* æää * Á|á Á[| Á Q|Á`^`ç} Á` æää * Á @ Á`^`Á @ Á æ È È] |æ Á`^`Á`^`Á`^` Á` Š* æÁ| ç Á B]á æ Á`æ Á`^` Á` ç Á