

### 3M™ Highland™ Masking Tape

3M™ Highland™ Masking Tape 2307 ..... 201

### Nexcare™ Reusable Cold Pack

Nexcare™ Reusable Cold Pack 2646 ..... 202

### Active Strip Plasters

3M™ Nexcare™ Active™ Strips Flexible Foam Bandages ..... 203



### Casting and Splint Products

3M™ Primacast Unpadded Splint ..... 204

3M™ Scotchcast One-Step Splint ..... 205

3M™ Scotchcast™ Plus Casting Tape ..... 206

3M™ Scotchcast™ Soft Cast Plus Casting Tape ..... 208

3M™ Scotchcast™ Polyester Casting Tape ..... 209

3M™ Synthetic Cast Stockinet ..... 210



### 3M™ Defib Pads

3M™ Defib Pads ..... 211



### Littmann® Stethoscopes

Electronic Stethoscope Model 4000 ..... 212

Master Cardiology Stethoscopes ..... 213

Cardiology III Stethoscopes ..... 214

Master Classic II Stethoscope ..... 215

Classic II S.E. Stethoscopes ..... 216

Classic II Pediatric and Infant Stethoscopes ..... 217

Select Stethoscopes ..... 218

Lightweight II S.E. Stethoscopes ..... 219





### Littmann® Stethoscope Replacement Parts

Stethoscope Identification Tags .....	220
Stethoscope Chestpiece Assembly – Classic II SE .....	220
Stethoscope Binaurals .....	221
Stethoscope Floating Diaphragms (Printed with Littmann Logo) .....	223
Tunable Diaphragm and Rim Assembly .....	224
Stethoscope Eartips .....	225
Stethoscope Nonchill Bell Sleeve .....	226
Snap-on Rims .....	227
Special Procedure Adaptors .....	228



### Monitoring Systems/Sterilization Assurance

3M™ Ethylene Oxide Monitor .....	229
Attest™ Incubators and Indicators .....	230
3M™ Comply™ Bowie Dick Test Products .....	234
3M™ Comply™ EO and Steam Chemical Indicator Tapes & Strips .....	235




### Nexcare™ Opticlude™ Orthoptic Eye Patch

3M™ Nexcare™ Opticlude Orthoptic Eye Patch .....	237
--	-----



### Red Dot Electrodes

3M™ Littmann™ Diagnostic EKG Electrode Lead Wire .....	238
3M™ Red Dot™ Monitoring Electrode with Foam Tape and Sticky Gel .....	239
3M™ Red Dot™ Foam Monitoring Electrodes .....	240
3M™ Red Dot™ Infant Soft Cloth Monitoring Electrode .....	241
3M™ Red Dot™ Pediatric Monitoring Electrode .....	242
3M™ Red Dot™ Monitoring Electrodes with 3M™ Micropore™ Tape Backing .....	243
3M™ Red Dot™ Resting EKG Electrode .....	244
3M™ Red Dot™ Trace Prep .....	245



### Reston Foam Pads

Reston Foam Pads .....	246
------------------------	-----



### Universal Electrosurgical Pads

3M™ Series 9100 Universal Electrosurgical Pads ..... 247

### Skin Prep

DuraPrep™ Surgical Solution ..... 248

Surgical Clippers and Accessories ..... 249

### Steri-Gas Cartridges

Steri-Gas Cartridges ..... 250

### Sterile Field & Surface

Incise Drapes ..... 251

Steri-Drape™ Cardiovascular/Cardiac Catheterization Drapes ..... 253

Steri-Drape™ Orthopaedic Drapes ..... 256

Steri-Drape™ Surgical Sheets and Accessories ..... 263

Steri-Drape™ Obstetrics and Gynaecology Drapes ..... 270

Steri-Drapes™ Equipment Drapes ..... 276

Steri-Drapes™ EENT Drapes ..... 278

Steri-Drapes™ Urology Drapes ..... 280

Steri-Drapes™ Surgical Gowns ..... 282

Surgical Masks ..... 283

### Wound Management

Tegaderm™ Dressings for Advanced Wound Care ..... 285

Tegaderm™ Dressings for IV Site Secural and Protection ..... 288

Tegaderm™ Dressings for Surgical Site ..... 291

Cavilon™ Skin Protectants ..... 292

Skin Staples ..... 294

Surgical Tape ..... 298

Wound Closures: Steri-Strip™ ..... 305



## 3M™ Highland™ Masking Tape

3M Mining has solutions for your on-site infirmary and hospital needs.

### 3M™ Highland™ Masking Tape 2307

Hospital Masking Tape that serves as a closure tape to seal sterilisation packs.



**Features:**

- Clean removal for light duty bundling, attaching, and labelling.
- Typically used at room temperature but will function up to 200 degrees F ( 93 C ).

**Learn More:**

- 3M Masking Tape 2307 – Data Sheet (PDF 10.1 K)
- Masking Tapes for Painting, Bonding & More Product Information

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
<b>2307</b> UH-5555-5189-3 0 21200 71118 3	24mm x 55cm Natural colored crepe paper/Rubber	36	13.6000 lbs 6.1689 kg	10.8" 0.274m	10.7" 0.272	9.6" 0.244m



### Nexcare™ Reusable Cold Pack 2646

The application of cold is a natural drug-free way to help treat minor injuries and to reduce swelling.

**Learn More:**

- MSDS (United States)

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
<b>2646</b>	100mm x 250mm	1/box	9.6000 lbs	9.8"	9.6"	5.3"
70-0704-3298-7	4" x 10"		4.3545 kg	0.249m	0.244m	0.135m
051131 18413 8		12				



### 3M™ Nexcare™ Active™ Strips Flexible Foam Bandages



Unique, flexible foam strip stretches, flexes and conforms to active fingers, knuckles, knees and elbows. Available in tan and bright colors. Cushion and protect cuts, scrapes, blisters and other minor injuries.

#### Features:

- Soft, absorbent pad won't stick to wounds.
- Adhesive seals around pad to help keep out dirt and contaminants.
- Advanced, water-resistant adhesive provides extra sticking power on damp or sweating skin – stays put even during strenuous work or play.
- Latex-free.

#### Learn More:

- Skin Health Reimbursement Coding Information (NDC, HCPCS) – Brochure (PDF 159.4 K)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
UH-5555-5129-9	Brights, Assorted Sizes	30/box 6 box/display 4 displays				
<b>554-30</b> 70-2006-6795-7	Brights, 19mm x 75mm 3/4" x 3"	30/box 12	2.2200 lbs 1.0070 kg	9.9" 0.251m	5.9" 0.150m	8.5" 0.216m
UH-5555-5134-9		20/box 12 box/display 2 displays				
UH-5555-5135-6	Assorted Sizes	50/box 12 box/display 2 displays				



Includes: Splints, Casting tape and Stockinet.

### 3M™ Primacast Unpadded Splint



A revolutionary splint technology that offers the speed and strength you expect from synthetics and the conformability and feel of plaster, now in one revolutionary splint technology. The water-activated material sets in 3-4 minutes and builds to functional strength in 20 minutes. The plaster-like conformability allows easy molding to the area of the body being splinted. The low profile provides better moldability than fiberglass splints. Provides these and other benefits at the same or lower cost than competitive fiberglass splints.

#### Learn More:

- [Common Questions – Primacast Splint – Questions and Answers \(PDF 13.3 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight		Case Dimensions		
			lbs kg	Length	Width	Height	
<b>30210</b> 70-2007-1178-9 7 07387 49589 3	2" x 10"	1	2.5500 lbs 1.1567 kg	18.2" 0.462m	6.7" 0.170m	5.3" 0.135m	
<b>30312</b> 70-2007-1179-7 7 07387 49590 9	3" x 12"	1	3.7000 lbs 1.6783 kg	18.2" 0.462m	6.9" 0.175m	5.3" 0.135m	
<b>30335</b> 70-2007-1180-5 7 07387 49591 1	3" x 35"	1	8.7500 lbs 3.9689 kg	13.4" 0.340m	12.4" 0.315m	8.8" 0.224m	
<b>30415</b> 70-2007-1181-3 7 07387 49592 3	4" x 15"	1	5.6500 lbs 2.5628 kg	21.2" 0.538m	8.8" 0.224m	5.3" 0.135m	
<b>30430</b> 70-2007-1182-1 7 07387 49593 0	4" x 30"	1	10.2000 lbs 4.6266 kg	28.4" 0.721m	8.8" 0.224m	6.3" 0.160m	
<b>30530</b> 70-2007-1183-9 7 07387 49594 7	5" x 30"	1	8.3000 lbs 3.7648 kg	19.7" 0.500m	9.4" 0.239m	7.0" 0.178m	
<b>30545</b> 70-2007-1184-7 7 07387 49595 4	5" x 45"	1	12.0000 lbs 5.4431 kg	26.4" 0.671m	9.4" 0.239m	7.2" 0.183m	
<b>30630</b> 70-2007-1185-4 7 07387 49596 1	6" x 30"	1	9.4500 lbs 4.2864 kg	19.7" 0.500m	9.7" 0.246m	7.0" 0.178m	
<b>30645</b> 70-2007-1186-2 7 07387 49597 8	6" x 45"	1	13.9500 lbs 6.3276 kg	26.4" 0.671m	10.9" 0.277m	7.2" 0.183m	
<b>30830</b> 70-2007-1187-0 7 07387 49598 5	8" x 30"	1	13.1000 lbs 5.9421 kg	22.4" 0.569m	13.7" 0.348m	6.4" 0.163m	
<b>30845</b> 70-2007-1188-8 7 07387 49599 2	8" x 45"	1	18.1000 lbs 8.2100 kg	20.4" 0.518m	12.9" 0.328m	9.7" 0.246m	



### 3M™ Scotchcast One-Step Splint



Covered on one side by an air and moisture permeable non-woven fabric and on the other side by fast drying air and moisture permeable open cell foam, which serves as padding. This pre-cut splint is available in a variety of prefabricated, individually pouched sizes. Because Scotchcast One-Step splints are pre-cut and individually pouched, they are more portable and faster to apply than roll splints. Exposure of the splints to moisture or water initiates a chemical reaction that causes the splints to become rigid. A finished splint is lightweight, strong and more radiolucent than plaster.

**Features:**

- All-in-one splint allows for easy application and time savings. Faster application increases patient turnaround.
- Conformable and moldable for better patient fit.
- Provides strong, lightweight support to encourage early patient mobility.
- Available in a variety of pre-cut sizes to accommodate a variety of patient sizes and reduce the need to cut and customize splints.

**Learn More:**


- [Common Questions – Scotchcast One-Step Splint – Questions and Answers \(PDF 13.3 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
<b>76210A</b> 70-2007-3882-4 7 07387 56153 6	5cm x 25cm 2" x 10"	1	2.2000 lbs 0.9979 kg	11.9" 0.302m	6.8" 0.173m	6.9" 0.175m
<b>76312A</b> 70-2007-3883-2 7 07387 56154 3	7.5cm x 30cm 3" x 12"	1	6.5000 lbs 2.9484 kg	12.7" 0.323m	8.0" 0.203m	6.7" 0.170m
<b>76415A</b> 70-2007-3884-0 7 07387 56155 0	10cm x 37.5cm 4" x 15"	1	6.5000 lbs 2.9484 kg	14.4" 0.366m	8.4" 0.213m	7.6" 0.193m
<b>76430</b> 70-2005-8963-1 7 07387 14443 7	10cm x 75cm 4" x 30"	1	4.4500 lbs 2.0185 kg	10.3" 0.262m	6.8" 0.173m	9.6" 0.244m
<b>76430</b> 70-2005-8964-9 0 51119 52986 9	12.5cm x 75cm 5" x 30"	1	5.7000 lbs 2.5855 kg	10.3" 0.262m	8.6" 0.218m	10.1" 0.257m





### 3M™ Scotchcast™ Plus Casting Tape



Scotchcast Plus casting tape consists of a knitted fiberglass fabric impregnated with polyurethane resin. Exposure to moisture or water initiates a chemical reaction which causes the tape to become rigid. Finished casts produced from Scotchcast Plus casting tape are lightweight, strong, radiolucent, and porous. Scotchcast Plus casting tape contains a lubricating agent in the resin to provide a slippery feel when exposed to water.

**Features:**

- Water-activated resin lets you control working time according to application needs.
- High and early strength allows for weight bearing in 20 minutes and provides a durable cast with less chance of breakdown and the need for costly repairs or replacements.
- Lightweight for easy mobility.
- Stretches to conform well to contours for a more comfortable, better fitting cast.
- Porous weave allows the skin to breathe.
- Available in 11 colors to maximize patient satisfaction.

**Learn More:**

- [Common Questions – Scotchcast Plus Casting Tapes – Questions and Answers \(PDF 13.7 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
<b>82001</b> 70-2007-4433-5 7 07387 40942 5	2.5cm x 1.8m 1" x 2 yd White	1	1.0900 lbs 0.4944 kg	12.8" 0.325m	4.9" 0.124m	5.3" 0.135m
<b>82002</b> BC-0000-4478-6 7 07387 39479 5	5m x 3.6m 2" x 4 yd White	1	2.7900 lbs 1.2655 kg	12.8" 0.325m	4.9" 0.124m	5.3" 0.135m
<b>82002B</b> 70-2005-6075-6 7 07387 39480 1	5m x 3.6m 2" x 4 yd Blue	1	2.7900 lbs 1.2655 kg	12.8" 0.325m	4.9" 0.124m	5.3" 0.135m
<b>82002G</b> 70-2005-6077-2 7 07387 39481 8	5m x 3.6m 2" x 4 yd Green	1	2.7900 lbs 1.2655 kg	12.8" 0.325m	4.9" 0.124m	5.3" 0.135m
<b>82002J</b> UH-5555-5080-4 7 07387 40905 5	5m x 3.6m 2" x 4 yd Glow in the Dark	1	2.7900 lbs 1.2655 kg	12.8" 0.325m	4.9" 0.124m	5.3" 0.135m
<b>82002R</b> 70-2006-1893-5 7 07387 39484 9	5m x 3.6m 2" x 4 yd Red	1	2.7900 lbs 1.2655 kg	12.8" 0.325m	4.9" 0.124m	5.3" 0.135m
<b>82002X</b> 70-2005-6076-4 7 07387 40904 8	5m x 3.6m 2" x 4 yd Bright Pink	10 rolls	2.7900 lbs 1.2655 kg	12.8" 0.325m	4.9" 0.124m	5.3" 0.135m



### 3M™ Scotchcast™ Plus Casting Tape (cont'd)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
<b>82003</b> BC-0000-4479-4 7 07387 39486 3	7.5cm x 3.6m 3" x 4 yd White	1	3.9500 lbs 1.791 kg	12.8" 0.325m	5.6" 0.142m	5.3" 0.135m
<b>82003B</b> 70-2005-6081-4 7 07387 39487 0	7.5cm x 3.6m 3" x 4 yd Blue	1	3.9500 lbs 1.791 kg	12.8" 0.325m	5.6" 0.142m	5.3" 0.135m
<b>82003G</b> 70-2005-6083-0 7 07387 39488 7	7.5cm x 3.6m 3" x 4 yd Green	1	3.9500 lbs 1.791 kg	12.8" 0.325m	5.6" 0.142m	5.3" 0.135m
<b>82003J</b> UH-5555-5079-6 7 07387 40918 5	7.5cm x 3.6m 3" x 4 yd Glow in the Dark	1	3.9500 lbs 1.791 kg	12.8" 0.325m	5.6" 0.142m	5.3" 0.135m
<b>82003R</b> 70-2006-1894-3 7 07387 39491 7	7.5cm x 3.6m 3" x 4 yd Red	1	3.9500 lbs 1.791 kg	12.8" 0.325m	5.6" 0.142m	5.3" 0.135m
<b>82003X</b> BC-0000-6082-4 7 07387 40917 3	7.5cm x 3.6m 3" x 4 yd Bright Pink	10 rolls	3.9500 lbs 1.791 kg	12.8" 0.325m	5.6" 0.142m	5.3" 0.135m
<b>82004</b> BC-0000-4480-2 7 07387 39493 1	10cm x 3.6m 4" x 4 yd White	1	4.7000 lbs 2.1319 kg	12.8" 0.325m	6.4" 0.163m	5.3" 0.135m
<b>82005</b> BC-0000-4481-0 7 07387 39500 6	12.5cm x 3.6m 5" x 4 yd White	1	5.6500 lbs 2.5628 kg	12.9" 0.328m	7.4" 0.188m	5.3" 0.135m



### 3M™ Scotchcast™ Soft Cast Plus Casting Tape



Scotchcast Soft Cast is a fiberglass casting product which remains flexible when cured, not rigid. Used for secondary casts.

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
<b>82102</b> 70-2006-4777-7 7 07387 46426 9	5cm x 3.6m 2" x 4 yd White	1	3.1000 lbs 1.4061 kg	14.4" 0.366m	5.1" 0.130m	5.0" 0.127m
<b>82103</b> 70-2006-4778-5 7 07387 46427 6	7.5cm x 3.6m 3" x 4 yd White	1	4.1000 lbs 1.8597 kg	14.4" 0.366m	5.7" 0.145m	5.0" 0.127m
<b>82104</b> 70-2006-4718-1 7 07387 46428 3	10cm x 3.6m 4" x 4 yd White	1	5.4000 lbs 2.4494 kg	14.4" 0.366m	6.1" 0.155m	5.0" 0.127m



### 3M™ Scotchcast™ Polyester Casting Tape



Scotchcast Poly casting tape is easy to use and mold, and micro-creped backing conforms well to body contours, thus reducing the risk of constriction.

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
<b>86002</b> 70-2007-0808-2 7 07387 47228 3	5cm x 3.2m / 4.1m 2" x 3½ yd (unstretched)/ 4½ yd (stretched) White	1	3.0400 lbs 1.3789 kg	14.4" 0.366m	6.0" 0.152m	5.0" 0.127m
<b>86003</b> 70-2007-0809-0 7 07387 47229 0	7.6cm x 3.2m / 4.1m 3" x 3½ yd (unstretched)/ 4½ yd (stretched) White	1	4.1000 lbs 1.8597 kg	14.2" 0.361m	7.4" 0.188m	5.6" 0.142m
<b>86004</b> 70-2007-0810-8 7 07387 47230 6	10.1cm x 3.2m / 4.1m 4" x 3½ yd (unstretched)/ 4½ yd (stretched) White	1	5.4500 lbs 2.4721 kg	14.2" 0.361m	7.4" 0.188m	6.3" 0.160m
<b>86005</b> 70-2007-0811-6 7 07387 47231 3	12.7cm x 3.2m / 4.1m 5" x 3½ yd (unstretched)/ 4½ yd (stretched) White	1	6.8000 lbs 3.0844 kg	14.4" 0.366m	7.1" 0.180m	5.0" 0.127m



### 3M™ Synthetic Cast Stockinet

An essential component of a high-quality cast, this synthetic stockinet is intended for use as an underlayment for all standard casting applications. Suitable for use with all casting materials, plaster and synthetic.

**Features:**

- Stockinet helps reduce water retention and improves patient comfort.
- 100% knitted polyester stockinet provides conformability for easy use.
- Can be used for all standard casting applications and with all casting materials for greater versatility.
- Available in a variety of widths to meet your casting needs.

**Learn More:**

- [Common Questions – Synthetic Cast Stockinet – Questions and Answers \(PDF 13.7 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight		Case Dimensions		
			lbs	kg	Length	Width	Height
<b>MS01</b> 70-2004-7386-9 0 51119 54075 8	2.5cm x 22.8m 1" x 25 yd	1	0.7700 lbs 0.3493 kg		10.6" 0.269m	10.3" 0.260m	2.5" 0.064m
<b>MS02</b> BC-0000-0117-4 7 07387 07833 1	5cm x 22.8m 2" x 25 yd		1.5000 lbs 0.6804 kg		10.4" 0.264m	3.0" 0.07m	10.3" 0.260m
<b>MS03</b> BC-0000-0122-4 7 07387 02095 8	7.6cm x 22.8m 3" x 25 yd		2.1600 lbs 0.9798 kg		10.3" 0.260m	10.3" 0.260m	3.8" 0.095m
<b>MS04</b> BC-0000-0375-8 7 07387 02096 5	10.1cm x 22.8m 4" x 25 yd		2.2300 lbs 1.0115 kg		10.3" 0.260m	10.3" 0.260m	4.4" 0.111m
<b>MS06</b> BC-0000-0080-4 7 07387 02097 2	15.2cm x 22.8m 6" x 25 yd		3.5700 lbs 1.6193 kg		10.5" 0.267m	10.2" 0.260m	6.5" 0.165m



### 3M™ Defib Pads



For emergency defibrillations or elective cardio versions. Have electro conductive gel supported by porous, non-woven fabric.

Ready-to-use pads are quick and convenient to use which saves time in critical situations. Bright orange solid gel pads are easy to see, require no cleanup, and leave no slippery residue that can interfere with CPR. Self-contained to eliminate inadvertent “gel bridging” which can cause skin trauma to patient or operator.

**Learn More:**

- 3M Defib Pads – Flyer (PDF 2.5 MB)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
2345N 70-2006-4448-5 7 07387 28473 7	11.4cm x 11.4cm	2 ea/pair	12.0500 lbs	11.5"	6.1"	8.6"
	4 1/2" x 4 1/2"	10 pair/box	5.4658 kg	0.292m	0.155m	0.218m
	Orange	10 boxes				
2346N 70-2006-4447-7 7 07387 28474 4	11.4cm x 15.2cm	2 ea/pair	15.7000 lbs	11.6"	7.7"	8.6"
	4 1/2" x 6"	10 pair/box	7.1214 kg	0.295m	0.196m	0.218m
	Orange	10 boxes				



3M offers a wide variety of stethoscopes to meet your auscultation needs. Whichever model you choose, you can depend on Littmann stethoscopes to provide years of superior performance and service.

### Electronic Stethoscope Model 4000



Offers amplification up to eighteen times greater than the most advanced conventional Littmann stethoscopes. Superior acoustics are combined with digital signal processing – offering recording, storage, and playback capabilities. Plus, sounds can be downloaded to an IBM-compatible computer, stored, shared or retrieved for further analysis.

**Learn More:**

- Littmann Stethoscopes Full Line Brochure – Brochure (PDF 812.9 K)
- Product Comparison for Littmann Stethoscopes – Brochure (PDF 317.5 K)
- Service Center Repair Information and Return Label – Brochure (PDF 375.7 K)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
4000 70-2007-2935-1 7 07387 52579 8	69cm 27"		4.5590 lbs 2.0679 kg	16.8" 0.427m	7.7" 0.196m	5.8" 0.147m
		1				



### Master Cardiology Stethoscopes



3M offers a wide variety of stethoscopes to meet your auscultation needs. Whichever model you choose, you can depend on Littmann stethoscopes to provide years of superior performance and service.

A tunable diaphragm and superb craftsmanship offer the ultimate performance in a superior single-sided stethoscope. The Littmann Master Cardiology stethoscope meets the exacting standards of health care professionals who demand superior acoustic response. Recommended for cardiology and high performance adult and pediatric use.

**Features:**

- Dual-lumen design eliminates tube noise artifact from two tubes rubbing together.
- Portable convenience of a single-sided chestpiece.
- Excellent acoustic seal and comfortable fit with patented 3M™ Littmann® Snap Tight Soft-Sealing Eartips.
- Comfortably angled, anatomically correct headset.
- Patient-friendly, nonchill rim and diaphragm. Special procedures adaptor for difficult site or pediatric auscultation.
- Available in a selection of classic tube colors.
- Seven-year warranty.

**Learn More:**

- [Common Questions – Littmann Master Cardiology Stethoscopes – Questions and Answers \(PDF 21.8 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
2161 70-2006-2884-3 7 07387 23745 5	69cm	1	3.6000 lbs	16.0"	7.3"	5.8"
	27" Black tube Black plated chestpiece and eartubes	3	1.6329 kg	0.406m	0.185m	0.147m
2160 BC-0000-4251-7 7 07387 09645 8	69cm	1	3.545 lbs	16.0"	7.3"	5.8"
	27" Black tube Solid Stainless Steel Chestpiece	3	1.6080 kg	0.406m	0.185m	0.147m





### Cardiology III Stethoscopes



Outstanding acoustic performance and exceptional versatility characterize the Littmann Cardiology III stethoscope. The innovative design offers a tunable diaphragm on each side of the chestpiece. The large side can be used for adult patients, while the small side is especially useful for pediatric or thin patients, around bandages, and carotid assessment.

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
<b>3128</b> 70-2007-0232-5 7 07387 46871 2	69cm 27" Black tube	1	3.6200 lbs 1.6420 kg	15.9" 0.404m	7.3" 0.185m	5.8" 0.147m
<b>3129</b> 70-2007-0233-3 7 07387 46872 9	69cm 27" Burgundy tube	1	3.6700 lbs 1.6647 kg	16.0" 0.406m	7.3" 0.185m	5.8" 0.147m
<b>3130</b> 70-2007-0234-1 7 07387 46873 6	69cm 27" Navy Blue tube	1	3.5800 lbs 1.6239 kg	16.0" 0.406m	7.3" 0.185m	5.8" 0.147m
<b>3134</b> 70-2007-0235-8 7 07387 46874 3	69cm 27" Hunter Green tube	1	3.5900 lbs 1.6284 kg	16.0" 0.406m	7.3" 0.185m	5.8" 0.147m



### Master Classic II Stethoscope



3M offers a wide variety of stethoscopes to meet your auscultation needs. Whichever model you choose, you can depend on Littmann stethoscopes to provide years of superior performance and service.

The excellent acoustic sensitivity of a tunable diaphragm is the hallmark of the low-profile Littmann Master Classic II stethoscope. Award-winning design combines high performance with portable convenience in this single-sided stethoscope.

**Features:**

- A tunable diaphragm conveniently alternates between the low- and high-frequency sounds without turning over the chestpiece.
- Portable convenience of single-sided chestpiece.
- High-performance single-lumen tubing for excellent acoustic performance in a range of attractive colors.
- Award-winning, ergonomic design.
- Excellent acoustic seal and comfortable fit with patented 3M™ Littmann® Snap Tight Soft-Sealing Eartips.
- Comfortably angled, anatomically correct headset.
- Patient-friendly, nonchill rim and diaphragm.
- Three-year warranty.

**Learn More:**

- [Common Questions – Littmann Master Classic II Stethoscopes – Questions and Answers \(PDF 19.0 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
2144L BC-0000-9988-9 7 07387 50005 4	69cm 27" Black tube		2.7100 lbs 1.2292 kg	14.0" 0.356m	6.9" 0.175m	5.8" 0.147m
2141 70-2006-2902-3 TBD	69cm 27" Black plated chestpiece and eartubes Black tube	1	2.6700 lbs 1.2111 kg	14.0" 0.356m	6.9" 0.175m	5.8" 0.147m



### Classic II S.E. Stethoscopes



Featuring a two-sided chestpiece, the Littmann Classic II S.E. Stethoscope offers high acoustic sensitivity. A tunable diaphragm on one side augments the traditional bell function of the opposite side.


**Learn More:**

- [Common Questions – Littmann Classic II S.E. Stethoscopes – Questions and Answers \(PDF 14.2 K\)](#)
- [Littmann Classic II S.E. Stethoscope Flyer – Flyer \(PDF 1.1 MB\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight		Case Dimensions		
			lbs	kg	Length	Width	Height
<b>2208</b> 70-2006-8150-3 7 07387 44668 0	71.1cm 28" Hunter Green tube	1	2.7050 lbs 1.2270 kg		14.0" 0.356m	6.9" 0.175m	5.8" 0.147m
<b>2211</b> BC-0000-8016-0	71.1cm 28" Burgundy tube						
<b>2201</b> BC-4444-1802-6	71.1cm 28" Black tube						
<b>2203</b> BC-4444-1803-4	71.1cm 28" Grey tube						
<b>2205</b> BC-0000-5050-2	71.1cm 28" Navy Blue tube						



### Classic II Pediatric and Infant Stethoscopes



Two-sided models offer high acoustic sensitivity with traditional bell/diaphragm chestpieces and are designed and sized for children and infants.

**Learn More:**

- Common Questions – Littmann Classic II Pediatric/Infant – Questions and Answers (PDF 14.1 K)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
<b>Infant</b>						
2114 70-2005-3929-7 0 51119 52883 1	71.1cm 28" Black tube	1	2.7050 lbs 1.2270 kg	14.0" 0.356m	6.9" 0.175m	5.8" 0.147m
<b>Pediatric</b>						
2122 70-2007-2612-6 7 07387 52391 6	71.1cm 28" Raspberry tube	1	2.7050 lbs 1.2270 kg	14.0" 0.356m	6.9" 0.175m	5.8" 0.147m
2113 BC-0000-0082-0	71.1cm 28" Black tube					



### Select Stethoscopes



3M offers a wide variety of stethoscopes to meet your auscultation needs. Whichever model you choose, you can depend on Littmann stethoscopes to provide years of superior performance and service.

A convenient, tunable diaphragm in a single-sided, coated alloy chestpiece providing reliable and clear acoustics. Used for limited physical assessment and blood pressure of a patient.

**Features:**

- A tunable diaphragm that allows the user to alternate between bell and diaphragm modes without turning over the chestpiece.
- Portable convenience of a single-sided chestpiece.
- Comfortably angled, anatomically correct headset.
- Single-lumen tubing is available in a variety of colors.
- Two-year warranty.

**Learn More:**

- Common Questions – Littmann Select Stethoscopes – Questions and Answers (PDF 13.6 K)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
<b>2293</b> 70-2006-7500-0 7 07387 50014 6	71.1cm 28" Burgundy tube	1  3	2.2250 lbs 1.0092 kg	11.7" 0.297m	5.7" 0.145m	5.7" 0.145m
<b>2298</b> 70-2006-7505-9 7 07387 50019 1	71.1cm 28" Royal Blue tube	1  3	2.2250 lbs 1.0092 kg	11.7" 0.297m	5.7" 0.145m	5.7" 0.145m



### Lightweight II S.E. Stethoscopes



A general purpose stethoscope that provides reliable acoustics for basic blood-pressure and limited physical assessment.

**Learn More:**

- Common Questions – Littmann Lightweight II S.E. Stethoscopes – Questions and Answers (PDF 20.0 K)
- Product Comparison for Littmann Stethoscopes – Brochure (PDF 317.5 K)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight		Case Dimensions		
			lbs	kg	Length	Width	Height
<b>2450</b> 70-2007-4109-1 7 07387 56241 0	71.1cm 28" Black tube	1	2.5200 lbs 1.1431 kg		12.6" 0.320m	5.4" 0.137m	6.4" 0.163m
<b>2451</b> 70-2007-4110-9 7 07387 56242 7	71.1cm 28" Burgundy tube	1	2.5200 lbs 1.1431 kg		12.6" 0.320m	5.4" 0.137m	6.4" 0.163m
<b>2452</b> 70-2007-4111-7 7 07387 56243 4	71.1cm 28" Caribbean Blue tube	1	2.5200 lbs 1.1431 kg		12.6" 0.320m	5.4" 0.137m	6.4" 0.163m
<b>2453</b> 70-2007-4112-5 7 07387 56244 1	71.1cm 28" Lilac tube	1	2.5200 lbs 1.1431 kg		12.6" 0.320m	5.4" 0.137m	6.4" 0.163m
<b>2454</b> 70-2007-4113-3 7 07387 56245 8	71.1cm 28" Ceil Blue tube	1	2.5230 lbs 1.1444 kg		12.6" 0.320m	5.4" 0.137m	6.4" 0.163m
<b>2455</b> 70-2007-4114-1 7 07387 56246 5	71.1cm 28" Seafoam Green tube	1	2.5230 lbs 1.1444 kg		12.6" 0.320m	5.4" 0.137m	6.4" 0.163m



## Littmann® Stethoscope Replacement Parts

3M offers the following replacement parts: Binaurals, diaphragms, eartips, bell sleeves, rims, and adaptors.

### Stethoscope Identification Tags



This high-quality ID tag is both durable and attractive. The adjustable design allows it to fit securely on all Littmann stethoscope models at the yoke area.

**Learn More:**

- [Common Questions – Littmann Stethoscope Identification Tags – Questions and Answers \(PDF 19.0 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
2170X 70-2006-7923-4 7 07387 44451 8	4" x 1.22" Black Plastic	1/bag	0.4300 lbs 0.1950 kg	8.4" 0.213m	4.6" 0.118m	2.4" 0.061m
		5				
2171X 70-2006-7924-2 7 07387 44452 5	4" x 1.22" Gray Plastic	1/bag	0.4300 lbs 0.1950 kg	8.4" 0.213m	4.6" 0.118m	2.4" 0.061m
		5				

### Stethoscope Chestpiece Assembly – Classic II SE

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
78-8078-6505-6 7 07387 44514 0	Black Classic II SE					



### Stethoscope Binaurals



A binaural assembly that includes single-lumen tubing, eartubes and eartips.

**Features:**

- Available in a variety of popular colors.

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height

**Binaural Assembly for Littmann® Classic II S.E., Classic II & Classic II Pediatric & Infant Stethoscopes**

78-8078-8636-7 7 07387 51029 9	71.1cm 28" Caribbean Blue	1				
78-8078-6502-3 7 07387 44499 0	71.1cm 28" Hunter Green	1				
78-8078-6503-1 7 07387 44500 3	71.1cm 28" Purple	1				
12-2376-8530-5 0 51119 54275 2	71.1cm 28" Navy Blue	1				
12-2376-8533-9 0 51119 54278 3	71.1cm 28" Burgundy	1				
12-2376-8528-9 0 51119 54273 8	71.1cm 28" Gray	1	2.0000 lbs 0.9072 kg			
12-2376-8527-1 0 51119 54272 1	71.1cm 28" Black	1				

**Binaural Assembly for Littmann® Master Cardiology, Cardiology III and Cardiology II S.E. Stethoscopes**

78-8078-6587-4 7 07387 44512 6	69cm 27" Hunter Green	1				
78-8078-6585-8 7 07387 44509 6	69cm 27" Navy Blue	1	3.0000 lbs 1.3608 kg			
78-8078-6586-6 7 07387 44511 9	69cm 27" Burgundy	1	3.0000 lbs 1.3608 kg			
<b>2201</b> UH-3000-3677-8	69cm 27" Black					





### Stethoscope Binaurals (cont'd)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight		Case Dimensions		
			lbs	kg	Length	Width	Height
<b>Binaural Assembly for Master Classic II</b>							
78-8063-1137-5	69cm						
78-8063-1137-5	27"						
7 07387 27398 9	Black, black plated eartubes	1					
78-8062-9927-3	69cm		0.1830 lbs				
78-8062-9927-3	27"		0.0830 kg				
7 07387 24823 9	Black	1					
<b>Binaural Assembly for Select &amp; Lightweight</b>							
78-8078-8659-9	71.1cm						
78-8078-8659-9	28"						
7 07387 51033 6	Caribbean Blue	1					
78-8078-8658-1	71.1cm						
78-8078-8658-1	28"						
7 07387 51034 3	Raspberry	1					
78-8078-5839-0	71.1cm						
78-8078-5839-0	28"						
7 07387 50030 6	Purple	1					
78-8078-1206-6	71.1cm						
78-8078-1206-6	28"						
7 07387 50021 4	Black	1					
78-8078-4518-1	71.1cm						
78-8078-4518-1	28"						
7 07387 50023 8	Burgundy	1					
78-8078-4520-7	71.1cm						
78-8078-4520-7	28"						
7 07387 50028 3	Royal Blue	1					



### Stethoscope Floating Diaphragms (Printed with Littmann Logo)

Floating, non-tunable diaphragms are available for 3M™ Littmann® Cardiology II, Cardiology, Classic II, Classic II Pediatric, Classic II Infant, Classic, Lightweight Stethoscopes, and for the 3M™ Littmann® Anesthescope.

**Features:**

- Allows for easy replacement of diaphragm.
- Standard diaphragm designed to listen to the higher-frequency sounds.
- Available in sizes to fit Littmann stethoscope models that feature a standard floating diaphragm (non-tunable).

**Learn More:**

- [Common Questions – Littmann Floating Diaphragms w/Littmann Logo – Questions and Answers \(PDF 19.9 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
<b>36559</b> 78-8078-2799-9 TBD	For Littmann® Cardiology II, Cardiology, Classic II, Classic, and Lightweight Stethoscopes	10 each/bag 1	0.0200 lbs 0.0091 kg	7.5" 0.191m	5.0" 0.127m	0.1" 0.003m
<b>36560</b> 78-8078-2800-5 TBD	For Littmann® Electronic Model 4000, Model 2000, and Classic II Pediatric Stethoscope	10 each/bag 1	0.0200 lbs 0.0091 kg	7.5" 0.191m	5.0" 0.127m	0.1" 0.003m
<b>36561</b> 78-8078-2801-3 TBD	For 3M™ Littmann® Classic II Infant Stethoscopes	10 each/bag 1	0.0200 lbs 0.0091 kg	7.5" 0.191m	5.0" 0.127m	0.1" 0.003m



### Tunable Diaphragm and Rim Assembly



These assemblies allow for easy replacement of the tunable diaphragm and rim on appropriate Littmann stethoscopes. The tunable diaphragm allows the user to conveniently alternate between the low- and high-frequency sounds without turning over the chestpiece.

**Learn More:**


- Common Questions – Littmann Tunable Diaphragm and Rim Assembly – Questions and Answers (PDF 19.3 K)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight		Case Dimensions		
			lbs	kg	Length	Width	Height
<b>36554</b> 78-8078-2795-7 TBD	For Master Cardiology Stethoscopes Black rim	5 each/bag  5	0.0500 lbs 0.0227 kg		7.5" 0.191m	5.0" 0.127m	0.5" 0.013m
<b>36556</b> 78-8078-2797-3 TBD	For Cardiology III (large side), Cardiology II S.E., Master Classic II, Classic II S.E. & Select Stethoscopes, Black rim	5 each/bag  5	0.1000 lbs 0.0454 kg		7.5" 0.191m	4.5" 0.114m	1.0" 0.025m
<b>36557</b> 78-8078-2798-1 TBD	For Cardiology III (large side), Cardiology II S.E., Master Classic II, Classic II S.E. & Select Stethoscopes, Gray rim	5 each/bag  5	0.0100 lbs 0.0045 kg		8.0" 0.203m	5.0" 0.127m	1.0" 0.025m
<b>36572</b> 78-8078-7339-9 TBD	For Cardiology III (small side) Stethoscope Black rim	5 each/bag  4	0.0300 lbs 0.0136 kg		7.5" 0.191m	5.0" 0.127m	0.5" 0.013m
<b>36573</b> 78-8078-7340-7 TBD	For Cardiology III (small side) Stethoscope Gray rim	5 each/bag  4	0.0300 lbs 0.0136 kg		7.5" 0.191m	5.0" 0.127m	0.5" 0.013m



## Littmann® Stethoscope Replacement Parts

### Stethoscope Eartips



Littmann Snap Tight soft-sealing and firm eartips are available for use with Littmann stethoscopes. Threaded eartips are available for Littmann stethoscopes manufactured before May 1994.

**Learn More:**

- [Common Questions – Littmann Snap Tight Soft-Sealing Eartips – Questions and Answers \(PDF 27.8 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
<b>Snap Tight Eartips</b>						
<b>37809</b> 78-8078-3527-3 TBD	Soft-Sealing Black, ribbed	10 pair	0.0500 lbs 0.0227 kg	7.5" 0.191m	5.0" 0.127m	0.5" 0.013m
<b>37810</b> 78-8078-3528-1 TBD	Soft-Sealing Gray, ribbed	10 pair	0.2800 lbs 0.1270 kg	3.5" 0.089m	3.5" 0.089m	2.0" 0.051m
<b>37808</b> 78-8078-3529-9 TBD	Firm Gray, ribbed, large	10 pair	0.0500 lbs 0.0227 kg	7.5" 0.191m	5.0" 0.127m	0.5" 0.013m
<b>Threaded Eartips</b>						
<b>36535</b> 78-8078-2776-7 TBD	Soft-sealing Black – Small	10 pair	0.3000 lbs 0.1361 kg	3.8" 0.095m	3.5" 0.089m	2.0" 0.051m
<b>36537</b> 78-8078-2778-3 TBD	Soft-sealing Gray – Small	10 pair	0.2800 lbs 0.1270 kg	3.8" 0.095m	3.5" 0.089m	2.0" 0.051m
<b>36539</b> 78-8078-2780-9 TBD	Firm Gray – Small	10 pair	0.0500 lbs 0.0227 kg	7.5" 0.191m	5.0" 0.127m	0.5" 0.013m



### Stethoscope Nonchill Bell Sleeve



Nonchill bell sleeves for use with traditional two-sided chestpieces on Littmann stethoscopes. Available in sizes to fit Littmann stethoscope models that feature a traditional two-sided chestpiece. Bell sleeves available in black and gray colors to match diaphragm rim and eartips.

**Features:**

- Allows for easy replacement of nonchill bell sleeve.

**Learn More:**

- [Common Questions – Littmann Nonchill Bell Sleeves – Questions and Answers \(PDF 17.4 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight		Case Dimensions		
			lbs	kg	Length	Width	Height
<b>36544</b> 78-8078-2785-8 TBD	For Classic II S.E., Classic II & Lightweight Stethoscopes Black	10/bag	0.0600 lbs 0.0272 kg		7.5" 0.191m	5.0" 0.127m	0.5" 0.013m
<b>36545</b> 78-8078-2786-6 TBD	For Classic II S.E., Classic II & Lightweight Stethoscopes Gray	10/bag	0.0500 lbs 0.0227 kg		7.5" 0.191m	5.0" 0.127m	0.5" 0.013m
<b>36546</b> 78-8078-2787-4 TBD	For Classic II Pediatric Stethoscope Black	10/bag	1.0000 lbs 0.4536 kg		7.5" 0.191m	5.0" 0.127m	0.5" 0.013m
<b>36547</b> 78-8078-2788-2 TBD	For Littmann® Classic II Infant Stethoscope Black	5/bag	0.0200 lbs 0.0091 kg		7.5" 0.191m	5.0" 0.127m	0.5" 0.013m



### Snap-on Rims



Snap-on rims for use on diaphragm side of traditional two-sided chestpieces. Available in sizes to fit Littmann stethoscope models, and in black and gray colors to match nonchill bell sleeve and eartips. Allows for easy, snap-on replacement of Diaphragm rim.

**Learn More:**

- [Common Questions – Littmann Stethoscope Rims, Snap-on – Questions and Answers \(PDF 19.4 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
36550 78-8078-2791-6 TBD	For Electronic Model 4000, Model 2000, Cardiology III (small side) & Classic II Pediatric Stethoscopes, Black	5/bag	0.0100 lbs 0.0045 kg	7.5" 0.191m	5.0" 0.127m	0.5" 0.013m
36551 78-8078-2792-4 TBD	For Cardiology III (small side) & Classic II Pediatric Stethoscopes Gray	5/bag	0.0280 lbs 0.0127 kg	2.5" 0.064m	2.5" 0.064m	0.5" 0.013m
36552 78-8078-2793-2 TBD	For Classic II Infant Stethoscope Black	5/bag	0.0100 lbs 0.0045 kg	7.5" 0.191m	5.0" 0.127m	0.5" 0.013m
36548 78-8078-2789-0 TBD	For Cardiology III (large side), Cardiology II S.E., Classic II S.E., Select & Lightweight Stethoscopes Black	10/bag	0.0577 lbs 0.0262 kg	7.5" 0.191m	5.0" 0.127m	1.0" 0.025m
36549 78-8078-2790-8 TBD	For Cardiology III (large side), Cardiology II S.E., Classic II S.E., Select & Lightweight Stethoscopes Gray	10/bag	0.0670 lbs 0.0304 kg	7.5" 0.191m	5.0" 0.127m	0.3" 0.006m



### Special Procedure Adaptors



Adaptors for small site or pediatric auscultation for 3M™ Littmann® Master Cardiology and Cardiology II S.E. Stethoscopes. Littmann stethoscope special procedure adaptors allow for effective auscultation of difficult, small sites, and provide easy adaptation for pediatric auscultation.

**Features:**

- Available in black and gray to match stethoscope rims and eartips.

**Learn More:**

- [Common Questions – Littmann Special Procedure Adaptors – Questions and Answers \(PDF 17.5 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight		Case Dimensions		
			lbs	kg	Length	Width	Height
<b>36565</b> 78-8078-2805-4 TBD	Black	3/bag	0.0700 lbs 0.0318 kg		7.5" 0.191m	5.0" 0.127m	0.5" 0.013m
<b>36566</b> 78-8078-2806-2 TBD	Gray	3/bag	0.0700 lbs 0.0318 kg		7.5" 0.191m	5.0" 0.127m	1.5" 0.038m



## Monitoring Systems/Sterilization Assurance

3M offers a comprehensive sterilization assurance monitoring program with a variety of products, including 3M™ Attest™ Rapid Readout Biological Indicators, 3M™ Comply™ Integrators, Test Packs, and Bowie-Dick PLUS Packs and Indicator Tape.

### 3M™ Ethylene Oxide Monitor

This monitor uses the proven scientific principle of diffusion, which is the gradual mixing of molecules of two or more substances. It is designed for sampling personnel or work areas in the pharmaceutical, health care and chemical industries. Analysis procedure is available upon request. The monitor utilizes brominated carbon to collect and convert the reactive ethylene oxide to a more stable chemical derivative called 2-bromoethanol.

**Features:**

- Meets OSHA accuracy requirements for 8 hour TWA and 15 minute STEL sampling of ethylene oxide.
- Analysis not included.

**Learn More:**

- Analysis Method Ethylene Oxide Monitors – Info (PDF 19.8 K)
- Warning – Air Monitoring Systems Family – Data Sheet (PDF 7.1 K)


Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
3551 70-0700-7139-7 0 21200 60187 3		5	0.5500 lbs 0.2495 kg	8.6" 0.218m	5.5" 0.140m	3.0" 0.076m





### Attest™ Incubators and Indicators

#### Rapid Readout Biological Indicators



3M Attest Rapid Readout biological indicators provide accurate, reliable Sterilization Assurance for biological release. 3M Attest Rapid Readout Biological Indicators are self-contained units that only need incubation and the 3M Attest Auto-Reader to provide a clear and unambiguous pass or fail result.

#### Features:

- One hour with Steam 270°F/132°C Gravity Displacement Sterilizers.
- Three hours with 250°F/121°C gravity or 270°F/132°C vacuum assisted sterilizers.
- Four hours with Ethylene Oxide Sterilizers.

#### Learn More:

- Attest Instructions – Instructions/Manual (PDF 127.4 K)
- Attest™ Technical Product Profile – Technical Paper (PDF 392.4 K)
- Common Questions – Attest BI and Test Packs for EO – Questions and Answers (PDF 14.3 K)



Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
<b>Steam Indicator</b>						
1291 70-2005-8641-3 TBD	270°F/132°C gravity displacement sterilizers 1 hour readout – Blue cap	50/box 4 boxes	1.8000 lbs 0.8165 kg	6.0" 0.152m	6.0" 0.152m	5.5" 0.140m
1292 70-2006-2052-7 TBD	250°F/121°C gravity or 270°F/132°C vacuum assisted sterilizers 3 hour readout – Brown cap	50/box 4 boxes	1.6100 lbs 0.7303 kg	6.0" 0.152m	6.0" 0.152m	5.5" 0.140m
<b>Ethylene Oxide Indicator</b>						
1294 70-2007-0460-2 7 07387 47038 8	EO Indicator 4 hour readout – Green cap	50/box 4 boxes	1.5000 lbs 0.6804 kg	6.0" 0.152m	6.0" 0.152m	5.5" 0.140m



### Attest™ Incubators and Indicators (cont'd)

#### Auto-Readers

The Attest Auto-reader reads the fluorescence produced by positive 3M™ Attest™ Rapid Readout Biological Indicators to indicate a sterilization process failure.

**Features:**

- The Attest auto-readers do not require time-consuming calibration.
- Audible alarm sounds for improved monitoring.
- Does not require any routine maintenance.

**Learn More:**

- 3M™ Attest™ 290/290G Auto-readers – Flyer (PDF 71.2 K)
- 3M™ Attest™ 290G Auto-reader Operator’s Manual – Instructions/Manual (PDF 391.7 K)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
<b>290</b> 70-2007-2982-3 7 07387 52600 9	For 1291, 1292 Steam Sterilizers 60°C (140°F)	1/box	32.0000 lbs	16.9"	11.2"	8.3"
		1 Box	14.5150 kg	0.429m	0.284m	0.211m
<b>193G</b> 70-2007-0161-6	For 1294 Ethylene Oxide Sterilizers	1/box	7.0000 lbs	12.0"	8.2"	9.7"
		1 Box	3.1751 kg	0.305m	0.208m	0.246m



### Attest™ Incubators and Indicators (cont'd)

#### Biological Indicators



Biological indicators and test packs that monitor the effectiveness of the EO sterilization process and provide results within 48 hours. Includes biological indicators, test packs, incubators and log books.

#### Features:

- Biological indicator vials are easy to use and interpret with visual color readout in 48 hours.
- Self-contained biological indicators significantly reduce possibility of contamination, minimizing false positives and assuring more accurate results.
- Can eliminate recalls when used in every load.
- Test packs present a challenge to the sterilization process as do the AAMI recommended test packs.

#### Learn More:

- Attest Instructions – Instructions/Manual (PDF 127.4 K)
- Attest™ Technical Product Profile – Technical Paper (PDF 392.4 K)
- Common Questions – Attest BI and Test Packs for EO – Questions and Answers (PDF 14.3 K)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
<b>Steam Indicator</b>						
1262 BC-0000-8051-7	250°F(121°C) gravity & 270°F(132°C) vacuum assisted sterilization 48 hour readout – Brown cap	100/box 4 boxes				
<b>Ethylene Oxide Indicator</b>						
1264 BC-0000-0374-1 7 07387 06805 0	48 hour readout – Green cap	100/box 4 boxes				



### Attest™ Incubators and Indicators (cont'd)

#### Biological Indicator Incubator

Attest incubators provide optimal incubation conditions for the accurate readout of 3M™ Attest™ Biological Indicators. Since the growth of each test organism is temperature dependent, it is critical that the appropriate Attest biological indicator be used with the correct Attest incubator.



#### Features:

- Automatically crushes vial to release growth media, making it safer and easier to use than other systems.
- See-through cover allows for easy observation and reading of indicator color change.
- Dry-block design pre-set to proper incubation temperature to assure consistent, accurate readout results.

#### Learn More:

- Attest Instructions – Instructions/Manual (PDF 127.4 K)
- Infection Control Products Brochure – Brochure (PDF 637.4 K)
- Sterilization Products and Services Catalog – Catalog (PDF 548.2 K)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
<b>Steam Incubator</b>						
118 70-2005-5917-0 7 07387 09500 0	For 1262 Steam Indicator Small 14 Vial Capacity	1	1.8500 lbs 0.8391 kg	5.3" 0.135m	4.9" 0.124m	5.1" 0.130m
<b>Ethylene Oxide Incubator</b>						
119 70-2005-5918-8 7 07387 09501 7	For Ethylene Oxide Indicator; 37°C Small 14 Vial Capacity	1	1.8500 lbs 0.8391 kg	5.3" 0.135m	4.9" 0.124m	5.1" 0.130m



### 3M™ Comply™ Bowie Dick Test Products

#### Steam Indicator Sheet

Bowie-Dick Test Packs are used for equipment control as a way to find out whether or not your sterilizer is doing its job properly. Bowie-Dick test packs should be used daily, after a sterilizer is installed, relocated, after sterilizer malfunction, after sterilization process failures, and after any major repairs of the sterilizer.

**Features:**

- 270°F/132°C gravity displacement sterilizer processes.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
1227 GH-6202-7741-4 TBD	8½" x 11" 21.6cm x 27.9cm	50/pk  6 boxes				

#### The Lantor Cube™

The Lantor Cube™ Autoclave Test Pack is designed to simplify the daily testing of porous load steam sterilizers. It consists of two blocks of spun bonded polypropylene, together with 25 pre-printed indicator sheets.

**Features:**

- For 25 uses with 1229C clamp in Steam at 134° C /3.5min.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
1229B GH-6201-0792-6		4/box  1				



## Monitoring Systems/Sterilization Assurance

Designed to seal packs and provide visual evidence that packs have been exposed to the steam sterilization process.

### 3M™ Comply™ EO and Steam Chemical Indicator Tapes & Strips

#### Indicator Tapes



Indicator tapes are Class 1 process indicators used for exposure monitoring which assures the operator handling the processed items that the pack has been exposed to the sterilization process without the need to open the pack or check load control records. Tape dispensers available for easy dispensing of indicator tapes. Designed to seal packs and provide visual evidence that packs have been exposed to the sterilization process.

#### Features:

- Versatile tape adheres to all types of wraps.
- Tape stretches to minimize tape pop-off which reduces need for resterilization due to packs opening during processing.
- Allows you to write on tapes or use pre-printed 3M labels for ease of use and better record keeping.
- Low cost per use offers economical way to monitor exposure to the sterilization process.

#### Learn More:

- [Common Questions – Comply Steam Indicator Tape – Questions and Answers \(PDF 15.7 K\)](#)
- [Common Questions – Comply Ethylene Oxide Indicator Tapes – Questions and Answers \(PDF 14.1 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
<b>Steam indicator Tapes</b>						
1222-0N 70-2007-0994-0 7 07387 49485 8	Beige 1/2" x 60 yds 1.25cm x 55m	36 Rolls	7.0600 lbs 3.2024 kg	11.3" 0.287m	5.6" 0.142m	10.6" 0.269m
1222-1N 70-2007-0996-5 7 07387 49487 2	Beige 1" x 60 yds 2.5cm x 55m	18 Rolls	7.3000 lbs 3.3112 kg	11.3" 0.287m	5.6" 0.142m	10.6" 0.269m
<b>Ethylene Oxide Indicator Tapes</b>						
1224-0 BC-0000-8005-3 7 07387 23602 1	Green 1/2" x 60 yds 1.25cm x 55m	36 Rolls	7.7000 lbs 3.4927 kg	11.3" 0.287m	5.6" 0.142m	10.6" 0.269m



### 3M™ Comply™ EO and Steam Chemical Indicator Tapes & Strips (cont'd)

#### Indicators Strips

Designed to monitor exposure to steam and EO conditions in a pack. Provides a visual color change to validate that the sterilant has penetrated to the point of placement in the pack and confirm that sufficient exposure conditions have occurred.

#### Features:

- Monitors multiple parameters, verifying that all sterilization conditions have been met.
- Perforated in the middle of the strip to allow length of indicator to be adapted to fit pack size.
- Indicator strips have a larger portion of indicator ink for a greater area of monitoring in the pack to allow for detection of more sterilization failures.
- Easy-to-read color change.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack		lbs	Length	Width
		Case Qty.	kg			
<b>Steam Indicator Strips</b>						
<b>1250</b>	Changes from white to dark brown/black	240/box	3.2600 lbs	8.3"	6.5"	3.0"
70-2005-7313-0	5/8" x 8"		1.4787 kg	0.210m	0.165m	0.076m
7 07387 23025 9	1.5 cm x 20 cm	1 box				
<b>Ethylene Oxide Indicator Strips</b>						
<b>1251</b>	Changes from red to green	240/box	1.7100 lbs	8.6"	3.6"	3.0"
70-2005-7314-8	5/8" x 8"		0.7756 kg	0.218m	0.091m	0.076m
7 07387 10686 8	1.5 cm x 20 cm	1 box				



## Nexcare™ Opticlude™ Orthoptic Eye Patch

3M Mining has solutions for your on-site infirmary and hospital needs.

### 3M™ Nexcare™ Opticlude™ Orthoptic Eye Patch



Designed for comfortable vision-occlusive therapy.

#### Features:

- Convenient, easy application.
- Fits comfortably behind glasses, yet permits free movement of eyelid.
- Highly breathable backing – ten times higher than Coverlet® brand Eye Occluder.
- Extra gentle, designed for sensitive skin.



Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
1539 70-0701-1947-7 0 51131 00023 0	Regular Size Oval 3 1/4" x 2 1/4" 82mm x 57mm	20/box	2.6600 lbs 1.2066 kg	12.4"	5.1"	7.4"
		36 boxes		0.315m	0.130m	0.188m
1537 70-0701-1946-9	Junior Size Oval 2 1/2" x 1 1/4" 63mm x 45mm	20/box				
		36 boxes				





### 3M™ Littmann™ Diagnostic EKG Electrode Lead Wire

Monitoring electrodes with foam tape and sticky gel.

**Features:**

- 6" Adapter Leadwires.
- Black, White, Green, Red, Brown.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
<b>S406L10</b> 70-2004-8562-4 0 51119 52799 5	Alligator Clip to 4mm Socket	10/bag	0	13.3"	9.6"	6.8"
			0	0.338m	0.244m	0.173m
		1				
<b>S306L10</b> 70-2004-8561-6 0 51119 52798 8	Alligator Clip to 3mm Socket	10/bag	0	13.3"	9.6"	6.8"
			0	0.338m	0.244m	0.173m
		1				



### 3M™ Red Dot™ Monitoring Electrode with Foam Tape and Sticky Gel

Red Dot sticky gel electrodes can be used for all cardiac monitoring applications. The high adhesion foam backing makes it ideally suited for the ER, OR and diagnostic stress test applications. High performance adhesive provides for long, secure wear. The 2570 includes small microreplicated 3M™ Red Dot™ Trace Prep surface to improve trace quality. Contains sticky gel conductor and strip delivery.

**Features:**

- Conveniently packaged in individual strips of ten electrodes for easy use and less waste.
- Remains fresh for 30 days out of the bag.
- High performance adhesive offers instant adhesion and up to five-day wear with excellent patient skin care and comfort.
- Sticky gel delivers excellent trace quality resulting in better patient information.
- Smaller size electrode is easier to place, and minimizes skin irritation for better patient comfort.

**Learn More:**

- Red Dot Biomedical Electrodes Full Line Brochure – Brochure (PDF 419.9 K)



Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
<b>2223</b> WH-3009-1334-7	3.0 cm diameter	50/bag  12 Boxes	3.3000 lbs 1.4969 kg	14.0" 0.356m	9.5" 0.241m	8.1" 0.206m
<b>2560</b> 70-2006-9368-0 7 07387 46325 0	Foam Tape, Sticky Gel 4cm x 3.5cm	10 Each/Strip 5 Strips/Bag 20 Bags	4.3394 lbs 1.9683 kg	19.6" 0.498m	10.4" 0.264m	5.5" 0.140m
<b>2570</b> 70-2006-9370-6 7 07387 46327 4	Foam Tape, Sticky Gel, Radiolucent Stud, Abrader Strip 4cm x 3.5cm	10 Each/Strip 5 Strips/Bag 20 Bags	4.9287 lbs 2.2356 kg	19.6" 0.498m	10.4" 0.264m	5.5" 0.140m



### 3M™ Red Dot™ Foam Monitoring Electrodes

Each electrode has a unique 3M™ solid gel conductive column and a 3M™ SureSeal moisture vapor barrier cap to ensure product freshness. This product is not radiolucent. For use in ER, OR, Stress Test, Cardiac Rehab, and Echo-Cardio departments

**Features:**

- Foam backing is comfortable for patients, occlusive to fluids, and easy to handle for quick application.
- Patented solid gel conforms to the skin quickly allowing high quality, uninterrupted traces.
- The gel’s low chloride content minimizes skin irritation for increased patient comfort.
- 3M™ SureSeal Cap Seal prevents premature product dryout to help ensure product freshness for 30 days out of the bag.
- Use of built-in abrader disc (2259) improves trace quality for better results.

**Learn More:**

- [Common Questions – Red Dot Foam Electrodes – Questions and Answers \(PDF 21.1 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
2237 70-2005-9584-4 7 07387 20630 4	4.4cm diameter, without abrader	50/bag	5.9000 lbs	14.8"	13.8"	7.5"
		20 bags	2.6762 kg	0.375m	0.349m	0.191m



### 3M™ Red Dot™ Infant Soft Cloth Monitoring Electrode

A traditional-style monitoring electrode with soft cloth backing for infant applications. Infant Soft Cloth Monitoring Electrode without abrader For use in pediatrics units, including Stepdown/Observation and Pediatrics PICU

**Features:**

- Patented solid gel conforms to the skin quickly allowing high-quality, uninterrupted traces.
- The gel’s low chloride content minimizes skin irritation for increased patient comfort.
- Soft cloth backing is breathable, stretchable and conformable, yet is gentle to the skin for increased patient comfort.
- Ideal for short- and long-term monitoring.

**Learn More:**

- [Common Questions – Red Dot Infant Soft Cloth Electrodes – Questions and Answers \(PDF 15.9 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
2258-3 70-2006-1674-9 7 07387 23251 2	3.2cm diameter	3/bag 20bags/bx 10 boxes	6.4000 lbs 2.9030 kg	28.3" 0.719m	11.9" 0.302m	6.6" 0.168m



### 3M™ Red Dot™ Pediatric Monitoring Electrode



A traditional-style monitoring electrode with 3M™ Micropore™ Surgical Tape backing that is ideal for pediatric applications.

- Micropore tape backing is breathable, flexible and conformable, yet is gentle to the skin for increased patient comfort.
- The SureSeal Cap Seal prevents premature product dryout to help ensure product freshness for 30 days out of the bag.

**Learn More:**

- [Common Questions – Red Dot Pediatric – Micropore Tape Back – Questions and Answers \(PDF 20.5 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
2248 70-2004-2162-9 7 07387 02971 6	4.4cm diameter	25/bag	5.7700 lbs	14.8	13.8"	7.8"
		40 bags	2.6172 kg	0.375m	0.349m	0.197m



### 3M™ Red Dot™ Monitoring Electrodes with 3M™ Micropore™ Tape Backing



Monitoring Electrode with 3M™ Micropore™ Tape Backing without abrader Red Dot electrodes are round-style electrodes designed for general or long-term clinical situation This product is not radiolucent.

**Features:**

- Each electrode has a unique 3M™ solid gel conductive column and a 3M™ SureSeal moisture vapor barrier cap to ensure product freshness.
- Each electrode also has a 3M™ Micropore™ Surgical Tape backing that is comfortable, breathable, flexible and gentle to skin.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
2239 70-2006-0092-5 7 07387 10442 0	6cm diameter, without abrader	50/bag	6.0000 lbs	14.8"	13.9"	7.8"
		20 bags	2.7216 kg	0.376m	0.353m	0.198m



### 3M™ Red Dot™ Resting EKG Electrode

Resting EKG Electrode, Tab Style Resting electrodes for 12-lead EKG applications are available in tab style and snap style. Tab-style electrode has pressure-sensitive conductive adhesive that is easy to apply and remove, and provides rapid and intimate skin contact to ensure high quality trace pickup.

**Features:**

- Radiolucent to minimize the need to replace or remove electrodes in most radiological imaging applications.
- Extra large tabs for easy handling and attachment.
- Semi-stiff backing reduces roll-off and minimizes electrode lift.

**Learn More:**

- FAQs\_Electrodes – Questions and Answers (PDF 18.1 K)
- AmeriNet Choice Resting EKG Electrodes with Conductive Adhesive – Brochure (PDF 310.1 K)



Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
<b>2330</b> 70-2006-3716-6 7 07387 19545 3	3.2cm x 2.2cm	10 Each/Strip 10 Strips/Bag 40 bags	7.2500 lbs 3.2885 kg	10.3" 0.262m	8.5" 0.216m	8.5" 0.216m



### 3M™ Red Dot™ Trace Prep



Red Dot trace prep, is a gentle, abrasive material used to remove the non-conductive skin layer to achieve a better quality trace. This product, when used properly, promotes better patient skin care, does not harm skin or hurt patient and helps to minimize the number of electrode changes due to poor or inadequate trace recognition.

**Features:**

- Roll with Dispenser

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
2236 CT-0607-7731-6 0 51119 55279 9	3/4" x 196 " 18.1mm x 5m	36 rolls	4.1800 lbs	10.3"	8.0"	6.8"
			1.8960 kg	0.260m	0.203m	0.171m





### Reston Foam Pads

Self-adhering foam designed to distribute body weight to help prevent skin breakdown and pressure ulcers, and to prevent skin damage from splints, casts and prostheses. It can also be used as a padding for beds, chairs and operating room tables.



Helps protect skin from splints, casts and prostheses. Use as a padding for devices like beds and chairs.

**Features:**

- Lightweight and conformable padding can be cut, layered and shaped, allowing it to be adapted for many applications.
- Available in medium- and high-support pads or light support foam roll to meet your application needs.
- Helps protect skin from splints, casts and prostheses.
- Use as a padding for devices like beds and chairs.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
<b>Medium Support Pad</b>						
<b>1560M</b>	7 <sup>7</sup> / <sub>8</sub> " x 11 <sup>3</sup> / <sub>4</sub> "	10/pack	5.2500 lbs	9.0"	13.0"	14.5"
70-2004-1799-9	20cm x 29.8cm		2.3814 kg	0.229m	0.330m	0.368m
0 51115 04734 3		50 packs				
<b>High Support Pad</b>						
<b>1561H</b>	7 <sup>7</sup> / <sub>8</sub> " x 11 <sup>3</sup> / <sub>4</sub> "	5 pad/box				
UH-1000-3864-4	20cm x 29.8cm					
		5 boxes				



### 3M™ Series 9100 Universal Electrosurgical Pads



The 9100 series 3M™ Universal Electrosurgical Pad is smaller in size and easier to place on patients at suitable placement sites. The pad is smaller because it features the 3M™ Safety Ring technology, a patented coating technology that more uniformly dist Safety Ring technology also permits universal orientation: the pad may be oriented in any direction to the surgical site. They meet the performance criteria set forth by the Association for the Advancement of Medical Instrumentation (AAMI) for Maximum Safe Temperature Rise (ANSI/AAMI HF18:2001 Section 4.2.3.1).

#### Features:

- Smaller size pad offers greater versatility: the 9100 series pads are easier to place because they fit appropriate application sites too small to accept larger pads and they require less area to prep.
- Patented Safety Ring technology reduces the clustering of electrosurgical RF current at the leading edge and corners of the pad allowing convenient pad placement in any direction relative to the surgical site (universal orientation).
- Unique, transthermal backing permits heat to escape faster than foam-backed pads reducing risk of unsafe temperature rise.
- Transthermal backing is also tear-resistant for easy removal.
- Designed to be used on any patient where full skin contact and a suitable placement site can be obtained.
- Water-based, soft, hydrophilic conductive adhesive provides exceptional pad-to-skin contact, and flows uniformly into skin crevices for reliable adhesion.
- Non-conductive border adhesive surrounds the conductive area to maintain electrical isolation.
- Available with pre-attached cords and without cords, in split and solid styles.
- Removes RF current from the patient’s body during electrosurgery.
- Designed for use with most electrosurgical units (ESUs).

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
9130 70-2006-9248-4 7 07387 46256 7	15 square inches (96,8 square cm) Solid (single foil), Non-corded	100 plates	5.2100 lbs 2.3632 kg	10.4" 0.264m	9.9" 0.251m	5.0" 0.127m
9130F 70-2006-9252-6 7 07387 46260 4	15 square inches (96,8 square cm) Solid (single foil), Non-corded	200 plates	7.3000 lbs 3.3112 kg	10.4" 0.264m	9.9" 0.251m	5.0" 0.127m
9135 70-2006-9249-2 7 07387 46257 4	15 square inches (96,8 square cm) Standard (single foil), Corded	40 plates	5.4900 lbs 2.4902 kg	10.4" 0.264m	9.9" 0.251m	5.6" 0.142m
9160 70-2006-9250-0 7 07387 46258 1	15 square inches (96,8 square cm) Split (dual foil), Non-corded	100 plates	4.9000 lbs 2.2226 kg	10.4" 0.264m	9.9" 0.251m	5.0" 0.127m
9160F 70-2006-9253-4 7 07387 46261 1	15 square inches (96,8 square cm) Split (dual foil), Non-corded	200 plates	6.9000 lbs 3.1298 kg	10.4" 0.264m	9.9" 0.251m	5.0" 0.127m



### DuraPrep™ Surgical Solution



Preoperative skin preparation is a key to reducing the risk of surgical site infection (SSI). Includes: DuraPrep™ surgical solution and surgical clippers.

A patient skin prepping solution in a self-contained applicator combining two proven broad-spectrum antimicrobials: alcohol for fast kill and fast drying (3 min. on skin), and an iodophor for persistence that dries to a water-insoluble film.

#### Features:

- Achieves a 99.999% microbe kill (in vitro) including antibiotic-resistant bacteria.
- Dries to a water-insoluble film that resists washing away by blood and saline – optimizing the persistent effects of iodine.
- Enhances drape adhesion to help assure that the sterile surface is not being compromised by incise drape lift.
- Self-contained, unit-dose applicator is easy to use, regulates flow of solution to minimize drips and mess and ensures an even application of prep.
- Simplified application process saves a minimum of 5 minutes prepping time compared to an iodophor scrub and paint.
- Maintains low bacterial counts under transparent dressings for up to three days for long-lasting protection.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
8630 UH-5555-5175-2	26 mL Covers an area from neck to groin	20 kits				
8635 UH-5555-5176-0	6 mL Covers at least an 8" x 10" area	50 kits				



## Surgical Clippers and Accessories



To offer a safe alternative to shaving for pre-op hair removal, 3M pioneered the use of a surgical clipper with a disposable blade. And now, with an expanded line of 3M clippers, prep teams can choose the clipper with the specific features they need.

### Features:

- Removes all types of head and body hair, wet or dry, to allow for standardization on one product for all hair removal needs.
- Unique design pivoting head rotates easily to allow flexibility of clipping with either a pushing or a pulling (raking) motion.
- The cutting blade is on top of the stationary blade, away from the skin, so there's minimal risk of nicks or cuts.
- Single-use blades help reduce the risk of cross-contamination and are easy to snap on for use and pop off for disposal.
- Rechargeable clipper provides approximately 60 minutes of run time, allowing multiple patients to be clipped from a single 8-hour recharge.
- Unique design is easy to clean and disinfect, wipe with a disinfectant or rinse under running water.
- Uses disposable, single-use blades.

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight		Case Dimensions		
			lbs	kg	Length	Width	Height
<b>Surgical Clippers</b>							
9604 70-2005-2159-2	Surgical Clipper by Remington	1	0.4500 lbs 0.2041 kg		6.7" 0.170m	4.3" 0.109m	1.9" 0.048m
<b>Surgical Clipper Accessories</b>							
9661 70-2006-7729-5 7 07387 44371 9	Clipper body with pivoting head, Rechargeable	1	0.4300 lbs 0.1950 kg		6.0" 0.152m	2.4" 0.061m	1.7" 0.043m
9606 70-2005-3677-2	Charger for 9604 Remington Clipper	1	0.4500 lbs 0.2041 kg		2.4" 0.060m	4.8" 0.121m	4.2" 0.108m
9600 70-2005-2155-0 TBD	Clipper Blade Assembly for 9604 Remington	40	0.8000 lbs 0.3629 kg		9.1" 0.231m	5.0" 0.127m	2.4" 0.061m
9660 70-2006-7728-7 7 07387 44370 2	Clipper Blade Assembly for 9661	50	1.4100 lbs 0.6396 kg		9.4" 0.239m	5.3" 0.135m	5.3" 0.135m
9668 70-2006-7734-5	Charging stand	1	0.8300 lbs 0.3765 kg		6.9" 0.175m	3.9" 0.099m	2.5" 0.064m



### Steri-Gas Cartridges

3M developed the Steri-Gas cartridge to minimise the risk associated with EO and the large, bulky tanks that were typically used. The cartridge is placed into its holder inside the sterilise chamber. When the sterilisation cycle is complete, it is aerated with the sterilised items, and discarded with non-incinerated waste. A unique, single-dose cartridge containing 100% ethylene oxide (EO). Each cartridge holds between 3.5 to 6 ounces (100 to 170 grams) of EO depending on the model of 3M™ Steri-Vac™ Sterilizer used.



#### Features:

- System offers easy, cost-effective and efficient sterilant for ethylene oxide sterilization.
- Precise usage of EO with single-dose cartridge means no sterilant waste.
- With Steri-Gas cartridges, operators have no bulky, heavy gas tanks to handle, and no hoses, valves and filters to adjust or replace.
- Contain no CFCs or HCFCs to provide low-temperature sterilization that's more compatible with the environment.
- Use with Steri-Vac sterilizer/aerators

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
4-100 70-2005-6121-8 7 07387 02191 7	100 gram ethylene oxide cartridge For models 400C and 4XL and 5XL sterilizers.	12/box	34.5000 lbs	15.3"	13.3"	17.3"
		80 boxes	15.6489 kg	0.389m	0.338m	0.439m
4-134 70-2005-6120-0 7 07387 01880 1	127 gram ethylene oxide cartridge For model 400B sterilizer.	12/box	39.0000 lbs	15.3"	13.3"	17.3"
		80 boxes	17.6901 kg	0.389m	0.338m	0.439m



**Infection Prevention means creating and maintaining the integrity of the field. Includes: Surgical gowns, masks and drapes.**

### Incise Drapes

Draping of the surgical site provides a sterile work surface and helps minimize the transfer of microorganisms between non-sterile areas and the surgical wound. Includes: protectors, cardiovascular, basic, orthopaedic, and extremity packs, wound edge protectors, leggings and operation tape.

#### Ioban™ 2 Antimicrobial Incise Drapes



To help prevent surgical site infection, it is critical to reduce and restrict microorganisms from entering the open surgical wound. Ioban 2 antimicrobial incise drapes provide a sterile surface to the wound edge and continuous antimicrobial activity throughout the procedure. Ioban 2 film helps reduce the risk of surgical site contamination due to skin flora by providing a physical barrier to skin bacteria. The film adheres securely to wound edges which is critical in maintaining the barrier to skin flora.


#### Features:

- Ioban 2 incise drapes provide continuous broad-spectrum antimicrobial activity to help reduce the risk of surgical site contamination.
- The drape adheres securely to wound edges, providing a reliable barrier to bacteria on the skin.
- Incise drapes are made with a “low memory” film that conforms to body contours and stretches to allow limb manipulation.
- Available in a variety of sizes to meet your procedural and incision-size needs.
- Includes the “easy-delivery” drape application feature (except 6635).

#### Learn More:

- 3M™ Incise Drape Brochure – Brochure (PDF 925.7 K)
- Common Questions – Ioban 2 Antimicrobial Incise Drape – Questions and Answers (PDF 16.0 K)
- Controlling Cardiovascular Infections Brochure – Brochure (PDF 1.0 MB)
- Ioban Microbial Kill Study – Flyer (PDF 666.4 K)

3M™ Steri-Drape™ (6635)



Incise area:

3-7/8" x 7-7/8" (10cm x 20cm)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight lbs kg	Case Dimensions		
		Inner Unit Pack Case Qty.		Length	Width	Height
6635 UH-5555-5064-8 7 07387 44437 3	37/8" x 77/8" (10cm x 20cm)	10/box	1.9000 lbs 0.8618 kg	11.4"	5.4"	5.8"
		4 boxes				
6640 UH-5555-5058-0	13" x 13" (35cm x 35cm)	10/box				
		4 boxes				
6648 UH-5555-5060-6	23" x 23" (60cm x 60cm)	10/box				
		4 boxes				
6650 UH-5555-5059-8	23" x 17" (60cm x 45cm)	10/box				
		4 boxes				
6651 UH-5555-5061-4	23" x 33" (60cm x 85cm)	10/box				
		4 boxes				



### Incise Drapes (cont'd)


#### Steri-Drape™ 2 Incise Drapes

##### 3M™ Steri-Drape™ (2037)



Incise Area: 11" x 9 3/4"  
(28cm x 25cm)

##### 3M™ Steri-Drape™ (2040)



Incise Area: 11" x 16"  
(28cm x 41cm)

Clear, adhesive surgical drapes made of flexible, breathable film. Provides a sterile surface to the wound edge. Available in a variety of sizes. To help prevent surgical site infection, it is critical to reduce and restrict micro-organisms from entering the open surgical wound. Steri-Drape incise drapes provide a sterile surface to the wound edge at the start of surgery. The film adheres securely to wound edges which is critical in maintaining the barrier to skin flora.

#### Features:

- Film provides a sterile operative surface to the wound edge to help reduce the risk of surgical site contamination.
- Incise drape adheres securely to wound edges, reducing bacterial migration.
- Flexible, breathable film is extra conformable for easy application, even around difficult anatomical contours.
- Reliable, secure adhesive.
- Available in a variety of sizes to meet your procedural and incision-size needs.

#### Learn More:


- 3M™ Incise Drape Brochure – Brochure (PDF 925.7 K)
- Common Questions – Steri-Drape 2 Incise Drapes – Questions and Answers (PDF 13.8 K)
- Ioban Microbial Kill Study – Flyer (PDF 666.4 K)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.		lbs kg	Length	Width
<b>2037</b> 70-2005-3988-3 0 51119 52911 1	11" x 9 3/4", (28cm x 25cm)	10/box	3.2900 lbs 1.4923 kg	13.3" 0.338m	8.4" 0.213m	4.8" 0.122m
		4 boxes				
<b>2040</b> 70-2005-3989-1 0 51119 52912 8	11" x 16", (28cm x 41cm)	10/box	4.9000 lbs 2.2226 kg	18.6" 0.472m	8.3" 0.211m	4.6" 0.117m
		4 boxes				
<b>2045</b> 70-2005-3990-9 0 51119 52913 5	19" x 17", (50cm x 45cm)	10/box	6.8100 lbs 3.0890 kg	20.5" 0.521m	8.6" 0.218m	4.6" 0.117m
		4 boxes				
<b>2050</b> BC-0000-4981-9 7 07387 01861 1	23" x 23" (60cm x 60cm)	10/box	11.8000 lbs 5.3524 kg	26.5" 0.673m	8.3" 0.211m	6.0" 0.152m
		4 boxes				

## Steri-Drape™ Cardiovascular/Cardiac Catherization Drapes

### 9000A Basic Surgical Pack

3M™ Steri-Drape™ Absorbent Prevention Fabric creates a barrier to inhibit fluid strike-through reducing the need for multiple drapes. Less draping means less time in application and removal, and fewer drapes to dispose of, saving time and money. Prevents strike-through which makes multiple layering unnecessary. Absorbs spills and splatters. Designed with off-centered aperture for draping with bended knee or stretched knee.



#### Features:

- 1– 9099 OP Tape 3<sup>7</sup>/<sub>8</sub>" x 21" (10cm x 55cm)
- 4 – Hand Towels
- 1– 9036 Mayo Stand Cover 23" x 54" (58cm x 137cm)
- 2 – 9086 Adhesive Towel Drapes 39" x 29" (100cm x 75cm)
- 1 – 9087 Adhesive Drape Sheet (M) 72" x 72" (183cm x 183cm)
- 1 – 9088 Adhesive Drape Sheet (L) 98" x 59" (250cm x 152cm)
- 1 – 9077 Back Table Cover 78" x 59" (200cm x 150cm)

#### Learn More:

- Common Questions – Steri-Drape Surgical Packs – Questions and Answers (PDF 17.8 K)


Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
9000A 70-2006-8737-7 7 07387 56047 9	Basic Surgical Pack	7 pks/box	30.7400 lbs	23.4"	15.8"	16.7"
		2 boxes	13.9434 kg	0.594m	0.401m	0.424m





### Steri-Drape™ Cardiovascular/Cardiac Catherization Drapes (cont'd)

#### 6678 Cardiovascular Surgical Pack



Cardiovascular Pack with 1 – 6677 Steri-Drape Cardiovascular Sheet with Ioban 2 Incise Film, 1 – 1083 Perineal/Leg sheet, 1 – Mayo stand cover and 1- Back table cover All-in-one draping system options designed to help cardiovascular teams establish a sterile surface. Features 3M™ Ioban™ 2 Antimicrobial Incise Film for continuous antimicrobial activity.

**Features:**

- 1– 6677 Steri-Drape Cardiovascular Sheet with Ioban 2 Incise Film 77" x 122" (196cm x 310cm)
- 1– 1083 Perineal/Leg Sheet 70" x 72" (177cm x 182cm)
- 1– Back Table Cover 108" x 48" (274cm x 122cm)

**Learn More:**


- [Common Questions-Steri-Drape Cardiovascular Sht/Ioban 2 Incise – Questions and Answers \(PDF 16.2 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
6678 70-2007-0676-3	Cardiovascular Pack	4 pks/box	12.5800 lbs	25.8"	15.8"	8.8"
			5.7062 kg	0.655m	0.401m	0.224m
		1 box				

## Steri-Drape™ Cardiovascular/Cardiac Catherization Drapes (cont'd)

### 1191 Femoral Angiography Drape

3M™ Steri-Drape™ (1191)



Surgical drapes for cardiac catheterization procedures. The drapes are made of 3M™ Steri-Drape™ Absorbent Prevention Fabric with two adhesive patches and oval apertures. Suggested Applications: Femoral angiography and angioplasty procedures. The 1191 Femoral Angiography drape is suitable for longer equipment and also offers an extra large (36 inches x 48 inches) critical absorbent zone. Transparent side panels ensure unobstructed view and easy manipulation of operating table controls.

#### Features:

- Generous aperture area allows for proper positioning of the drape on the patient.
- Reliable, secure adhesive.
- Extra large critical absorbent zone flush with the edge of aperture that efficiently wicks fluid away from puncture site.
- Transparent side panels ensuring an unobstructed view and easy manipulation of operating table controls.


#### Learn More:

- Common Questions – Steri-Drape Femoral Angiography Drapes – Questions and Answers (PDF 16.1 K)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
1191 70-2006-4797-5 TBD	Drape Size: 90" x 130", (229cm x 332cm) 2 – Adhesive patches: 4 <sup>3</sup> / <sub>8</sub> " x 5 <sup>1</sup> / <sub>2</sub> " (11.4cm x 14cm) 2 – Oval apertures: 2 <sup>7</sup> / <sub>8</sub> " x 4" (7.6cm x 10.2cm) Extra-absorbent critical zone Transparent side and end panels	20/box  1 box	24.5000 lbs 11.1130 kg	19.6" 0.498m	14.3" 0.363m	21.5" 0.546m

## Steri-Drape™ Orthopaedic Drapes

### 9002 Orthopaedic Surgical Pack without Mayo Stand Cover



Orthopaedic Surgical Pack, Op tape, Hand towels, Legging, Medium and Large adhesive drape sheets, Adhesive split sheet, Back table cover Suggested Applications: Hip surgery.

#### Features:


- 3 – 9099 OP Tapes 3<sup>7</sup>/<sub>8</sub>" x 21" (10cm x 55cm)
- 4 – Hand Towels
- 1 – 9042 Extremity Cover 13" x 39" (35cm x 100cm)
- 1 – 9087 Adhesive Drape Sheet (M) 72" x 72" (183cm x 183cm)
- 1 – 9045 Adhesive Split Sheet 89" x 102" (228cm x 260cm)
- 1 – 9088 Adhesive Drape Sheet (L) 98" x 59" (250cm x 152cm)
- 1 – 9077 Back Table Cover 78" x 59" (200cm x 150cm)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack		lbs	Length	Width
		Case Qty.	kg			
9002 70-2006-8739-3 7 07387 45685 1	Orthopaedic Pack	5 pks/box	25.9000 lbs	23.4"	15.8"	16.7"
		2 boxes	11.7480 kg	0.594m	0.401m	0.424m



### Steri-Drape™ Orthopaedic Drapes (cont'd)

#### 9014A Extremity Surgical Pack



All-in-one procedure drape made of 3M™ Steri-Drape™ Absorbent Prevention Fabric and an elastic aperture, to create a sterile field during procedures on extremities. This is a range of extremity drapes with elastic apertures suitable for surgical procedures on legs, feet, arms and hands.

**Features:**


- 2– 9099 OP Tape 3<sup>7</sup>/<sub>8</sub>" x 21" (10cm x 55cm)
- 1– 9036 Mayo Stand Cover 23" x 54" (58cm x 137cm)
- 1 – 9072 Drape Sheet 44" x 59" (114cm x 150cm)
- 1 – 9041 Extremity Cover 13" x 23" (35cm x 60cm)
- 1 – 9053 Extremity Drape 90" x 118" (228cm x 300cm)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack		lbs	Length	Width
		Case Qty.	kg			
9014A 70-2006-8747-6 7 07387 56050 9	Extremity Surgical Pack	5 pks/box	25.8300 lbs	23.4"	15.8"	16.7"
		2 boxes	11.7163 kg	0.594m	0.401m	0.424m

## Steri-Drape™ Orthopaedic Drapes (cont'd)

### 1194 Arthroscopy Drape with Pouch

#### 3M™ Steri-Drape™ (1194)



Surgical drape sheets with a low-profile, roomy pouch to collect fluids flowing from the operative site during arthroscopic surgery. Available with one or two exit ports for drainage. The arthroscopy sheets are available alone, in a standard pack, or in custom trays. Suggested Applications: Draping to provide an impervious barrier and fluid control system. For use in fluid-heavy arthroscopy and ACL reconstruction procedures.

#### Features:


- Fluid control pouch collects and contains fluids to help keep patient and bed dry, and to help minimize the risk of body fluid exposure to healthcare personnel.
- Fluid control pouch attached to drape for easy, one-drape application to save time and money.
- Knee arthroscopy sheets are available individually, in a standard pack, or in custom trays to meet your institution's needs.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
1194 70-2005-9940-8 7 07387 20996 9	Sheet Size: 89" x 120", (228cm x 304cm) Width at arm extensions: 115 inches (292cm) Fluid collection pouch 2 – Exit ports, Tube and cord organiser	5 pks/box  1 box	10.5000 lbs 4.7627 kg	16.4" 0.417m	12.4" 0.315m	16.5" 0.419m



### Steri-Drape™ Orthopaedic Drapes (cont'd)

#### 9053 Extremity Drape



All-in-one procedure drape made of 3M™ Steri-Drape™ Absorbent Prevention Fabric and an elastic aperture, to create a sterile field during procedures on extremities. All-in-one drapes make draping quick and convenient by eliminating the need for multiple drapes. This is a range of extremity drapes with elastic apertures suitable for surgical procedures on legs, feet, arms and hands.

**Features:**


- Prevents strike-through which makes multiple layering unnecessary.
- Absorbs spills and splatters.
- Designed with off-centered aperture for draping with bended knee or stretched knee.
- Designed with off-centered aperture for one-piece draping of hand or foot.
- Designed with two elastic apertures for one-piece draping of two feet.
- Elastomeric aperture isolates the operative site.
- Design allows for one piece draping.
- Low linting.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
9053 XH-0034-0470-0 7 07387 45638 7	Drape size: 90" x 118" (228cm x 300cm) Elastic aperture: 2 1/4" x 3 1/8" (6cm x 8cm)	10/box	24.1800 lbs	23.4"	15.8"	16.7"
		2 boxes	10.967 kg	0.594m	0.401m	0.424m



### Steri-Drape™ Orthopaedic Drapes (cont'd)

#### 9196 Shoulder Split Sheet with Pouch



Surgical drape sheets with a low-profile, roomy pouch to collect fluids flowing from the operative site during arthroscopic surgery. Available with one or two exit ports for drainage. The arthroscopy sheets are available alone, in a standard pack, or in custom trays. For custom tray availability, contact your 3M-authorized custom kit assembler. Suggested Applications: Draping to provide an impervious barrier and fluid control system.

**Features:**


- Fluid control pouch collects and contains fluids to help keep patient and bed dry, and to help minimize the risk of body fluid exposure to healthcare personnel.
- Fluid control pouch attached to drape for easy, one-drape application to save time and money.
- Knee arthroscopy sheets are available individually, in a standard pack, or in custom trays to meet your institution's needs.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack		lbs	Length	Width
		Case Qty.	kg			
9196 70-2007-3720-6 7 07387 56040 0	Sheet Size: 90" x 102", (228cm x 260cm)	10/box	25.8000 lbs	23.4"	15.8"	16.7"
	Adhesive split: 6" x 37" (16cm x 95cm)		11.7027 kg	0.594m	0.401m	0.424m
	Fluid control pouch with 2 exit ports	2 boxes				

## Steri-Drape™ Orthopaedic Drapes (cont'd)

### 1014 Patient Isolation Drape

#### 3M™ Steri-Drape™ (1014)



A variety of surgical drapes that provide a vertical barrier to keep the C-arm isolated from the sterile surgical field during hip/femur fracture or trauma procedures. Available with pouches and with 3M™ Ioban™ 2 Antimicrobial Incise Film. Patient Isolation Drape with Incise Film, Adhesive strip along top

#### Features:

- Clear film helps the surgical team see the patient and C-arm from the sterile field.
- Fluid screen in pouch helps contain bone chips and tissues for specimen collection, and catches sponges and instruments to help prevent contamination of instruments and floor.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
1014 BC-0000-4448-9 7 07387 03076 7	Sheet Size: 125" x 83", (320cm x 213cm) Incise area: 19" x 9 3/4" (50cm x 25cm) Adhesive strip along top	5/box 4 boxes	21.6600 lbs 9.8248 kg	20.9" 0.531m	13.9" 0.353m	10.6" 0.269m







## Sterile Field & Surface

### Steri-Drape™ Orthopaedic Drapes (cont'd)

3M™ Steri-Drape™ (1015)




3M™ Steri-Drape™ (1067)



### U-Drapes

3M™ Steri-Drape™ (1019)



Plastic, split sheets with a U-shape aperture cut in one end of the drape for use in creating a sterile barrier during surgical procedures. Available in two lengths and as a U-pouch drape. Provides a sterile barrier to prevent fluid strike-through and help reduce risk of contamination. Orthopedic uses: walling off perineal area in hip procedures, walling off tourniquet and perineal area in knee surgeries, Defining the surgical area and walling off axilla for shoulder surgery. Neurological uses: walling off the buttock area in laminectomy procedures, walling off the surgical area and keeping the table dry in craniotomy

#### Features:

- Polyethylene film is transparent and conformable for easy positioning and draping, helping to save time. Matte finish reduces glare from drape surface during procedure.
- Common Questions – Steri-Drape U-drapes – Questions and Answers (PDF 16.1 K)


Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
<b>U-Drape</b>						
<b>1015</b> UH-1000-5371-8 7 07387 01878	Sheet Size: 47" x 51" (120m x 130cm) Adhesive split: 6½" x 18" (16.5cm x 46cm)	10/box 4 boxes	10.4500 lbs 4.740 kg	14.2" 0.361m	13.0" 0.330m	7.8" 0.198m
<b>1067</b> BC-0000-6678-9 7 07387 09789 0	Sheet Size: 35" x 30" (89cm x 76cm) Adhesive split: 6" x 15" (16cm x 40cm) Fluid collection pouch 2 – Exit ports	5/box 4 boxes				
<b>Long U-drape</b>						
<b>1019</b> 70-2007-3847-7 7 07387 07928 4	Sheet Size: 47" x 70", (120cm x 180cm) Adhesive split: 6½" x 18" (16.5cm x 46cm) Adhesive patch	10/box 4 boxes	13.1000 lbs 5.9421 kg	14.0" 0.356m	12.9" 0.328m	11.0" 0.279m



### Steri-Drape™ Surgical Sheets and Accessories

#### 9042 Leggings

3M™ Steri-Drape™ (9042)  
13-1/2" (35cm)



Legging covers are made of 3M™ Steri-Drape™ Absorbent Prevention Fabric. The 9040 leggings will cover the stirrups to create a sterile field. The 9041/9042 leggings will cover extremities within the sterile field.

#### Features:


- Unique fold for aseptic application of the legging to the extremity.
- Plastic layer on the outside helps prevent leg or arm from slipping off the table.
- Replaces stockinette: Cost saving, Can be adhered with OP Tape for secure isolation, Less linting than tricot tube, Easier application, Less bulky.
- Two sizes to cover either lower part of leg or arm, or to cover total leg.
- Low linting.
- Meets flammability class 1.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.		lbs kg	Length	Width
9042 70-2006-8771-6 7 07387 45624 0	13 1/2" x 39" (35cm x 100cm)	35/box	21.5000 lbs 9.7522 kg	23.4"	15.8"	16.7"
		4 boxes		0.594m	0.401m	0.424m

## Steri-Drape™ Surgical Sheets and Accessories (cont'd)

### 9099 Operation Tape

3M™ Steri-Drape™ (9099)



Reliable 2-inch adhesive strip secures the drape to the skin. Suggested Applications: Orthopaedic procedures, Cardiovascular procedures, Cardiac catheterization procedures, Obstetric and gynaecological procedures, Ophthalmic procedures, General surgery procedures, Urological procedures, Neurological procedures.

**Features:**

- Low linting.
- Meets flammability class 1.

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
9099	3 7/8" x 21"	250/box	29.5000 lbs	16.0"	11.8"	16.7"
70-2006-8835-9	10cm x 55cm		13.3810 kg	0.406m	0.300m	0.424m
7 07387 45682 0		2 boxes				

## Steri-Drape™ Surgical Sheets and Accessories (cont'd)

### 1076 Wound Edge Protector

A wound edge protector that separates edges of the incision from contact with visceral contents, instruments and gloves during the procedure, while allowing for visualization of the wound edges.


- [Common Questions – Steri-Drape Wound Edge Protector – Questions and Answers \(PDF 20.2 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
<b>1076</b>	35" x 35"	10/box	11.9500 lbs	14.8"	11.9"	13.9"
70-2004-1684-3	90cm x 90cm		5.4204 kg	0.376m	0.302m	0.353m
0 51119 02726 6	Ring diameter: 10" (27cm) 4 – Adhesive patches	4 boxes				



### Steri-Drape™ Surgical Sheets and Accessories (cont'd)

#### 9044 Adhesive Surgical Split Sheet



Adhesive split sheets with different splits and overall dimensions. Bilateral or U-Slot apertures. Suggested Applications: Hip procedures, Cardiovascular procedures, Neurosurgery, Shoulder surgery

**Features:**

- Absorbent prevention fabric.
- Impervious to fluid which makes multiple layering unnecessary.
- Absorbs spills and splatters.
- Low linting.
- Meets flammability class 1.
- 2-inch wide adhesive strip secures the drape to the skin and makes it especially suitable for isolation of the groin area.
- Reliable adhesive strip stays secure throughout the procedure.
- Several sizes of split sheets and splits available for different types of surgery.


Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
<b>9044</b> 70-2006-8775-7 7 07387 00673 1	Sheet Size: 59" x 98", (152cm x 250cm) U-slot aperture, Split 2 1/2" x 25", (7cm x 70cm)	25/box	32.1800 lbs	23.4"	15.8"	16.7"
		2 boxes	14.5966 kg	0.594m	0.401m	0.424m



### Steri-Drape™ Surgical Sheets and Accessories (cont'd)

#### 1003 Isolation Bag

3M™ Steri-Drape™ (1003)



A bag with draw-string closure that can be used in the sterile field to isolate and contain organs and body parts for surgical procedures. Suggested Applications: Isolating and protecting organs and limbs during surgical procedures, Transporting sterile organs after an organ donation, Isolating equipment or supplies from the sterile field.

**Features:**

- Drape film is durable and impervious to keep contents secure, yet is soft enough to be gentle on organs and tissues.
- Clear film allows for visualization of contents for convenient, easy use. Large size is useful for a variety of applications and procedures in the OR.
- Features dual draw-string closure to open and close easily and smoothly without constricting body parts or tissue.


Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack		lbs	Length	Width
		Case Qty.	kg			
1003 BC-0000-0449-1 7 07387 03077 4	20" x 20" (50cm x 50cm) Drawstring closure	10/box	4.2000 lbs	11.8"	9.1"	7.5"
			1.9051 kg	0.300m	0.231m	0.191m
		4 boxes				




### Steri-Drape™ Surgical Sheets and Accessories (cont'd)

#### Towel Drapes

3M™ Steri-Drape™ (1000)  
17" (45cm)



3M™ Steri-Drape™ (1010)



Drapes made from clear polyethylene plastic with a matte finish, and include an adhesive strip for secure adhesion. Suggested Applications: Draping for defining the sterile field, Draping for isolating a non-sterile area from the sterile field.


#### Features:

- Matte finish helps reduce glare from drape surface.
- Conformable adhesive strip helps secure the drape, especially in hard-to-drape areas.
- Adheres to dry skin to help prevent fluids from running under drape and patient, minimizing the risk of body fluid exposure to healthcare personnel and making clean up easier.
- Available in two lengths to accommodate a variety of procedures.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight lbs kg	Case Dimensions		
		Inner Unit Pack Case Qty.		Length	Width	Height
<b>1000 Small Towel Drape</b>						
<b>1000</b>	17" x 11", (45cm x 30cm)	10/box	1.6500 lbs	8.8"	6.6"	5.3"
70-2005-1924-0	Adhesive strip		0.7484 kg	0.224m	0.168m	0.135m
0 51119 52832 9		4 boxes				
<b>1010 Large Towel Drape</b>						
<b>1010</b>	17" x 23", (45cm x 60cm)	10/box	2.1000 lbs	8.8"	6.6"	5.3"
70-2005-1925-7	Adhesive strip		0.9525 kg	0.224m	0.168m	0.135m
0 51119 52833 6		4 boxes				



3M™ Steri-Drape™ (1018)  
7" (18cm)




## Steri-Drape™ Surgical Sheets and Accessories (cont'd)

### Instrument Pouches

3M™ Steri-Drape™ (1018L)

9 5/8" (24.5cm)



Sterile, plastic pouches used to organise and secure instruments on the sterile field. Adhesive strips on each end of the pouch hold it in place.

#### Features:

- Pouches allow instruments to remain within the sterile field and readily accessible for convenient use and time savings.
- Reliable adhesive strips at each end of pouch help hold pouch securely in sterile field and allow cords to be confined and organized behind pouches.
- Two sizes available to meet your needs: 1018 instrument pouch features two compartments and holds standard-size instruments; 1018L long instrument pouch features three compartments and holds long instruments such as those used in endoscopic procedures.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight lbs kg	Case Dimensions		
		Inner Unit Pack Case Qty.		Length	Width	Height
<b>1018 Standard size pouch</b>						
<b>1018</b>	7" x 11" (18cm x 30cm)	10/box	3.0000 lbs	9.6"	6.7"	7.2"
70-2004-5863-9	2 Adhesive strips		1.3608 kg	0.244m	0.170m	0.183m
0 51119 02747 1	2 Standard size compartments	4 boxes				
<b>1018L Long Size Pouch</b>						
<b>1018L</b>	9 5/8" x 18", (24.5cm x 47cm)	10/box	5.2500 lbs	13.1"	11.5"	5.8"
70-2006-8724-5	2 Adhesive strips		2.3814 kg	0.333m	0.292m	0.147m
7 07387 45461 6	3 Long size compartments	4 boxes				






### Steri-Drape™ Obstetrics and Gynaecology Drapes

A variety of 360-degree fluid collection pouch drapes are available to manage blood and bodily fluids during Caesarean-section procedures.

#### 7965 Caesarean Section Drape with Incise Pouch

3M™ Steri-Drape™ (7965)

101" (257cm)



122" (310cm)

77" (196cm)

Incise area:

12" x 12" (30cm x 30cm)

Caesarean Section Sheet with Incise Pouch is a full body procedure drape featuring 3M™ Steri-Drape™ Absorbent Prevention Fabric that inhibits fluid strike-through and a rectangular fluid collection pouch with Steri-Drape 2 incise film. Suggested Applications: C-section surgical procedures, Abdominal/gynaecology.


#### Features:

- Several drape styles and features available to meet your procedural needs.
- Large-capacity, 360-degree fluid collection pouch provides optimal fluid collection to help minimize contact with fluid and help reduce risk of contamination to OR team.
- Tube and cord organizers are convenient and easy to use.
- 3M™ Steri-Drape™ 2 Incise Film offers breathable, clear adhesive film that helps provide secure and reliable adhesion.
- Drapes with 3M™ Steri-Drape™ Absorbent Prevention Fabric creates a barrier to inhibit fluid strike-through and help eliminate the need to add other drapes or towel layers, saving time and money.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
7965 70-2006-6701-5 7 07387 41692 8	Sheet Size: 77" x 122", (196cm x 310cm) Width at arm extensions: 101", (257cm) Incise area: 12" x 12", (30cm x 30cm) 360-degree fluid collection pouch Tube and cord organizers	5 pks/box  1 box	9.5400 lbs 4.3273 kg	18.4" 0.467m	11.6" 0.295m	11.8" 0.300m

## Steri-Drape™ Obstetrics and Gynaecology Drapes (cont'd)

### 9063 Laparotomy Drape



All-in-one procedure sheets made of 3M™ Steri-Drape™ Absorbent Prevention Fabric to create a sterile field during laparoscopic or laparotomy procedures. These all-in-one procedure sheets make draping quick and convenient by eliminating the need for multiple drapes. The laparoscopic drapes have four tube organizers attached to the drape for easy securing of your cables. Suggested Applications: Laparoscopic cholecystectomy, Abdominal procedures, Back/spinal procedures.

#### Features:

- Reliable 2-inch adhesive strip secures the drape to the skin.
- Low linting.
- Meets flammability class 1.
- Four tube organizers for easy organizing of cables during the laparoscopic procedure.
- Generous aperture size for better maneuverability of instruments used during the laparoscopic procedure.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
<b>9063</b> 70-2007-3725-5 7 07387 56045 5	Sheet Size: 72" x 112", (183cm x 285cm) Width at arm extensions: 100" (254cm) Aperture: 3 <sup>7</sup> / <sub>8</sub> " x 12" (10cm x 30cm)	10/box  2 boxes	27.1000 lbs 12.2924 kg	23.4" 0.594m	15.8" 0.401m	16.7" 0.424m



### Steri-Drape™ Obstetrics and Gynaecology Drapes (cont'd)

#### 7984 Under Buttocks Drape with Pouch

A surgical drape with a large, low-profile fluid collection pouch that is designed to channel fluids away from the patient and health care personnel during vaginal births.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
<b>7984</b>	Sheet Size: 34" x 42" (86cm x 108cm)	20/box	7.4000 lbs	16.4"	11.9"	9.8"
70-2005-7851-9	Cuff size: 10" (27cm)		3.3566 kg	0.417m	0.302m	0.249m
TBD	Fluid collection pouch 3M™ Blue Fabric	1 box				




### Steri-Drape™ Obstetrics and Gynaecology Drapes (cont'd)

#### 1016 Irrigation Pouch

Irrigation pouches with an adhesive strip that are designed to collect irrigation fluids during surgical and minor procedures. Large and small styles are available

3M™ Steri-Drape™ (1016)



**Features:**


- Polyethylene film helps create an impervious layer at the sterile field to help prevent fluid strikethrough and fluid leakage from pouch to reduce cleanup time and costs.
- Pouch contains fluids to keep patient and bed dry and minimize exposure of healthcare personnel to potentially infectious body fluids.
- Translucent matte-finished film allows for visualization of fluids in pouch while reducing glare from drape surface.
- Reliable adhesive strip helps secure pouch on patients or on other drapes as attachment accessories.
- Filter screen of the 1016 pouch catches bone chips and tissue for specimen collection, and catches sponges and instruments to help prevent floor and instrument contamination.
- Exit port of the 1016 pouch allows for continuous suction from pouch to handle larger amounts of fluid.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight lbs kg	Case Dimensions		
		Inner Unit Pack Case Qty.		Length	Width	Height
1016 BC-0000-0081-2 7 07387 01858 1	19" x 23" (50cm x 60cm)	10/box	6.6000 lbs	12.7"	9.6"	12.2"
	Adhesive strip		2.9937 kgs	0.323m	0.244m	0.310m
	1 – Exit port Screen	4 boxes				

## Steri-Drape™ Obstetrics and Gynaecology Drapes (cont'd)

### 2057 Caesarean-Section Pouch

3M™ Steri-Drape™ (2057)



Incise area:

12" x 12" (30cm x 30cm)

The 2057 Incise Pouch is a rectangular fluid collection pouch with 3M™ Steri-Drape™ 2 Incise Film.

#### Features:

- Large-capacity, 360-degree fluid collection pouch provides optimal fluid collection to help minimize contact with fluid and help reduce risk of contamination to OR team.
- Tube and cord organizers are convenient and easy to use.
- 3M™ Steri-Drape™ 2 Incise Film offers breathable, clear adhesive film that helps provide secure and reliable adhesion.
- Drapes with 3M™ Steri-Drape™ Absorbent Prevention Fabric creates a barrier to inhibit fluid strike-through and help eliminate the need to add other drapes or towel layers, saving time and money.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack		lbs	Length	Width
		Case Qty.	kg			
<b>2057</b> BC-0000-5273-0 7 07387 09287 1	35" x 30" (89cm x 76cm) Incise area: 12" x 12" (30cm x 30cm) 360-degree fluid collection pouch Tube and cord organizers	10/box  4 boxes	22.0000 lbs 9.9790 kg	23.7" 0.602m	12.3" 0.312m	18.8" 0.478m




### Steri-Drape™ Obstetrics and Gynaecology Drapes (cont'd)

#### 6657 Caesarean-Section Pouch with Ioban™ 2 Incise Film

A 360-degree, plastic fluid-collection pouch with 3M™ Ioban™ 2 Antimicrobial Incise Film that is ideal for Caesarean-section procedures.

3M™ Steri-Drape™ (6657)



3M™ Ioban™ 2 incise area:  
12" x 12" (30cm x 30cm)

#### Features:

- Ioban 2 incise film provides continuous broad-spectrum antimicrobial activity to help reduce the risk of surgical site contamination.
- Consistent, reliable adhesive.
- Incise drape adheres securely to wound edges, providing a reliable barrier to bacteria on the skin.
- 360-degree pouch provides optimal fluid collection to minimize contact with fluid and helps reduce the risk of contamination to OR team.
- Pouch allows for easy cleanup to save time.
- Tube and cord organizers for added convenience.


#### Learn More:

- [Common Questions – Steri-Drape C-Section with Ioban 2 – Questions and Answers \(PDF 15.1 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
6657 UH-5555-5062-2 7 07387 44442 7	35" x 30" (89cm x 76cm) Ioban 2 antimicrobial incise area: 12" x 12" (30cm x 30cm) 360-degree fluid collection pouch Tube and cord organizers	10/box	22.9500 lbs	23.9"	13.4"	20.3"
		4 boxes	10.4099 kg	0.607m	0.340m	0.516m


## Steri-Drapes™ Equipment Drapes

### 3M™ Steri-Drape™ (1101)



### C-Arm Drape

#### 3M™ Steri-Drape™ (1013)



The 3M™ Steri-Drape™ One-piece C-Arm drape is a sterile polyethylene drape with hook-and-loop fasteners, polyethylene draw straps and adhesive strips. The drape is used during surgical procedures requiring the use of a non-sterile C-Arm in the steril

#### Features:

- Drapes cover equipment to provide sterile barrier between the equipment and the sterile field.
- Drapes are specially designed to fit equipment so less time is spent draping.
- Helps protect expensive equipment to reduce potential of costly repairs and cleanup.

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
<b>1101 One Piece C-Arm Drape</b>						
1101 70-2007-0109-5 7 07387 46449 8	Sheet Size: 60" x 105" (152cm x 266cm) Clear plastic, Polyethylene draw straps, Adhesive strips	10/box  2 boxes	17.6500 lbs 8.0059 kg	17.8" 0.451m	11.8" 0.298m	10.8" 0.273m
<b>1013 One Piece C-Arm X-ray Image Intensifier Drape</b>						
1013 BC-0000-0124-0 7 07387 02091 1	Sheet Size: 41" x 64" (106cm x 165cm) Clear plastic, 4 Adhesive patches	10/box  4 boxes	20.0500 lbs 9.0945 kg	15.1" 0.384m	13.4" 0.340m	12.8" 0.325m




### Steri-Drapes™ Equipment Drapes (cont'd)

#### Banded Bags

3M™ Steri-Drape™ (1098)

Size: 35" (91cm)



3M™ Steri-Drape™ (1099)

Size: 45" (116cm)



Circular, disposable sterile bags for covering a variety of equipment for use in the OR, cath lab, delivery room, gastrointestinal lab and radiology department.

#### Features:

- Clear polyethylene film allows you to see equipment under bag.
- Elasticized opening helps make it quick and easy to apply.
- Available in four sizes to accommodate a wide range of equipment.

#### Learn More:

- [Common Questions – Steri-Drape Banded Bags – Questions and Answers \(PDF 14.4 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack		lbs	Length	Width
		Case Qty.	kg			
<b>1098</b> 70-2007-3405-4 7 07387 46443 6	35" (91cm) Latex-free band	25/box	4.3000 lbs	17.9"	11.6"	11.0"
		1 box	1.9504 kg	0.455m	0.295m	0.279m
<b>1099</b> 70-2007-3407-0 7 07387 46445 0	45" (116cm) Latex-free band	25/box	6.4500 lbs	17.9"	11.6"	11.0"
		1 box	2.9257 kg	0.455m	0.295m	0.279m




## Steri-Drapes™ EENT Drapes

### 1022 Refractive Drape

Ophthalmic surgical drapes with aperture are available in a variety of sizes with different design features to meet the needs and surgery requirements of ophthalmic surgeons worldwide.

**Suggested Applications:** Draping off surgical site for minor office procedures, creating a sterile or clean surgical field, creating impervious barrier for the surgical site, protecting patient's clothing from contamination during minor procedures. For use in all types of cataract, extraocular, intraocular and refractive procedures.

#### 3M™ Steri-Drape™ (1022)



#### Features:

- Reliable adhesive stays secure to help provide a sterile field.
- Adhesive film isolates the surgical site from lid margins, eyelashes and eyebrow to help reduce the risk of surgical site contamination.
- Drapes remove easily helping to decrease procedure and cleanup time.
- Drape styles with fluid control pouches help minimize the risk of exposure to healthcare personnel,
- help maximize OR efficiency by providing fluid control, and save time and money by helping to eliminate the need to add pouch to the drape.
- Aperture drapes have adjustable apertures that allow for custom fitting to each patient, helping to decrease inventory and cost of drapes.


Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
<b>1022</b> 70-2007-0697-9 7 07387 47167 5	Drape Size: 15" x 10" (40cm x 27cm) Adhesive area: 2 <sup>3</sup> / <sub>4</sub> " x 2 <sup>3</sup> / <sub>4</sub> " (7cm x 7cm) Oval Aperture: 1 <sup>3</sup> / <sub>4</sub> " x 1 <sup>1</sup> / <sub>2</sub> ", (4.5cm x 3.8cm) Perforated	20/box	3.8000 lbs 1.7237 kg	12.4" 0.315m	9.8" 0.249m	7.0" 0.178m
		4 boxes				




### Steri-Drapes™ EENT Drapes (cont'd)

#### Ophthalmic Drapes


3M™ Steri-Drape™ (1030)  
31" (80cm)




3M™ Steri-Drape™ (1064)  
62" (158cm)



3M™ Steri-Drape™ (1020)



3M™ Steri-Drape™ (1024)



Aperture drapes have adjustable apertures that allow for custom fitting to each patient, helping to decrease inventory and cost of drapes. For use in all types of cataract, extraocular, intraocular and refractive procedures.


- Drapes can be used for a variety of procedures.
- Drapes remove easily helping to decrease procedure and cleanup time.
- Drape styles with fluid control pouches help minimize the risk of exposure to healthcare personnel, help maximize OR efficiency by providing fluid control, and save time and money by helping to eliminate the need to add pouch to the drape.
- Help maximize OR efficiency by providing fluid control, and save time and money by helping to eliminate the need to add pouch to the drape.
- Aperture drapes have adjustable apertures that allow for custom fitting to each patient, helping to decrease inventory and cost of drapes.

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
<b>1020 Small Drape with Adhesive Aperture</b>						
1020 70-2005-3368-8 0 51119 52862 6	Sheet Size: 15" x 15" (40cm x 40cm) Adhesive size: 3 <sup>7</sup> / <sub>8</sub> " x 4 <sup>7</sup> / <sub>8</sub> " (10cm x 12,5cm) Circle aperture: 2 <sup>3</sup> / <sub>8</sub> " (6,3cm)	10/box  4 boxes	2.3000 lbs 1.0433 kg	12.4" 0.315m	8.6" 0.218m	5.1" 0.130m
<b>1024 Small Drape with Adhesive Aperture and Pouch</b>						
1024 70-2005-2029-7 0 51119 52836 7	Sheet Size 15" x 19" (40cm x 49cm) Adhesive size: 4 <sup>7</sup> / <sub>8</sub> " x 3 <sup>7</sup> / <sub>8</sub> " (12.5cm x 10cm) Oval aperture: 1 <sup>3</sup> / <sub>8</sub> " x 2 <sup>3</sup> / <sub>8</sub> " (3,5cm x 6,3cm) 2 – Adhesive patches Fluid collection pouch	10/box  4 boxes	3.5000 lbs 1.5876 kg	12.4" 0.315m	9.8" 0.249m	7.0" 0.178m
<b>1030 Medium Drape with Adhesive Aperture</b>						
1030 UH-1000-2988-2 7 07387 01876 5	Sheet Size: 31" x 51" (80cm x 130cm) Adhesive area: 3 <sup>7</sup> / <sub>8</sub> " x 4 <sup>7</sup> / <sub>8</sub> " (10cm x 12.5cm) Oval aperture: 2" x 2 <sup>7</sup> / <sub>8</sub> " (5.2cm x 7.6cm)	10/box  4 boxes	6.0000 lbs 2.7216 kg	12.3" 0.312m	9.9" 0.251m	7.9" 0.201m
<b>1064 Large Drape with Adhesive Aperture and Pouch</b>						
1064 70-2005-2028-9 7 07387 56207 6	Sheet Size: 62" x 72" (158cm x 182cm) Adhesive size: 3 <sup>1</sup> / <sub>2</sub> " x 4 <sup>1</sup> / <sub>2</sub> " (9cm x 11,7cm) Oval aperture: 2 <sup>1</sup> / <sub>8</sub> in x 1 <sup>1</sup> / <sub>8</sub> in (5,7cm x 2,9cm) 2 – Fluid collection pouches Standard Blue Fabric	20/box  2 boxes	11.3500 lbs 5.1483 kg	20.3" 0.516m	10.8" 0.274m	11.2" 0.284m
<b>1055B Large Drape with Incise Film and Pouches</b>						
1055 70-2007-3962-4 7 07387 56204 5	Sheet Size: 62"x 107", (158cm x 274cm) Incise area 3 <sup>1</sup> / <sub>2</sub> " x 4 <sup>1</sup> / <sub>2</sub> ", (9cm x 11,7cm) 2 Fluid collection pouches Face arch, Standard Blue Fabric	14/box  2 boxes	22.8000 lbs 10.3419 kg	23.4" 0.594m	15.8" 0.401m	16.7" 0.424m

## Steri-Drapes™ Urology Drapes

### 1071 Urology Drape

3M™ Steri-Drape™ (1071)



Plastic and fabric specialty drape for use in urology and gynecology. Plastic film creates a barrier to inhibit fluid strike-through, and help eliminate the need to add other drape or towel layers, saving time and money Suggested Applications: TURP, TURB, Cystoscopy procedures.

#### Features:


- Plastic film creates a barrier to inhibit fluid strike-through, and help eliminate the need to add other drape or towel layers, saving time and money.
- Low linting.
- Meets flammability class 1.
- Neoprene finger cot can be inserted into the rectum or vagina in order to help keep the glove of the surgeon from being contaminated.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
1071 BC-0000-0123-2 7 07387 01874 1	Drape Size: 23" x 35", (60cm x 90cm) Aperture area: 2" (5.2cm) Non-latex finger cot with adhesive Adhesive strip	10/box  4 boxes	4.3500 lbs 1.9731 kg	11.9" 0.302m	9.4" 0.239m	5.4" 0.137m

## Steri-Drapes™ Urology Drapes (cont'd)

### 1072 Aperture Pouch Drape

3M™ Steri-Drape™ (1072)



A variety of drape styles are available to meet your minor procedural needs. 3M™ Steri-Drape™ Absorbent Prevention Fabric creates a barrier to inhibit fluid strike-through reducing the need for multiple drapes. For use in all types of cataract, extraocular, intraocular and refractive procedures.

**Features:**

- Reliable and secure adhesive.
- Several drape styles available for versatile use in a variety of minor procedures.
- Fluid collection pouch helps minimize the risk of body fluid exposure to healthcare personnel, and eliminates need to add pouch to the drape, saving time and money.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
<b>1072</b> 70-2004-1142-2 0 51119 02715 0	Sheet Size: 9 1/4" x 18" (23.6cm x 46cm) Adhesive area: 9 1/4" x 10" (23.6cm x 26cm) Oval aperture: 3 1/2" x 4 1/4" (9.2cm x 11.6cm) Fluid collection pouch	10/box	5.0000 lbs 2.2680 kg	13.1" 0.333m	11.5" 0.292m	5.8" 0.147m



### Steri-Drapes™ Surgical Gowns

3M Single Use Surgical Gowns are constructed of a light weight supple, non woven fabric. The fabric is breathable, and fluid resistant offering protection and comfort.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
<b>XL</b> 7693C DH-9999-7514-6						
		24				
<b>XXL</b> 7694C DH-9999-7515-3						
		22				



## Surgical Masks

3M offers a variety of surgical masks in several designs, offering the right product for the application along with comfort and wearability.

### 3M™ 1810F Surgical Mask

**Features:**

- Traditional flat, pleated tie-on design for ease of use.
- Good filter efficiency provides maximum comfort.
- Allows easy breathing.
- Fluid resistant to provide protection.

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
1810F		100/bx				
XH-0034-0359-5		6 boxes				



## Surgical Masks (cont'd)

### 3M™ 1860 Health Care Particulate Respirator and Surgical Mask

It has a soft inner shell for greater comfort against the face and, because it's fluid resistant, it aids in reducing the potential exposure of the wearer to blood and other body fluids. Meets CDC guidelines for TB exposure control. NIOSH-approved.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
1860		20/box	4.2000 lbs	16.7"	11.2"	8.7"
70-0706-1236-4			1.9051 kg	0.424m	0.284m	0.221m
7 07387 41942 4		6 boxes				



The skin is the most important barrier to infection, and surgery interrupts that barrier. Use of the best methods to close the surgical incision and care for the wound helps the skin to regain its protective capacity to prevent infections from entering the body. Includes: Dressings, surgical tape, wound closures, skin protectants and staples.

### Tegaderm™ Dressings for Advanced Wound Care

Enables clinicians to monitor pressure ulcers, skin tears and other moderately exuding wounds without changing the dressing. It offers better fluid management and wear time than the leading hydrocolloids.

#### Tegaderm™ Absorbent Clear Acrylic Dressing



3M™ Tegaderm™ Absorbent Clear Acrylic Dressing is made of a unique construction that incorporates 3M™ Tegaderm™ Transparent Dressing as a top and a skin contact layer that “sandwiches” a proprietary acrylic polymer. Easy to center on the wound and apply. Gentle removal from the skin. Promotes autolytic debridement while allowing visualization. Barrier to outside contaminants such as fluid, bacteria and viruses. Low potential for skin maceration.

#### Features:

- Easy monitoring of the wound, exudates and peri-wound skin.
- May eliminate unnecessary dressing changes.
- Barrier to outside contaminants such as fluid, bacteria and viruses.
- Eliminates hydrocolloid-related odor.
- No dressing breakdown in the wound.
- Easy to center to the wound and apply.
- Gentle removal from skin.
- Hypoallergenic and latex-free.

#### Learn More:

- Tegaderm Absorbent Dressing Product Selection Guide/Sizing Chart – Product Selection Guide (PDF 397.1 K)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight lbs kg	Case Dimensions		
		Inner Unit Pack Case Qty.		Length	Width	Height
<b>Oval</b>						
<b>90800</b> 70-2007-3796-6 7 07387 56093 5	Pad size: 1½" x 2¼", (3.8cm x 5.7cm) Dressing Size: 3" x 3¾", (7.6 cm x 9.5 cm)	5/box 6 boxes	1.9000 lbs 0.8618 kg	11.0" 0.279m	8.3" 0.210m	2.5" 0.064m
<b>90801</b> 70-2007-3797-4 7 07387 56094 2	Pad size: 2¾" x 3", (6.0cm x 7.6cm) Dressing Size: 4¾" x 5", (11.1 cm x 12.7 cm)	5/box 6 boxes	2.1000 lbs 0.9525 kg	11.0" 0.279m	8.3" 0.210m	2.5" 0.064m
<b>90803</b> 70-2007-3799-0 7 07387 56096 6	Pad size: 3⅜" x 4¼", (8.5cm x 10.7cm) Dressing Size: 5⅝" x 6¼", (14.2 cm x 15.8 cm)	5/box 6 boxes	2.5000 lbs 1.1340 kg	11.3" 0.286m	8.8" 0.222m	2.8" 0.070m
<b>Square</b>						
<b>90802</b> 70-2007-3798-2 7 07387 56095 4	Pad size: 3⅞" x 4", (9.8cm x 10.1cm) Dressing Size: 5⅞" x 6", (14.9 cm x 15.2 cm)	5/box 6 boxes	1.8500 lbs 0.8391 kg	11.6" 0.294m	8.1" 0.207m	2.6" 0.067m
<b>90805</b> 70-2007-3800-6 7 07387 56097 8	Pad size: 5⅞" x 6", (14.9cm x 15.2cm) Dressing Size: 7⅞" x 8", (20.0 cm x 20.3 cm)	5/box 6 boxes	2.8400 lbs 1.2882 kg	13.7" 0.348m	10.6" 0.269m	8.0" 0.203m





### Tegaderm™ Dressings for Advanced Wound Care (cont'd)

This highly absorbent, breathable wound dressing is constructed from a conformable polyurethane foam pad and an additional absorbent nonwoven layer with a border of transparent adhesive film impermeable to liquids, bacteria and viruses. Laboratory testing has proven that the film provides a barrier against HIV-1 and HBV while the dressings remain intact without leakage.

#### Foam Adhesive Dressing



Heavily draining wounds often result in skin maceration, frequent dressing changes and patient discomfort. 3M foam adhesive dressing provides total fluid management by a combination of fast wicking, high absorbency and breathability and uses an innovative “moist” skin adhesive technology. The unique spoke-shaped delivery system allows fast, easy application for wounds over body contours. Suggested Applications: Pressure ulcers, Skin tears, Skin graft donor sites, Abrasions, Neuropathic (diabetic) ulcers, Venous leg ulcers, including use under compression wraps.

#### Features:

- Reduced potential for skin maceration.
- Unique moist skin adhesive provides adherency to dry and moist skin conditions.
- Soft, conformable – patient comfort.
- Oval design conforms to contours.
- Easy spoke delivery.

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
<b>Square</b>						
<b>90610</b> 70-2007-4231-3 7 07387 50680 3	Pad Size: 2" x 2", (5cm x 5cm) Dressing Size: 3.5" x 3.5", (8.8cm x 8.8cm)	10/box 4 boxes	2.0200 lbs 0.9163 kg	15.2" 0.386m	10.4" 0.264m	6.8" 0.173m
<b>90612</b> 70-2007-4235-4 7 07387 56340 0	Pad Size: 4" x 4", (10cm x 10cm) Dressing Size: 5.5" x 5.5", (14 cm x 14 cm)	10/box 4 boxes	3.2200 lbs 1.4606 kg	18.6" 0.472m	13.2" 0.335m	6.8" 0.173m
<b>Oval</b>						
<b>90611</b> 70-2007-4234-7 7 07387 56339 4	Pad Size: 2.5" x 3", (6cm x 7.6cm) Dressing Size: 4" x 4.5", (10 cm x 11 cm)	10/box 4 boxes	2.9100 lbs 1.3200 kg	10.9" 0.277m	7.5" 0.191m	12.9" 0.328m
<b>90613</b> 70-2007-4236-2 7 07387 50683 4	Pad Size: 4" x 4.5", (10cm x 11cm) Dressing Size: 5.5" x 6", (14 cm x 15 cm)	5/box 6 boxes	3.4800 lbs 1.5785 kg	11.5" 0.292m	8.7" 0.221m	10.6" 0.269m
<b>90616</b> 70-2007-4237-0 7 07387 56342 4	Pad Size: 5.5" x 6.75", (14cm x 17.1cm) Dressing Size: 7.5" x 8.75", (19 cm x 22.2 cm)	5/box 3 boxes	2.3000 lbs 1.0433 kg	13.5" 0.343m	10.8" 0.273m	6.0" 0.152m
<b>Heel Design</b>						
<b>90619</b> 70-2007-3979-8 7 07387 56218 2	Pad Size: 3" x 3", (7.6cm x 7.6cm) Dressing Size: 5.5" x 5.5", (14 cm x 14 cm)	5/box 4 boxes	1.8000 lbs 0.8165 kg	11.6" 0.295m	8.7" 0.221m	7.6" 0.193m



### Tegaderm™ Dressings for Advanced Wound Care (cont'd)

#### Non-Adhesive Foam Dressing



The wound dressing is a fast wicking, non-swelling polyurethane foam with a highly breathable film backing which prevents wound exudate strike-through and is a barrier to outside contamination while the dressing remains intact without leakage. Suggested Applications: Venous leg ulcers, including use under compression wraps. Skin tears, Neuropathic (diabetic) ulcers, Pressure ulcers, Abrasions, Skin graft donor sites.

**Features:**

- Total fluid management.
- Designed for long wear time.
- Reduced skin maceration.
- Easy of application.
- Barrier to strike-through.
- Non-swelling.
- Variety of sizes and styles.

**Learn More:**

- Clinical Evaluation of New Foam Dressing – Clinicals (PDF 1000.9 K)
- Common Questions – 3M Foam Dressing (nonadhesive) – Questions and Answers (PDF 26.4 K)
- Fluid Mgmt Performance, Foam Drsgs Under Compression Wrap Sys – Clinicals (PDF 129.1 K)
- Foam Clinical Folder – Clinicals (PDF 794.7 K)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight lbs kg	Case Dimensions		
		Inner Unit Pack Case Qty.		Length	Width	Height
<b>Square</b>						
<b>90600</b> 70-2007-3206-6 7 07387 50675 9	2" x 2", (5cm x 5cm)	10/box 4 boxes	1.1200 lbs 0.5080 kg	14.7" 0.373m	7.9" 0.201m	6.6" 0.168m
<b>90601</b> 70-2007-3207-4 7 07387 50676 6	4" x 4", (10cm x 10cm)	10/box 4 boxes	2.3400 lbs 1.0614 kg	16.6" 0.422m	9.9" 0.251m	6.6" 0.168m
<b>90603</b> 70-2007-3209-0 7 07387 50678 0	8" x 8", (20cm x 20cm)	5/box 6 boxes	2.9000 lbs 1.3154 kg	14.2" 0.361m	12.6" 0.320m	8.6" 0.218m
<b>Rectangular</b>						
<b>90602</b> 70-2007-3208-2 7 07387 50677 3	4" x 8", (10cm x 20cm)	5/box 6 boxes	3.7000 lbs 1.6783 kg	13.9" 0.353m	8.6" 0.218m	10.2" 0.259m
<b>Fenestrated</b>						
<b>90604</b> 70-2007-3210-8 7 07387 50679 7	3 1/2" x 3 1/2", (8.9cm x 8.9cm)	10/box 4 boxes	2.2800 lbs 1.0342 kg	16.6" 0.422m	9.9" 0.251m	6.6" 0.168m
<b>Roll</b>						
<b>90605</b> 70-2007-2588-8 7 07387 52380 0	4" x 24", (10cm x 60cm)	1 roll 6 rolls	1.1800 lbs 0.5352 kg	9.3" 0.235m	8.5" 0.216m	9.0" 0.229m



### Tegaderm™ Dressings for IV Site Secural and Protection

A sterile, waterproof, thin, transparent film dressing. Designed for I.V. applications, the dressing is notched and reinforced with soft cloth tape to provide a better seal and reduced edge lift around catheters and other devices. Tegaderm I.V. transparent dressings, have a unique “frame” delivery system. Available in a variety of shapes to address multiple applications.

#### 3M™ Tegaderm™ Transparent Film Dressing with Border or Notches



Suggested Applications: Tegaderm I.V. Dressings for use over I.V. catheters and other intravascular devices. Peripheral and midline venous catheters. Central venous catheters (which include subclavian, jugular, femoral and PICCs).

#### Features:

- Notched design provides better seal around the catheter.
- Sterile tape strips are provided for catheter secural.
- Breathable film allows moisture vapor and oxygen exchange while providing a moist wound environment for enhanced healing.
- Transparent dressings allow easy monitoring of I.V. sites without the need to remove the dressing.
- Unique picture-frame style allows one-handed application and less waste.
- Sterile, waterproof dressing provides a breathable bacterial viral barrier to outside contaminants and allows the patient to shower.



Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
<b>Picture Frame Style</b>						
<b>1655</b> 70-2007-3658-8 7 07387 55966 3	3 1/2" x 4 1/2", (6.9cm x 11.5cm) With 2 Secure Strips	50/box 4 boxes	2.4860 lbs 1.1276 kg	8.4" 0.213m	6.7" 0.170m	8.2" 0.208m
<b>1610</b> 70-2007-3643-0 7 07387 55952 6	2 1/2" x 2 1/4", (5cm x 5.7cm) With 2 Secure Strips	100/box 4 boxes	3.3930 lbs 1.5390 kg	8.7" 0.221m	6.4" 0.163m	6.7" 0.170m
<b>Original Frame Style</b>						
<b>1633</b> 70-2006-5336-1 7 07387 37058 4	2 3/4" x 3 1/4", (7cm x 8.5cm) With Label & 2 Secure Strips	100/box 4 boxes	4.2500 lbs 1.9278 kg	8.6" 0.218m	6.3" 0.160m	8.9" 0.226m
<b>1635</b> 70-2006-8304-6 7 07387 44737 3	3 1/2" x 4 1/4", (8.9cm x 10.8cm) With Label & 2 Secure Strips	50/box 4 boxes	3.5000 lbs 1.5876 kg	8.3" 0.211m	5.9" 0.150m	8.0" 0.203m



### Tegaderm™ Dressings for IV Site Secural and Protection (cont'd)

#### 3M™ Tegaderm™ Transparent Film Dressing



A sterile, waterproof, thin, transparent film dressing. Designed to be applied over I.V. devices, clean skin or wounds, providing a breathable bacterial and viral barrier to outside contaminants. Available in a variety of sizes.

#### Features:

- Transparent dressing allow easy monitoring of wounds and I.V. sites without the need to remove the dressing.
- Versatility allows you to use one product for many applications.
- Dressing conforms to the body and flexes with the skin for greater patient comfort.
- Fewer dressing changes reduce cost.
- Unique picture-frame style allows one handed application and less waste.
- Breathable film allows moisture vapor and oxygen exchange while providing a moist wound environment for enhanced healing.
- Sterile, waterproof dressing provides a bacterial and viral barrier<sup>1</sup> to outside contaminants and allows the patient to shower.

#### Learn More:

- Dressing Application and Removal Instructions – Application Guide (PDF 151.6 K)
- Skin Health Product Guide – Product Selection Guide (PDF 367.4 K)
- Tegaderm Brand brochure – Brochure (PDF 466.2 K)
- Tegaderm Dressing FAQs – Questions and Answers (PDF 54.6 K)
- Common Questions – Tegaderm Transp Dressings, Org Frame – Questions and Answers (PDF 20.2 K)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
<b>Picture Frame Style</b>						
<b>1622W</b> 70-2005-7711-5 7 07387 50947 2	1 <sup>3</sup> / <sub>4</sub> " x 1 <sup>3</sup> / <sub>4</sub> ", (4.4cm x 4.4cm)	100/box  4 boxes	2.8500 lbs 1.2927 kg	8.0" 0.203m	6.3" 0.160m	4.8" 0.122m
<b>1623W</b> 70-2005-5905-5	2 <sup>3</sup> / <sub>8</sub> " x 2 <sup>3</sup> / <sub>4</sub> ", (6cm x 7cm) With Label	100/box  4 boxes				
<b>1624W</b> 70-2004-8653-1 7 07387 50948 9	2 <sup>3</sup> / <sub>8</sub> " x 2 <sup>3</sup> / <sub>4</sub> ", (6cm x 7cm) With Label	100/box  4 boxes	3.1600 lbs 1.4334 kg	8.0" 0.203m	6.4" 0.163m	4.9" 0.124m
<b>1626W</b> 70-2004-7433-9 7 07387 50950 2	4" x 4 <sup>3</sup> / <sub>4</sub> ", (10cm x 12cm) With Label	10/box  4 boxes	3.4200 lbs 1.5513 kg	8.5" 0.216m	5.9" 0.150m	5.4" 0.137m
<b>Original Frame Style</b>						
<b>1628</b> 70-2004-7435-4 7 07387 12861 7	6" x 8", (15cm x 20cm)	10/box  8 boxes	3.9000 lbs 1.7690 kg	12.1" 0.307m	8.9" 0.226m	2.8" 0.071m
<b>1629</b> 70-2004-7428-9 7 07387 12862 4	8" x 12", (20cm x 30cm)	10/box  8 boxes	8.5350 lbs 3.8714 kg	16.0" 0.406m	10.7" 0.272m	2.9" 0.074m

## Tegaderm™ Dressings for IV Site Secural and Protection (cont'd)



### Tegaderm™ Plus Transparent Film Dressings (with Iodophor)

A sterile, waterproof, transparent film dressing which contains iodophor in the adhesive. Designed to be applied over I.V. sites, providing a breathable bacterial and viral barrier to outside contaminants.

#### Features:

- Best for athletes and post-op and chronic care use.
- The #1 hospital brand transparent dressing.
- A thin, clear sterile dressing that keeps out water, dirt and germs yet lets skin breathe.
- Helps prevent infection.
- Can also be used as a protective cover on reddened or fragile skin and to dress and secure I.V. catheters or other tubing.
- Use with Nexcare™ Non-Stick Pads for additional absorbency.
- Hypoallergenic adhesive.

#### Learn More:

- Common Questions – Tegaderm Plus Dressing (w/Iodophor)Org Frame – Questions and Answers (PDF 20.2 K)



Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
<b>Original Frame Style</b>						
<b>9524</b> 70-2007-0554-2 7 07387 09478 3	2 <sup>3</sup> / <sub>8</sub> " x 2 <sup>3</sup> / <sub>4</sub> ", (6cm x 7cm)	50/box 4 boxes	1.6100 lbs 0.7303 kg	9.6" 0.244m	6.5" 0.165m	8.6" 0.218m
<b>9526</b> 70-2007-0555-9 7 07387 09479 0	4" x 4 <sup>3</sup> / <sub>4</sub> ", (10cm x 12cm)	25/box 4 boxes	2.0500 lbs 0.9299 kg	9.7" 0.246m	8.6" 0.218m	11.8" 0.300m



### Tegaderm™ Dressings for Surgical Site

This composite dressing is a sterile, waterproof bacterial barrier which consists of a non-adherent absorbent pad bonded to a larger thin film transparent dressing. Tegaderm +Pad transparent dressings, with the unique “picture frame” delivery system, make it quick and easy to achieve a precise, secure placement of the dressing every time.

#### Tegaderm™ +Pad Transparent Dressing with Absorbent Pad



Primary dressing applications: Post-surgical dressing to protect clean, closed wounds. Fragile, at-risk skin. Light-to-moderately draining wounds. Superficial and partial-thickness wounds. Acute wounds such as cuts, burns, and abrasions. To secure or cover devices. Chronic wounds. I.V. catheter sites (peripheral and central lines).

#### Features:

- Convenient, all-in-one sterile dressing reduces application time.
- Waterproof bacterial barrier which allows patients to shower and protects the site from outside contaminants.
- Breathable film allows skin to function normally with good exchange of moisture vapor and oxygen.
- Provides moist wound environment to enhance healing and lessen pain.
- Unique, non-adherent pad won't stick to the wound, allowing normal wound healing processes to occur with less pain and trauma.
- Conformable dressing is easier to apply, and stretches with the skin to promote longer wear time.

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
<b>3582</b> 70-2006-7560-4 7 07387 43584 9	2" x 2 <sup>3</sup> / <sub>4</sub> ", (5cm x 7cm)	50/box 4 boxes	1.9000 lbs 0.8618 kg	8.4" 0.213m	6.3" 0.160m	6.5" 0.165m
<b>3584</b> 70-2006-7561-2 7 07387 43585 6	2 <sup>3</sup> / <sub>8</sub> " x 4", (6cm x 10cm)	50/box 4 boxes	2.5000 lbs 1.1340 kg	8.4" 0.213m	7.0" 0.178m	6.5" 0.165m
<b>3586</b> 70-2006-7562-0 7 07387 43586 3	3 <sup>1</sup> / <sub>2</sub> " x 4", (9cm x 10cm)	25/box 4 boxes	2.0000 lbs 0.9072 kg	8.3" 0.211m	5.8" 0.147m	7.0" 0.178m
<b>3587</b> 70-2006-7563-8 0 51119 55170 9	3 <sup>1</sup> / <sub>2</sub> " x 4 <sup>1</sup> / <sub>8</sub> ", (9cm x 10.5cm) – Oval	25/box 4 boxes	1.8500 lbs 0.8391 kg	8.3" 0.211m	5.8" 0.147m	7.0" 0.178m
<b>3589</b> 70-2006-7564-6 7 07387 43589 4	3 <sup>1</sup> / <sub>2</sub> " x 6", (9cm x 15cm)	25/box 4 boxes	2.4500 lbs 1.1113 kg	8.5" 0.216m	6.2" 0.157m	7.0" 0.178m
<b>3590</b> 70-2006-7565-3 7 07387 44414 3	3 <sup>1</sup> / <sub>2</sub> " x 8", (9cm x 20cm)	25/box 4 boxes	3.1500 lbs 1.4288 kg	10.5" 0.267m	6.3" 0.160m	7.0" 0.178m
<b>3591</b> 70-2006-7566-1 7 07387 43590 0	3 <sup>1</sup> / <sub>2</sub> " x 10", (9cm x 25cm)	25/box 4 boxes	3.8000 lbs 1.7237 kg	12.5" 0.318m	6.3" 0.160m	7.0" 0.178m
<b>3593</b> 70-2006-7567-9 7 07387 43591 7	3 <sup>1</sup> / <sub>2</sub> " x 13 <sup>1</sup> / <sub>4</sub> ", (9cm x 35cm)	25/box 4 boxes	5.1500 lbs 2.3360 kg	16.4" 0.417m	6.3" 0.160m	7.0" 0.178m



### Cavilon™ Skin Protectants

#### 3246 No-Sting Barrier Film

A sting-free, alcohol-free liquid barrier film that dries quickly to form a breathable, transparent coating on the skin. Designed to protect intact or damaged skin from urine, feces, other body fluids, tape trauma, and friction. A hypoallergenic, non-cytotoxic liquid film which will not sting even when applied to damaged or denuded skin. Suggested Applications: Protecting intact or damaged skin from body fluids, adhesives and friction. Incontinence skin care. Peri-stomal skin protection. Peri-wound skin protection. Peri-tube skin protection. Adhesive trauma prevention.



#### Features:

- Completely alcohol-free formula will not sting even when applied to damaged or denuded skin for patient comfort.
- Clinically proven to provide up to 72 hours of protection from irritation of urine and feces due to incontinence for cost-effective treatment using fewer supplies and less nursing time.
- Sterile, non-cytotoxic: will not interfere with skin or wound healing.
- Hypoallergenic.
- Won't clog or reduce absorbency of diapers or pads for cost-effective use of those products.
- Provides protection from adhesive tape trauma and complications related to tape use.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight lbs kg	Case Dimensions		
		Inner Unit Pack Case Qty.		Length	Width	Height
3346 70-2006-7292-4 0 51119 54780 1	1 oz Spray	12/box	1.4600 lbs 0.6622 kg	5.7"	4.4"	5.0"
		1 box		0.145m	0.112m	0.127m





### Cavilon™ Skin Protectants (cont'd)

#### 3392 Durable Barrier Cream



A concentrated, therapeutic cream that provides durable, long-lasting protection from body fluids while it moisturizes the skin. Resists wash off and therefore requires less frequent applications. The cream vanishes into the skin and does not transfer off to briefs or diapers. It contains dimethicone for skin protection. Suggested Applications: Protecting “at-risk” skin from damage associated with incontinence. Protecting chafed, chapped skin. Moisturizing severely dry skin.

**Features:**

- Unique formula provides a breathable protectant barrier to promote skin health in patients at risk for skin damage.
- Resists wash-off to reduce need for reapplication, saving nursing time and supplies.
- Allows tapes and dressings to adhere.
- Hypoallergenic and pH balanced.
- Concentrated formula is cost-effective.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight lbs kg	Case Dimensions		
		Inner Unit Pack Case Qty.		Length	Width	Height
3392 70-2006-4260-4 7 07387 36937 8	3.25 oz Tube	12/box	3.2000 lbs 1.4510 kg	0.2" 0.173m	5.2" 0.132m	6.7" 0.170m
		1 box				





### Skin Staples

Disposable, Multi-Shot Disposable, Precise and Vista Skin Staples.

#### Precise™ Vista Disposable Skin Stapler



A disposable lever action skin stapler with a unique angled head that is designed to provide a clear view of your work from your normal vantage point.

**Features:**

- Lever action stapler is the most popular design on the market, and is easy to use for a reduced learning curve.
- Short trigger stroke helps reduce hand fatigue.
- Staple preview position provides staple visibility for more reliable use.
- Descending anvil/actuator allows for excellent visibility and reduced jamming.
- Common Questions – Precise Vista Disposable Skin Stapler – Questions and Answers (PDF 15.6 K)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
<b>3995</b> 70-2006-0789-6 0 51119 54209 7	35 wide staples	6/box	6.4500 lbs 2.9257 kg	17.2"	10.3"	6.2"
		4 boxes		0.437m	0.262m	0.157m
<b>3996</b> 70-2006-0790-4 7 07387 09230 6	15 wide staples	6/box	6.7500 lbs 3.0617 kg	17.2"	10.3"	6.2"
		4 boxes		0.437m	0.262m	0.157m



### Skin Staples (cont'd)

#### Precise™ Multi-Shot Disposable Skin Stapler System

A skin stapler system with a unique design that allows you to use the stapler alone as a disposable device, or as a cartridge that's inserted into the reusable 3M Multi-Shot Skin Stapler Handle.

#### Features:

- Simple design with few parts is economical to use and delivers consistent, reliable results.
- Small size with forceps actuation style allows for versatile use, even in less accessible body areas.
- Automatic staple release eliminates staple hang-ups.
- Preview staple position provides excellent visibility of staple at placement.
- Multiple staple counts available (5, 15, 25, 35) to meet your procedural needs and to eliminate the extra expense of discarding unused staples.
- 3M's patented arcuate staple in the DS Disposable Skin Stapler has a similar gather as a suture, reduces burying, and has curved legs that leave space between the skin and staple for easy removal using any staple remover.
- The MS Disposable Skin Stapler has the familiar standard box-style staplers.
- Reusable handle is available to provide flexibility in using both forceps style without handle and pistol actuation when handle is used.
- [Common Questions – Precise Multi-Shot Disposable Skin Stapler – Questions and Answers \(PDF 15.0 K\)](#)



Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
<b>MS Disposable Skin Stapler</b>						
<b>MS-5</b> 70-2005-4625-0 0 51119 53887 8	5 Box-style staples	12/box 4 boxes	3.2500 lbs 1.4742 kg	19.2" 0.488m	6.7" 0.170m	5.0" 0.127m
<b>MS-15</b> 70-2005-4626-8 0 51119 54786 3	15 Box-style staples	12/box 4 boxes	3.3000 lbs 1.4969 kg	19.2" 0.488m	6.7" 0.170m	5.0" 0.127m
<b>MS-25</b> 70-2005-4627-6 0 51119 54787 0	25 Box-style staples	12/box 4 boxes	3.2500 lbs 1.4742 kg	19.2" 0.488m	6.7" 0.170m	5.0" 0.127m
<b>MS-35</b> 70-2005-4624-3	35 Box-style staples	12/box 4 boxes	3.4000 lbs 1.5422 kg	19.2" 0.488m	6.7" 0.170m	5.0" 0.127m
<b>DS Disposable Skin Stapler System</b>						
<b>DS-5</b> 70-2005-2323-4 0 51119 52848 0	5 Arcuate-style staples	12/box 4 boxes	3.0500 lbs 1.3835 kg	19.2" 0.488m	6.7" 0.170m	5.0" 0.127m
<b>DS-15</b> 70-2005-2324-2 0 51119 52849 7	15 Arcuate-style staples	12/box 4 boxes	3.1000 lbs 1.4061 kg	19.2" 0.488m	6.7" 0.170m	5.0" 0.127m
<b>DS-25</b> 70-2005-2325-9 0 51119 52850 3	25 Arcuate-style staples	12/box 4 boxes	3.0000 lbs 1.3608 kg	19.2" 0.488m	6.7" 0.170m	5.0" 0.127m

#### Skin Staples (cont'd)

#### Reusable Handle for Precise™ MS and DS Disposable Skin Stapler System



Reusable skin stapler handle, use with DS and MS skin staplers.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
RSH-100 70-2005-2144-4 0 51119 54785 6		1/box	2.2000 lbs 0.9979 kg	9.0" 0.229m	6.0" 0.152m	7.1" 0.181m
		12 boxes				



### Skin Staples (cont'd)

#### Precise™ Disposable Skin Staple Remover

Disposable skin staple removers designed to provide fast and easy removal of all brands of surgical skin staples.

**Features:**

- Precise disposable skin staple removers easily remove staples in the same direction they were implanted, making removal simple with little pain.
- Removes all brands of surgical staples for versatile use.
- Fast and easy removal saves time.
- Removes staples by placing the tips of the remover under each staple for reliable, consistent performance.
- Available in regular and scissors-style to meet individual preferences.

**Learn More:**

- [Common Questions – Precise Disposable Skin Staple Remover – Questions and Answers \(PDF 14.0 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
SR-1 70-2004-5317-6 7 07387 03020 0	Tweezer-style	10/box	2.3500 lbs 1.0659 kg	14.2"	6.4"	4.8"
		3 boxes		0.361m	0.163m	0.122m



### Surgical Tape

Includes: Blenderm™, Coban™, Medipore™, Microfoam™, Micropore™, and Transpore™.

#### Blenderm™ Surgical Tape



An occlusive, transparent plastic tape. This flexible and hypoallergenic surgical tape is designed to provide a barrier from outside moisture and contamination. Available in three widths.

#### Features:

- Transparent for easy monitoring.
- Waterproof barrier for protection from external fluids and contaminants.
- Flexible for hard to tape areas.
- Latex free and hypoallergenic for sensitive patients.

#### Learn More:

- [Common Questions – Blenderm Surgical Tapes – Questions and Answers \(PDF 23.5 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
<b>1525-0</b> BC-0000-0119-0 7 07387 00732 5	1/2" x 5 yds, (1.25cm x 4.5m)	6 rolls/box 10 boxes	4.5000 lbs 2.0412 kg	16.5" 0.419m	5.0" 0.127m	5.3" 0.135m
<b>1525-1</b> BC-0000-0014-3 7 07387 00733 2	1" x 5 yds, (2.5cm x 4.5m)	12 rolls/box 10 boxes	4.6500 lbs 2.1092 kg	16.5" 0.419m	5.0" 0.127m	5.3" 0.135m
<b>1525-2</b> BC-0000-0065-5 7 07387 00734 9	2" x 5 yds (5.0cm x 4.5m)	24 rolls/box 10 boxes	4.5000 lbs 2.0412 kg	16.5" 0.419m	5.0" 0.127m	5.3" 0.135m



### Surgical Tape (cont'd)

#### Coban™ Self-Adherent Wrap



Coban self-adherent wrap is a laminate of nonwoven material and elastic fibers placed lengthwise to provide elasticity. The elastic wrap contains a cohesive material that makes it stick to itself but not to other materials or skin. Caution: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

**Features:**

- Sticks to itself without need for adhesive, pins or clips for fast and easy application.
- Wrap will not slip so no need for frequent readjustment.
- Comfortable for patients.
- Lightweight, porous.
- Protects primary dressings.
- Desired amount of compression at time of application.

**Learn More:**

- Coban Self Adherent Wrap Techniques and Applications – Application Guide (PDF 2.2 MB)
- Common Questions – Coban Self-Adherent Wraps – Questions and Answers (PDF 16.3 K)
- Skin Health Reimbursement Coding Information (NDC, HCPCS) – Brochure (PDF 159.4 K)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
<b>1582</b> 70-2005-5348-8 0 51115 04735 0	2" x 5 yds (5.0cm x 4.5m) fully stretched Tn	36 rolls	2.1300 lbs 0.9662 kg	13.8" 0.351m	8.3" 0.211m	5.3" 0.135m
<b>1583</b> 70-2005-5347-0 0 51115 04728 2	3" x 5 yds, (75mm x 4.5m) fully stretched Tn	24 rolls	2.0000 lbs 0.9072 kg	13.8" 0.351m	8.3" 0.211m	5.3" 0.135m
<b>1584</b> 70-2005-5346-2 0 51119 52940 1	4" x 5 yds, (100mm x 4.5m) fully stretched Tn	18 rolls	2.0000 lbs 0.9072 kg	13.8" 0.351m	8.3" 0.211m	5.3" 0.135m



### Surgical Tape (cont'd)

#### Medipore™ Soft Cloth Surgical Tape



Latex-free, hypoallergenic Soft Cloth tape products that offer excellent adhesion yet are gentle to reduce risk of skin irritation.

#### Features:

- Easy-tear perforated rolls.
- Gentle, breathable to maintain skin integrity.
- Latex-free and hypoallergenic for sensitive patients.
- Excellent cross and diagonal stretch to accommodate moderate swelling or movement.
- Easy to handle – no curling or self-adhesion.
- No paper liner for more economical and efficient use.
- Water-resistant.

#### Learn More:

- Common Questions – Medipore Soft Cloth Surgical Tapes – Questions and Answers (PDF 33.9 K)
- Medipore and Medipore H Surgical Tape Family Brochure – Brochure (PDF 294.6 K)
- Medipore Soft Cloth Surgical Tape and Pre-cut Dressing Covers – Brochure (PDF 754.2 K)
- Skin Health Family Full Line Brochure – Brochure (PDF 896.6 K)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight		Case Dimensions		
			lbs	kg	Length	Width	Height
<b>2962</b> 70-2006-5584-6 0 51131 62252 4	2" x 10 yds, (5cm x 9.14m)	12 rolls	1.6500 lbs 0.7484 kg		10.1" 0.256m	6.9" 0.175m	5.1" 0.129m
<b>2963</b> 70-2006-5891-5 0 51131 62253 1	3" x 10 yds, (7.5cm x 9.14m)	12 rolls	2.4000 lbs 1.0886 kg		10.1" 0.256m	6.9" 0.175m	7.0" 0.177m
<b>2964</b> 70-2006-5585-3 0 51131 62254 8	4" x 10 yds, (10cm x 9.14m)	12 rolls	2.7700 lbs 1.2565 kg		10.0" 0.254m	6.9" 0.175m	9.1" 0.231m
<b>2966</b> 70-2006-5586-1 0 51131 62255 5	6" x 10 yds, (15cm x 9.14m)	12 rolls	4.5000 lbs 2.0412 kg		13.2" 0.336m	10.0" 0.254m	7.0" 0.177m
<b>2961</b> 70-2006-5588-7 0 51131 62251 7	1" x 10 yds, (2.5cm x 9.14m)	24 rolls	1.6500 lbs 0.7484 kg		10.0" 0.254m	6.9" 0.175m	5.1" 0.130m
<b>2968</b> 70-2006-5587-9 0 51131 62256 2	8" x 10 yds, (20cm x 9.14m)	6 rolls	3.0500 lbs 1.3835 kg		10.1" 0.256m	6.9" 0.175m	9.1" 0.231m



### Surgical Tape (cont'd)

#### Microfoam™ Surgical Tape



Latex-free, hypoallergenic, elastic foam tape products designed to stretch and conform while providing secure adhesion to joints or skin folds. Available in rolls and as a sterile tape patch.

**Features:**

- Multi-direction stretch to accommodate swelling and promote comfort.
- Conforms readily to joints and skin folds.
- Gentle, secure adhesion to irregularly contoured sites.
- Latex-free and hypoallergenic for sensitive patients.
- Water-resistant.

**Learn More:**

- [Common Questions – Microfoam Surg Tapes/Sterile Tape Patch – Questions and Answers \(PDF 26.4 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
1528-3 70-2004-7113-7 0 51131 62152 7	3" x 5½ yds, (7.5cm x 5m) fully stretched	4 rolls/box	4.7000 lbs 2.1319 kg	17.1" 0.434m	6.1" 0.155m	7.4" 0.188m
		6				
1528-4 70-2004-7112-9 0 51131 62153 4	4" x 5½ yds, (10cm x 5m) fully stretched	3 rolls/box	4.6400 lbs 2.1047 kg	11.6" 0.295m	8.8" 0.224m	6.5" 0.165m
		6				





### Surgical Tape (cont'd)

#### Micropore™ Surgical Tape



A paper tape that is gentle to the skin yet adheres well. An economical, general-purpose surgical tape, it is available in standard rolls, dispenser packs, and single-use rolls.

**Learn More:**

- [Common Questions – Micropore Surgical Tapes – Questions and Answers \(PDF 26.4 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
1530 UH-5555-5180-2	72mm x 10m	4 rolls/box  10 boxes				
1530 UH-5555-5179-4	48mm x 10m	6 rolls/box  10 boxes				
1530 UH-5555-5026-7	72mm x 3m	10 rolls/tray  5 trays				
1530 UH-5555-5030-9	72mm x 10m	10 rolls/tray  5 trays				
1530 UH-5555-5029-1	48mm x 10m	10 rolls/tray  10 trays				
1530 UH-5555-5025-9	48mm x 3m	10 rolls/tray  10 trays				
1530 UH-5555-5028-3	24mm x 10m	10 rolls/tray  20 trays				
1530 UH-5555-5024-2	24mm x 3m	10 rolls/tray  20 trays				
1530 UH-5555-5178-6	24mm x 10m	12 rolls/box  10 boxes				
1530 UH-5555-5027-5	12mm x 10m	20 rolls/tray  20 trays				
1530 UH-5555-5023-4	12mm x 3m	20 rolls/tray  20 trays				
1530 UH-5555-5177-8	12mm x 10m	24 rolls/box  10 boxes				



### Surgical Tape (cont'd)

#### Skintone Micropore™ Surgical Tape

A latex-free, hypoallergenic paper tape that is gentle to the skin yet adheres well and leaves minimal adhesive residue upon removal. An economical, general purpose, breathable surgical tape.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
1533 BC-0000-0066-3	Ten	12 rolls/box				
1533 BC-0000-0064-8	Ten	24 rolls/box				



### Surgical Tape (cont'd)

#### Transpore™ Surgical Tape

A transparent, perforated plastic tape that offers strong adhesion and is hypoallergenic. Transpore tape is easy to tear into very thin strips for NICU patients, and is easy to use even with gloves. Available in rolls in a variety of widths.

#### Features:

- Good initial and long-term (72 hours) adhesion.
- Holds well on damp or dry skin.
- Easy, straight, bi-directional tear for quick tailoring.
- Gentle to skin – latex-free and hypoallergenic for sensitive skin.
- Easy to handle with gloves.
- Minimal edge lift during wear.
- Breathable to maintain skin integrity.
- Sticks well to itself (overtaping).
- Water-resistant.



#### Learn More:

- [Common Questions – Transpore Surgical Tapes – Questions and Answers \(PDF 23.9 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight lbs kg	Case Dimensions		
		Inner Unit Pack Case Qty.		Length	Width	Height
1527 UH-5555-5184-4	3" x 5 yds, (9.6cm x 5m)	4 rolls/box				
		10 boxes				
1527 UH-5555-5022-6	3" x 5 yds, (9.6cm x 5m)	10 rolls/tray				
		5 trays				
1527-0 UH-5555-5019-2		20 rolls/tray				
		20 trays				
1527-0 UH-5555-5181-0	1/2" x 5 yds, (1.2cm x 5m)	24 rolls/box				
		10 boxes				
1527-1 UH-5555-5020-0	1" x 5 yds, (2.4cm x 5m)	10 rolls/tray				
		20 trays				
1527-1 UH-5555-5182-8	1" x 5 yds, (2.4cm x 5m)	12 rolls/box				
		10 boxes				
1527-2 UH-5555-5183-6	2" x 5 yds, (4.8cm x 5m)	6 rolls/box				
		10 boxes				
1527-2 UH-5555-5021-8	2" x 5 yds, (4.8cm x 5m)	10 rolls/tray				
		10 trays				
1527-3 UH-5555-5031-7	3" x 5 yds, (7.2cm x 5m)	10 rolls/tray				

## Wound Closures: Steri-Strip™

### Elastic Steri-Strip™



Sterile skin closure strips that are made of a porous, non-woven backing coated with a pressure-sensitive, hypoallergenic adhesive and reinforced with polyester filaments for added strength.

#### Learn More:

- [Common Questions – Steri-Strip Wound Closure System – Questions and Answers \(PDF 33.8 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack Case Qty.	lbs kg	Length	Width	Height
4547 70-2006-5102-7 TBD		50/box	3.3000 lbs 1.4969 kg	9.8"	6.4"	5.8"
		4 boxes		0.249m	0.163m	0.147m
4549 70-2006-5104-3 TBD		50/box	2.9500 lbs 1.3381 kg	9.8"	6.4"	5.8"
		4 boxes		0.249m	0.163m	0.147m



### Wound Closures: Steri-Strip™

#### Steri-Strip™ General

**Learn More:**

- [Common Questions – Steri-Strip Wound Closure System – Questions and Answers \(PDF 33.8 K\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
1540R UH-1000-5597-8		50/box				
		4 boxes				
1541R UH-1000-5598-6		50/box				
		4 boxes				
1546R UH-1000-5599-4		50/box				
		4 boxes				
1547R UH-1000-5600-0		50/box				
		4 boxes				



### Wound Closures: Steri-Strip™ (cont'd)

#### Steri-Strip™ Wound Closure System



Combines the benefits of Steri-Strip skin closures with the barrier protection of 3M™ Tegaderm™ Transparent Dressing into one convenient product. Includes one reinforced 3M™ Steri-Strip™ Adhesive Skin Closure and one 3M™ Tegaderm™ Transparent Dressing.

#### Learn More:

- Common Questions – Steri-Strip Wound Closure System – Questions and Answers (PDF 33.8 K)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
<b>W8512</b> 70-2006-3311-6 TBD	1 7/8" x 1/2", (60mm x 48mm) Dressing size 2 3/8 inch x 1 7/8 inch 1/envelope	1/env 25 env/box 4 boxes	1.8000 lbs 0.8165 kg	9.8" 0.249m	6.4" 0.163m	5.8" 0.147m
<b>W8514</b> 70-2006-3964-2 TBD	1 7/8" x 1/2", (60mm x 48mm) Dressing size 2 3/8 inch x 1 7/8 inch 3/envelope	3/env 25 pk/box 4 boxes	2.1000 lbs 0.9525 kg	9.8" 0.249m	6.4" 0.163m	5.8" 0.147m
<b>W8516</b> 70-2006-3310-8	1 7/8" x 1/2", (60mm x 48mm) Dressing size 2 3/8 inch x 1 7/8 inch 5/envelope	5/env 25 env/box 4 boxes	2.4500 lbs 1.1113 kg	9.8" 0.249m	6.4" 0.163m	5.8" 0.147m

**Head Office**  
146A Kelvin Drive  
Woodmead, Sandton, 2196  
Private Bag X926  
Rivonia 2128  
Tel: 27 11 806-2000  
Fax: 27 11 806-2388

**Cape Town**  
Unit 3, Riverside Place  
Tyger Waterfront  
(South Gate entrance)  
Carl Cronje Drive  
Bellville  
7530  
P O Box 5140  
Tyger Valley  
7536  
Tel: 27 21 943-1400  
Fax: 27 21 914-0638

**Durban**  
Viewz @ Westway  
11 The Boulevard  
Westway Office Park  
Westville  
3630  
P O Box 1022  
Westville  
3630  
Tel: 27 31 265-1200  
Fax: 27 31 265-1270

**East London**  
1 Military Road  
Westbank  
East London  
5201  
P O Box 13293  
Vincent  
5217  
Tel: 27 43 731-1036  
Fax: 27 43 731-1037

**Port Elizabeth**  
First Bowring House  
Ground Floor  
E2872 Ring Road  
Greenacres  
6045  
P O Box 35109  
Newton Park  
6055  
Tel: 27 41 363-6060  
Fax: 27 41 363-4835