

**MICRO SWITCH**  
a Honeywell Division

FED. MFG. CODE 91929

**SWITCH-BASIC**

CATALOG LISTING


V7-3E17E9-143-1

CW-B8426

CATALOG LISTING  
V7-3E17E9-143-1  
REPLACES  
RELEASE NO. PR-18387  
CHECK  
M  
ISSUE  
3

REVISIONS


A	REL PR18387
	BAB 14 JUN 90
B	CO-76231
	K D R 21 OCT 93



NOTE  
 1 - FORCE CHARACTERISTICS TAKEN WITH SWITCH MOUNTING SURFACE HORIZONTAL  
 2 - CAUTION: OVERTRAVEL FORCE ON LEVER MUST NOT RESULT IN AN OVERTRAVEL FORCE ON PLUNGER EXCEEDING FIVE POUNDS

THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH, A DIVISION OF HONEYWELL. THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH.

THIRD ANGLE PROJECTION



CHARACTERISTICS	ELECTRICAL DATA	SCALE FULL	DO NOT SCALE PRINT
OPERATING FORCE -- 16 GRAM APPROX	CONTACT ARRANGEMENT S P D T	<b>UNLESS OTHERWISE SPECIFIED TOLERANCES ARE</b>	
	10A-1/3 HP-125, 250, 277 VAC L216 1/2A-125 VDC; 1/4A-250 VDC 4A-125 VAC "L"	ONE PLACE (.01) ±.030	
		TWO PLACE (.00) ±.015	
		THREE PLACE (.000) ±.005	
		ANGLES ±	
		WEIGHT	



DDM/CAD  
DRAWN  
BAB 14 JUN 90

CHECK J A P 18 JUN 90  
CHECK J A P 18 JUN 90