

Electronic housing - ME-IO 18,8 B 10U TBUS 7035 - 2202506

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Component housing, Lower part, Cross connection: DIN rail bus connector, Color: light gray, Width: 18.9 mm, Length: 120.6 mm, Height: 57.7 mm, Number of positions cross connector: 8

Why buy this product

- Item is from the ME-IO product range
- Tool-free mounting
- Available in overall widths from 18.8 mm
- Inflammability class V0 according to UL 94
- Front push-in connection technology
- Can be mounted on the DIN rail
- Optional with bus connector for DIN rail mounting

Key Commercial Data

Packing unit	1 STK
Minimum order quantity	10 STK
GTIN	
GTIN	4055626199207
Weight per Piece (excluding packing)	34.000 g
Custom tariff number	85472000
Country of origin	Germany

Technical data

General

Housing type	Component housing
Housing material	Polyamide

Electronic housing - ME-IO 18,8 B 10U TBUS 7035 - 2202506

Technical data

General

Color	light gray
-------	------------

Ambient conditions

Ambient temperature (operation)	-40 °C ... 105 °C (depending on power dissipation)
---------------------------------	----------------------------------------------------

Dimensions

Length	120.6 mm
Height	57.7 mm
Width	18.9 mm

Technical data

Flammability rating according to UL 94	V0
Power dissipation without gap	2.8 W

Standards and Regulations


Flammability rating according to UL 94	V0
----------------------------------------	----

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Drawings

Dimensional drawing



Approvals

Approvals

Approvals

UL Recognized

Electronic housing - ME-IO 18,8 B 10U TBUS 7035 - 2202506

Approvals

Ex Approvals

Approval details

UL Recognized



<http://database.ul.com/cgi-bin/XYVV/template/LISEXT/1FRAME/index.htm>

FILE E 240868