

## UFBK 2-PE- 24DC-BE

This product has been replaced by a newer version.

Order No.: 2797748

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2797748>

Base element for protective plug UFBK 2-PE-24 DC, with universal foot for mounting on NS 32 or NS 35/7.5, housing width: 18 mm, nominal voltage: 24 V DC

### Commercial data

EAN	4017918073473
Pack	10 pcs.
Customs tariff	85363010
Weight/Piece	0.07417 KG

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Product description

Base element to accept the protective plug UFBK 2-PE-24 DC-ST.

### Certificates / Approvals



Certification BZT, CSA

### CSA

Nominal voltage $U_N$	24 V
Nominal current $I_N$	2 A

**Accessories**

Item                      Designation                      Description

**Marking**

0809803	ZB 5,08,LGS:FORTL.ZAHLEN	Zack strip, 10-section, printed horizontally: with the numbers, 1-10, 11-20 etc. up to 991-1000, color: white
0809874	ZB 5,08:SO/CMS	Zack strip, 10-section, divisible, special printing, marking according to customer requirements
0809793	ZB 5,08:UNBEDRUCKT	Zack strip, unprinted: 10-section, for individual labeling with M-PEN, ZB-T or CMS system, sufficient for 100 terminal blocks per pack

**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2009 Phoenix Contact  
Technical modifications reserved;