



Search by part # or keyword

[Products](#)

[Industries & Solutions](#)

[Resources](#)

[TE Store](#)


[Sign In](#)



[Connectors](#) > [D-Shaped Connectors](#) > [D-Sub Accessories](#) > [D-Sub Connector Boots](#)

214A332-3/42-0

214A332-3/42-0



Raychem

TE Internal #: **806098-000**

TE Internal Description: **214A332-3/42-0**

Alias #: **1-1196231-7**

Angle : **Straight**


Adhesive Pre-Coating : **With**

Adhesive Description : **High Performance Pre-Coat Adhesive**

Sealable : **Yes**

[Similar Products](#)

Compatible Parts & Tooling



We are here to help!
Get in touch with our product experts.

[CHAT WITH US](#)

[EMAIL US](#)

[CALL US](#)

Feedback

Documents	Features	Product Compliance
Product Drawings	214A332-3/42-0 214A332-3/42-0 English	
Datasheets & Catalog Pages	1654025_Sec4_-3 ENG_CS_1654025_Sec4_-3_0313.pdf English	
Product Specifications	Product Specification ENG_SS_RT-301_12.pdf English	
Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.		
Product Type Features	Molded Part Type : D Subminiature Boot Angle : Straight Adhesive Description : High Performance Pre-Coat Adhesive Sealable : Yes Product Type : Molded Boot	
Body Features	Material Code : 3 Adhesive Pre-Coating : With Material : Semi rigid Modified Polyolefin Material Systems Code : 10	



weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Products with Similar Specs

[View All Similar Products](#)


THIS PRODUCT

TOP RESULTS

D-SUB CONNECTOR BOOTS

214A332-3/42-0

214A332-3/42-0



In-Stock

Angle : **Straight**
 Adhesive Pre-Coating : **With**
 Adhesive Description : **High Performance Pre-Coat Adhesive**
 Sealable : **Yes**

D-SUB CONNECTOR BOOTS

214A032-3/42-0

214A032-3/42-0




Non-Stocked

Angle : **Straight**
 Adhesive Pre-Coating : **With**
 Adhesive Description : **High Performance Pre-Coat Adhesive**
 Sealable : **Yes**

D-SUB CONNECTOR BOOTS

234A032-3/42-0

234A032-3/42-0




In-Stock

Angle : **90°**
 Adhesive Pre-Coating : **With**
 Adhesive Description : **High Performance Pre-Coat Adhesive**
 Sealable : **Yes**

D-SUB CONNECTOR BOOTS

214A332-3/86-0

214A332-3/86-0



In-Stock

Angle : **Straight**
 Adhesive Pre-Coating : **With**
 Adhesive Description : **High Performance Pre-Coat Adhesive**
 Sealable : **Yes**

[ABOUT TE CONNECTIVITY](#)

[FOR PARTNERS](#)

[SUPPORT](#)

[CALL US](#)

[LIVE CHAT](#)

[UNITED STATES \(EN\)](#)