


## 214A352-25-0 Product Details

[Share](#) | [Print](#) | [Email](#)


214A352-25-0

### Molded Parts

Always EU RoHS/ELV Compliant (Statement of Compliance)

#### Product Highlights:

- Molded Part Type = D Subminiature Boot
- Family Name = 214A3
- Straight
- General Purpose Application, Military Application
- 25 Material Systems Code

[View all Features](#)

### Quick Links

- ▶ [Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

TE Internal Number: 806796-000  
 Active

[Add to My Part List](#) | 
 [Request Sample](#) | 
 [Find Similar Products](#) | 
 [Buy Product](#)

### Documentation & Additional Information

#### Product Drawings:

- [Boot, Rectangular, Subminiature, Straight Overexpanded \(PDF, English\)](#)

#### Catalog Pages/Data Sheets:

- None Available

#### Product Specifications:

- None Available

#### Application Specifications:

- None Available

#### Instruction Sheets:

- None Available

#### CAD Files:

- None Available

#### Additional Information:

- [Product Line Information](#)

#### Related Products:

- [Tooling](#)

[List all Documents](#)

Feedback

### Product Features (Please use the Product Drawing for all design activity)

#### Product Type Features:

- Molded Part Type = D Subminiature Boot
- Family Name = 214A3
- Angle = Straight
- Adhesive Description = Adhesive Purchased Separately.
- Size = 52

#### Mechanical Attachment:

- Adhesive Pre-Coating = Without

#### Dimensions:

- Cable Diameter Range (mm [in]) = 10.70 - 19.10 [0.421 - 0.752]
- Connector Length (mm [in]) = 58.00 - 58.70 [2.283 - 2.311]
- Connector Width (mm [in]) = 10.70 [0.421]

#### Body Features:

- Material = Fluid Resistant Modified Elastomer

#### Housing Features:

- Material Systems Code = 25

#### Configuration Features:

- Material Code = 25

#### Industry Standards:

- Government/Industry Qualification = No
- Approved Standards = DEF Std 59-97 Issue 3 Type DE, MIS-34867, VG95343 Parts 6, 7, 8, & 9
- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- Lead Free Solder Processes = Not relevant for lead free process
- RoHS/ELV Compliance History = Always was RoHS compliant

#### Environmental:

- Operating Temperature (°C) = -75 - +150

#### Operation/Application:

- Application = General Purpose, Military

#### Purchasing Information:

- Adhesive Code = S1125

#### Other:

- Brand = Raychem
- Comment = Contact Raychem for additional adhesive and/or cut off boot length information

### Corporate Information

- [About TE](#)
- [Investors](#)
- [News Room](#)
- [Supplier Portal](#)
- [Careers](#)
- [Terms & Conditions](#)
- [Privacy Policy](#)
- [AODA Accessibility Policy](#)
- [AODA Multi-Year Accessibility Plan](#)

### Quick Links

- [Distributor Inventory](#)
- [Product Cross Reference](#)
- [Documents & Drawings](#)
- [Product Compliance Support Center](#)
- [Site Map](#)

### Customer Support

- [Email or Chat With Us](#)
- [Find a Phone Number](#)
- [Knowledge Base](#)
- [Manage Your Account](#)

### Keep Me Informed

