Thomas&Betts



Representative

Catalog Number: Product ID: UPC Number: Status:

K974 7TAI029630R0103 78621081580 A

Non-Insulated Tubular Ring Terminal, Length 2.08 Inches, Width .93 Inches, Bolt Hole 7/16 Inch, Wire Range 2/0AN-3/0, Copper, Tin Plated, 50 Pack

- These non-insulated ring terminals are made of electrolytic copper for high conductivity.
- They can be installed with crimping tools having a single indentor or double indentor (recommended for solid wire).
- Application Tools: TBM6, TBM6S, WT3185

North American Specifications (UNSPSC)	
UNSPSC	39121432 Electrical terminals
IGCC	4603 Electrical terminals
Туре	Non-Insulated Ring Terminal
Special Features	These non-insulated ring terminals are made of electrolytic copper for high conductivity. They can be installed with crimping tools having a single in- dentor or double indentor (recommended for solid wire).
Standard	UL E9809
Wire Size	2/0AN-3/0
Voltage Rating	600 V
Material	Copper
Color	Metallic

European Specifications (ETIM)

Luiopean opecifications (L'Init)	
ETIM	EC001051 Tube cable lug for copper conductors
Connecting angle	Straight
Flange shape	Ring shape
Slender flange model	Ν
Insulated	Ν
Material	Copper
Surface protection	Tinned
Number of fixing holes	1
Packaging	
Inner Quantity	50
Inner Dimensions (inches)	5x4.5x3
Outer Quantity	250

Documents / Support Tools

Technical Drawing / Data Sheet

Outer Dimensions (inches)

Weight Uom

WSD-000219

23.9x5.3x3.5 7.56 lbs. per 100

For further technical assistance, please contact us...

ABB Installation Products - USA 860 Ridge Lake Blvd. Memphis, TN 38120 www.tnb.com ABB Installation Products Technical Support MS 3B-50 860 Ridge Lake Blvd. Memphis, TN 38120 Hours: 7AM - 6PM CDT Monday-Friday Phone: (888) 862-3289 Fax: (901) 252-1321 Email:techsupport@tnb.com