



Isopropyl Alcohol (IPA) Wipes - 70%

1608-WIPES

Flux removers (defluxers) remove flux residues and other contaminants left by manufacture, rework, or repair of printed circuit boards. Residues from higher, leadfree temperatures are more baked on and harder to clean. Techspray flux removers have been proven very effective at removing fluxes baked on at leadfree temperatures.



[Request More Info](#)



Pre-saturated wipes with 70% pure isopropyl alcohol

Convenient, lowlinting wipes are presaturated with 70% pure IPA.

- 70% IPA & 30% DI water
- Lint-free wipes
- Convenient packaging

Product Packaging

1608-100DSP

IPA Cleaning Wipes - Pop-up Tub

100 ct
12 units/case



1608-100FL

IPA Cleaning Wipes - Flip-top Tub

100 ct
12 units/case



1608-100R

IPA Cleaning Wipes - Refill

100 ct
6 units/case





Technical Information

Chemical Composition

CHEMICAL NAME	CAS #
2-Propanol	67-63-0

Performance & Application Data

1608-100DSP / -100FL / -100R fill	336 grams
1608-100DSP / -100FL / -100R wipe size	7-3/4" x 5-1/4"

Environmental Policy

Techspray is committed to developing products to ensure a safer and cleaner environment. We will continue to meet and sustain the regulations of all federal, state and local government agencies.

Resources

Techspray products are supported by a global sales, technical and customer services resources.

For additional technical information on this product or other Techspray products in the United States, call the technical sales department at 800-858-4043, email tsales@techspray.com or visit our web site at: www.techspray.com.

North America

Techspray
P.O. Box 949
Amarillo, TX 79105
800-858-4043
Email: tsales@techspray.com

Europe

ITW Contamination Control
Saffierlaan 5
2132 VZ Hoofddorp
The Netherlands
+31 88 1307 400
Email: info@itw-cc.com

Countries Outside US

Call to locate a distributor in your country.

Important Notice to Purchaser/User: The information in this publication is based on tests that we believe are reliable. The results may vary due to differences in tests type and conditions. We recommend that each user evaluate the product to determine its suitability for the intended application. Conditions of use are outside our control and vary widely. Techspray's only obligation and your only solution is replacement of product that is shown to be defective when you receive it. In no case will Techspray be liable for any special, incidental, or consequential damages based on breach of warranty, negligence or any other theory.

© 2017 Techspray, A Division of ITW