



## PRODUCT CHANGE NOTIFICATION (PCN)

ISSUE DATE: 25/4/2022  
MODIFICATION / REVISION DATE: 25/4/2022

### AMJG0808-0050-GYB-26 MODULAR CABLE

CHANGE NOTIFICATION:	PCN 20220425_AMJG0808-0050-GYB-26
DESCRIPTION OF CHANGES:	CHANGE OF DATA SHEET CHANGE OF DATA SHEET New Draw.-No. ASS_7947_CArev02
REASON FOR CHANGE:	CHANGE OF PRODUCT LOCATION CHANGE OF PRODUCT LOCATION
KEY CHARACTERISTICS OF CHANGE:	Details see page 3
PRODUCTS AFFECTED:	AMJG0808-0050-GYB-26
DATE OF CHANGE AND IMPLEMENTATION:	CHANGE: WEEK 18 / YEAR 2022 IMPLEMENTATION: 25/4/2022
RESPONSE:	NO RESPONSE TO THIS NOTIFICATION IS REQUIRED

#### PCN REVISION HISTORY:

DATE OF REVISION: 25/4/2022

REVISION NUMBER: 00

page 1/






Auf dem Schüffel 1  
 D-58513 Lüdenscheid  
 Tel.: +49-2351 - 554-200  
 Fax: +49 (2351) 554-861  
 info@assmann-wsw.com  
 www.assmann-wsw.com

## PRODUCT CHANGE NOTIFICATION (PCN)

ISSUE DATE: 25/4/2022  
 MODIFICATION / REVISION DATE: 25/4/2022

AMJG0808-0050-GYB-26	OLD VERSION	AMJG0808-0050-GYB-26	NEW VERSION																																													
<p>Appearance</p>		<p>Appearance</p>																																														
<p>BOM</p> <table border="1"> <thead> <tr> <th>NO:</th> <th>NAME</th> <th>DESCRIPTION</th> <th>Q'TY</th> <th>UNIT</th> </tr> </thead> <tbody> <tr> <td>③</td> <td>Molding</td> <td>PVC 45P Color: see order code</td> <td>NA</td> <td>KG</td> </tr> <tr> <td>②</td> <td>CONNECTOR</td> <td>RJ45 8P8C two fork 3u" gold plated with metal shield</td> <td>2</td> <td>PCS</td> </tr> <tr> <td>①</td> <td>CABLE</td> <td>CAT5e FTP (26AWG*1PR)*4+D+A+PVC OD=5,2±0,3MM Color: see order code</td> <td>NA</td> <td>MM</td> </tr> </tbody> </table>		NO:	NAME	DESCRIPTION	Q'TY	UNIT	③	Molding	PVC 45P Color: see order code	NA	KG	②	CONNECTOR	RJ45 8P8C two fork 3u" gold plated with metal shield	2	PCS	①	CABLE	CAT5e FTP (26AWG*1PR)*4+D+A+PVC OD=5,2±0,3MM Color: see order code	NA	MM	<p>BOM</p> <table border="1"> <thead> <tr> <th>NO:</th> <th>NAME</th> <th>DESCRIPTION</th> <th>Q'TY</th> <th>UNIT</th> </tr> </thead> <tbody> <tr> <td>⚠</td> <td>AL-Foil</td> <td>Double-sided conductive aluminum foil ②</td> <td>2</td> <td>PCS</td> </tr> <tr> <td>⚠</td> <td>Molding</td> <td>PVC 65P Color: see order code ②</td> <td>NA</td> <td>KG</td> </tr> <tr> <td>⚠</td> <td>CONNECTOR</td> <td>RJ45 8P8C two fork 3u" gold plated with metal shield</td> <td>2</td> <td>PCS</td> </tr> <tr> <td>⚠</td> <td>CABLE</td> <td>CAT5e F/UTP (26AWG*1PR)*4+D(AM)+A+PVC OD=5,2±0,3MM Color: see order code ②</td> <td>NA</td> <td>MM</td> </tr> </tbody> </table>		NO:	NAME	DESCRIPTION	Q'TY	UNIT	⚠	AL-Foil	Double-sided conductive aluminum foil ②	2	PCS	⚠	Molding	PVC 65P Color: see order code ②	NA	KG	⚠	CONNECTOR	RJ45 8P8C two fork 3u" gold plated with metal shield	2	PCS	⚠	CABLE	CAT5e F/UTP (26AWG*1PR)*4+D(AM)+A+PVC OD=5,2±0,3MM Color: see order code ②	NA	MM
NO:	NAME	DESCRIPTION	Q'TY	UNIT																																												
③	Molding	PVC 45P Color: see order code	NA	KG																																												
②	CONNECTOR	RJ45 8P8C two fork 3u" gold plated with metal shield	2	PCS																																												
①	CABLE	CAT5e FTP (26AWG*1PR)*4+D+A+PVC OD=5,2±0,3MM Color: see order code	NA	MM																																												
NO:	NAME	DESCRIPTION	Q'TY	UNIT																																												
⚠	AL-Foil	Double-sided conductive aluminum foil ②	2	PCS																																												
⚠	Molding	PVC 65P Color: see order code ②	NA	KG																																												
⚠	CONNECTOR	RJ45 8P8C two fork 3u" gold plated with metal shield	2	PCS																																												
⚠	CABLE	CAT5e F/UTP (26AWG*1PR)*4+D(AM)+A+PVC OD=5,2±0,3MM Color: see order code ②	NA	MM																																												
<p>FOR DETAIL, PLEASE TAKE ATTACHED NEW DRAWING: FOR REFERENCE</p>																																																



PIN OUT		
CN1	WIRE COLOR	CN2
1	ORANGE/WHITE	1
2	ORANGE	2
3	GREEN/WHITE	3
6	GREEN	6
4	BLUE	4
5	BLUE/WHITE	5
7	BROWN/WHITE	7
8	BROWN	8
SHELL	DRAIN WIRE	SHELL

Electrical test:  
Open/short/intermittence: 100%

NO:	NAME	DESCRIPTION	QTY	UNIT
④	AL-Foil	Double-sided conductive aluminum foil ②	2	PCS
③	Molding	PVC 65P Color: see order code ②	NA	KG
③	CONNECTOR	RJ45 8P8C two fork 3u" gold plated with metal shield	2	PCS
④	CABLE	CAT5e F/UTP (26AWG*1PR)*4+D(AM)+A+PVC OD=5.2±0.3MM Color: see order code ②	NA	MM

WSW order code  
AMJG0808-xxxx-xxB-26 ①

Cable length

- 0030: 0.3M
- 0050: 0.5M
- 0100: 1.0M
- 0150: 1.5M
- 0200: 2.0M
- 0300: 3.0M
- 0500: 5.0M
- 0700: 7.0M
- 1000: 10M
- 1500: 15M

Cable&Molding color

- BK: Black
- RD: Red
- YE: Yellow
- GN: Green
- GY: Grey
- BU: Blue
- WH: White
- BN: Brown

RoHS compliant  
Unit: mm

Scale	Free					Date	Name	Customer-No.
TOLERANCE						Drawn	30.03.2017	Amy
						Approved	12.04.2022	Luca
		②	Change the plant	12.04.2022	Amy			
DIM	TOL	①	Update the WSW order code	02.06.2017	Amy			
		①	Drawn	30.03.2017	Amy			
Angle	TOL	Id.	Modification	Date	Name			

ASSMANN WSW-No. ① AMJG0808-xxxx-xxB-26	
Drawing-No. <b>ASS 7947 CA</b>	rev02
Replace	Sheet