



## PRODUCT CHANGE NOTIFICATION (PCN)

ISSUE DATE: 11/8/2023  
MODIFICATION / REVISION DATE: 11/8/2023

### AK125-2 D-sub cable

CHANGE NOTIFICATION: PCN 20231108\_AK125-2

DESCRIPTION OF CHANGES: CHANGE OF DATA SHEET  
CHANGE OF DATA SHEET  
New Draw.-ASS\_10080\_COrev01

REASON FOR CHANGE: CHANGE OF PRODUCT DIMENSIONS, TOLERANCES AND/OR PROPERTIES  
CHANGE OF PRODUCT DIMENSIONS, TOLERANCES AND/OR PROPERTIES

KEY CHARACTERISTICS OF CHANGE: Details see page 3

PRODUCTS AFFECTED: AK125-2

DATE OF CHANGE AND IMPLEMENTATION: CHANGE: 45/2023  
IMPLEMENTATION: 11/8/2023

RESPONSE: NO RESPONSE TO THIS NOTIFICATION IS REQUIRED





Auf dem Schöffel 1  
D-58513 Lüdenscheid  
Tel.: +49-2351 - 554-200  
Fax +49 (2351) 554-861  
info@assmann-wsw.com  
www.assmann-wsw.com

## PRODUCT CHANGE NOTIFICATION (PCN)

ISSUE DATE: 11/8/2023  
MODIFICATION / REVISION DATE: 11/8/2023

AK125-2 OLD VERSION	AK125-2 NEW VERSION						
<p>1) Dimension</p> <table border="1" style="width: 100%;"> <tr> <td style="width: 5%; text-align: center;">△</td> <td style="width: 15%;">CABLE</td> <td style="width: 80%;">28AWG, 9C+1+AL/MY,Beige, PVC Jacket, OD:6.0</td> </tr> </table> <p style="text-align: right; color: red; font-weight: bold;">1</p>	△	CABLE	28AWG, 9C+1+AL/MY,Beige, PVC Jacket, OD:6.0	<p>1) Dimension</p> <table border="1" style="width: 100%;"> <tr> <td style="width: 5%; text-align: center;">△</td> <td style="width: 15%;">CABLE</td> <td style="width: 80%;">28AWG, 9C+1+AL/MY,Beige, PVC Jacket, OD:5.0mm ①</td> </tr> </table> <p style="text-align: right; color: green; font-weight: bold;">1</p>	△	CABLE	28AWG, 9C+1+AL/MY,Beige, PVC Jacket, OD:5.0mm ①
△	CABLE	28AWG, 9C+1+AL/MY,Beige, PVC Jacket, OD:6.0					
△	CABLE	28AWG, 9C+1+AL/MY,Beige, PVC Jacket, OD:5.0mm ①					
FOR DETAIL, PLEASE TAKE ATTACHED NEW DRAWING: ASS_8981_COrev01 FOR REFERENCE							

	1	2	3	4	5	6	7																																					
A									A																																			
B									B																																			
C									C																																			
D									D																																			
E									E																																			
F									F																																			
	<b>Configuration:</b> DB9F                      DB25M 1 _____ 8 2 _____ 3 3 _____ 2 4 _____ 20 5 _____ 7 6 _____ 6 7 _____ 4 8 _____ 5 9 _____ 22 Shield _____ Shield		<table border="1"> <thead> <tr> <th>NO.</th> <th>NAME</th> <th>DESCRIPTION</th> <th>QTY</th> <th>UNIT</th> </tr> </thead> <tbody> <tr> <td>6</td> <td>Screw</td> <td>#4-40UNC type</td> <td>4</td> <td>pcs</td> </tr> <tr> <td>5</td> <td>Housing</td> <td>Speed Hood for DB25, Assembly type</td> <td>1</td> <td>pcs</td> </tr> <tr> <td>4</td> <td>CONN.</td> <td>DB25 Male, normal type</td> <td>1</td> <td>pcs</td> </tr> <tr> <td>3</td> <td>Housing</td> <td>Speed Hood for DB9, Assembly type</td> <td>1</td> <td>pcs</td> </tr> <tr> <td>2</td> <td>CONN.</td> <td>DB9 Female, normal type</td> <td>1</td> <td>pcs</td> </tr> <tr> <td>1</td> <td>CABLE</td> <td>28AWG, 9C+1+AL/MY, Beige, PVC Jacket, OD:5.0mm ①</td> <td>1</td> <td>pcs</td> </tr> </tbody> </table>						NO.	NAME	DESCRIPTION	QTY	UNIT	6	Screw	#4-40UNC type	4	pcs	5	Housing	Speed Hood for DB25, Assembly type	1	pcs	4	CONN.	DB25 Male, normal type	1	pcs	3	Housing	Speed Hood for DB9, Assembly type	1	pcs	2	CONN.	DB9 Female, normal type	1	pcs	1	CABLE	28AWG, 9C+1+AL/MY, Beige, PVC Jacket, OD:5.0mm ①	1	pcs	
NO.	NAME	DESCRIPTION	QTY	UNIT																																								
6	Screw	#4-40UNC type	4	pcs																																								
5	Housing	Speed Hood for DB25, Assembly type	1	pcs																																								
4	CONN.	DB25 Male, normal type	1	pcs																																								
3	Housing	Speed Hood for DB9, Assembly type	1	pcs																																								
2	CONN.	DB9 Female, normal type	1	pcs																																								
1	CABLE	28AWG, 9C+1+AL/MY, Beige, PVC Jacket, OD:5.0mm ①	1	pcs																																								
G	<b>RoHS compliant</b> Unit: mm		Scale	Free			Date	Name	Description:	Null Modem Cable 2.0 Meter  ASSMANN WSW-No. AK125-2	G																																	
			TOLERANCE				Drawn	08.11.2021	Daniel																																			
			X.X	±0.40			Approved	08.11.2023	Luca																																			
		X.XX	±0.25																																									
		X.XXX	±0.15																																									
H		DIM	TOL	①	Update cable OD	08.11.2023	Luca	<b>ASSMANN</b> <b>WSW components</b> A company of <b>BCS</b>		Drawing-No.	ASS 10080 CA rev01  Sheet 1 / 1	H																																
		Angle	±3°	②	Drawn	08.11.2021	Daniel	Customer-No.																																				
		Angle	TOL	Id.	Modification	Date	Name																																					
	1	2	3	4	5	6	7																																					