

## Product Change Notification

### PCN-AI-8473-2023

Business Unit	Product Line Code	Type of Change	Action	Date of Issue
AI - Automation Infrastructure	DNA	Product Change Notification	Notify Distributors and Field	1/18/2023

*The following Phoenix Contact products have been modified. Existing specifications will be met or exceeded. Please review and acknowledge this document and inform your personnel as needed.*

#### Description for Product Change Notification

The change made to the item hardware requires an increase in the hardware revision for reasons of traceability. This improves the items' immunity to EMC. The technical properties, as described in the data sheets, remain unchanged.

In addition to the year of manufacture, the calendar week will be displayed below the CE mark. Furthermore, the marking on the front of the housing will be changed and the various pictograms / approvals will now be displayed in the lower area on the left half of the housing. The terminal blocks will longer be coded and the color of the terminal blocks will change from green to light gray (RAL 7035).

#### Stock Status

Can existing stock still be used?	Yes
Is mixture of stock acceptable?	Yes

#### Transaction Dates

Date modification goes into effect from Germany:	7/4/2022
Expected first shipment (from Phoenix Contact) of the modified products(s):	




Phoenix Contact Inc.  
P.O. BOX 4100  
Harrisburg, PA 17111-0100  
Phone: 717-944-1300

## Product Change Notification

Previous Product	New Product
<p><b>APPROVALS</b></p> <p>UL LISTED ND.CONT.EQ. 32FB</p> <p>INPUT: 24 Vdc, max. 60 mA OUTPUT: NO 250 Vac, 24 Vdc, 6A resistive R300 R300</p> <p>Surrounding Air Temperature 60°C DC: 100 mA, 24 Vdc, resistive</p> <p>HW/FW: 03/---</p> <p>XXXXXXXXXX (Seriennr.)</p> <p>Warning – Do not separate when energized!</p>	<p><b>APPROVALS</b></p> <p>UL LISTED ND.CONT.EQ. 32FB</p> <p>INPUT: 24 Vdc, max. 60 mA OUTPUT: NO 250 Vac, 24 Vdc, 6A resistive R300 R300</p> <p>Surrounding Air Temperature 60°C DC: 100 mA, 24 Vdc, resistive</p> <p>HW/FW: 04/---</p> <p>XXXXXXXXXX (Seriennr.)</p>
<p>PHOENIX CONTACT PHOENIX CONTACT GmbH &amp; Co.KG Flachmarktsstraße 8 32825 Blomberg, Germany</p> <p>PSR-MC30-2NO-DO-24DC-5C Orig.-No.: 27 00 456</p> <p><b>Phoenix Safety Relays</b></p> <p>INPUT A1/A2 24VDC -15/+10%</p> <p>OUTPUT 250V AC : 6A 250V AC15 : 5A 24V DC13 : 4A M1 : 24V DC : 0,1A</p> <p>SIL 3 rated acc. IEC 61508</p> <p>Read installation instructions before connecting to mains <a href="http://www.phoenixcontact.com">www.phoenixcontact.com</a></p>	<p>PHOENIX CONTACT PHOENIX CONTACT GmbH &amp; Co.KG Flachmarktsstraße 8 32825 Blomberg, Germany</p> <p>PSR-MC30-2NO-DO-24DC-5C Orig.-No.: 27 00 456</p> <p><b>PSR Safety Relays</b></p> <p>INPUT A1/A2 24VDC -15/+10%</p> <p>OUTPUT 250V AC : 6A 250V AC15 : 5A 24V DC13 : 4A M1 : 24V DC : 0,1A</p> <p>Read installation instructions before connecting to mains <a href="http://www.phoenixcontact.com">www.phoenixcontact.com</a></p>

Phoenix Contact Inc.  
P.O. BOX 4100  
Harrisburg, PA 17111-0100  
Phone: 717-944-1300


## Product Change Notification



*Should you have any issues with the timeline or content of this product change, please contact Phoenix Contact using the information below. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN; provided, however, that the failure to acknowledge receipt does not affect the product change or the effective date thereof.*

**Contact Info:**  
Noah Greene  
ngreene@phoenixcontact.com

Thank you,




---

Zachary Stank  
Product Marketing Manager



Phoenix Contact Inc.  
P.O. BOX 4100  
Harrisburg, PA 17111-0100  
Phone: 717-944-1300

## Product Change Notification

Part #	Type Description
2700498	PSR-MC30-2NO-1DO-24DC-SC
2700499	PSR-MC30-2NO-1DO-24DC-SP
2700540	PSR-MC34-3NO-1DO-24DC-SC
2700548	PSR-MC34-3NO-1DO-24DC-SP